

Certificate of Analysis

EGFR (L858R), active

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-626, 14-626-K, 14-626M

Parent Lot # 31001U

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

Product Description: N-terminal GST-tagged, recombinant human EGFR, amino acids 696–end containing the mutation L858R. This mutation has been associated with non-small cell lung cancer patients who demonstrate clinical responsiveness to the tyrosine kinase inhibitor gefitinib (Iressa, ZD1839). Expressed by baculovirus in Sf21 insect cells. Purified using glutathione-agarose. Purity 73% by SDS-PAGE and Coomassie blue staining. MW = 85.8kDa.

Formulation: 2.2mg/ml of enzyme in 50mM Tris/HCl pH7.5, 300mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.

Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.


Specific Activity (Parent lot# 31001U): 376U/mg, where one unit of EGFR, active activity is defined as 1nmol phosphate incorporated into 0.1mg/ml poly(Glu, Tyr) (4:1) per minute at 30°C with a final ATP concentration of 100µM.

Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.


**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**

Quality Control Testing

Kinase Assay: 11–110ng of this lot of enzyme phosphorylated 0.1mg/ml poly(Glu,Tyr) (4:1) in the assay described on page two. Assay background was subtracted from the actual counts to yield the results shown below.



MS Tryptic Fingerprint: Confirmed identity as EGFR with the translated native sequence listed on page three.



Certificate of Analysis

Kinase Assay Protocol

Stock Solutions:

1. **5 x Reaction Buffer:** 40mM MOPS/NaOH pH7.0, 1mM EDTA.
2. **Poly(Glu, Tyr) (4:1):** Use at a final assay concentration of 0.1mg/ml. Prepare a 1mg/ml stock. Add 2.5µl of stock per assay point.
3. **EGFR, active:** Dilute with 20mM MOPS/NaOH pH7.0, 1mM EDTA, 0.01% Brij-35, 5% glycerol, 0.1% 2-mercaptoethanol, 1mg/ml BSA. Use 11–110ng per assay point.
4. **[γ -³³P]ATP:** 2.5 x magnesium acetate/[γ -³³P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [γ -³³P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

Assay Procedure (96 well plate format):

1. Add 5µl of 10 x reaction buffer per assay to wells
2. Add 2.5µl of **poly(Glu, Tyr) (4:1)**.
3. Add **2.5µl (11–110ng) EGFR, active**.
4. Add 5µl of dH₂O.
5. Add 10µl of diluted [γ -³³P]ATP mixture.
6. Incubate for 10 minutes at 30°C.
7. Stop the reaction by adding 5µl of 3% phosphoric acid.
8. Transfer a 10µl aliquot onto the appropriate area of a **Filtermat A**.
9. Wash the filtermat three times for 5 minutes with 75mM phosphoric acid.
10. Wash the filtermat once for 2 minutes with methanol.
11. Transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
12. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1µl of 30% phosphoric acid.

Certificate of Analysis

EGFR (L858R) Sequence Information

<u>Protein</u>	Human EGFR (L858R)
<u>Tags</u>	N-Terminal GST
<u>Native sequence</u>	G241 of recombinant sequence is equivalent to G696 of native human EGFR
<u>Accession number</u>	GenBank X00588

Recombinant EGFR amino acid sequence:

```

1  MSPILGYWKI KGLVQPTRLL LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID
61  GDVKLTQSMa IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRiA YSKDFETLKV
121 DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCfK
181 KRIEAIpQID KYLKSSKYIA WPLQGwQATF GGGDHPPKSD LEVLfQGPEF KGMGIRNSKG
241 GEAPNqALLR ILKETEFKKI KVLGSGAFGT VYKGLWIPEG EKVKIPVAIK ELREATSPKA
301 NKEILDEAYV MASVDNPHVC RLLGICLTST VQLITQLMPF GCLLDYVREH KDNIGSQYLL
361 NWCvQIAKGM NYLEDrrLVH RDLAARNVLV KTPQHVKITD FGRAKLLGAE EKEYHAEGGK
421 VPIKwMALES ILHRIYTHQS DVWSYGVTvW ELMTFGSKPY DGIPASEISS ILEKGERLPQ
481 PPICTIDvYM IMVKCWmIDA DSRPKFRELI IEFskMARDP QRYLVIQgDE RMHLPSPTDS
541 NFYRALMDEE DMDDVvDADE YLIPQqGFFS SPSTSRTPLL SLSATSNNs TVACIDRNGL
601 QSCPIKEDSF LQRYSSDPTG ALTEDSIDDT FLPVPEYINQ SVPKRPAgSV QNPVYHNQPL
661 NPAPSRDPHY QDPHSTAVGN PEYLNTVQPT CVNSTFDSPA HWAQKGSHQI SLDNPDYQqD
721 FFPKEAKPNG IFKGSTAENA EYLRVAPQSS EFIGA

```

Recombinant EGFR nucleotide sequence:

```

1  atgtccccta tactaggtta ttggaaaatt aagggccttg tgcaaccac tgcacttctt
61  ttggaatatc ttgaagaaaa atatgaagag catttgatat agcgcgatga aggtgataaa
121 tggcgaaaca aaaagtttga attgggtttg gagtttccca atcttcctta ttatatgtat
181 ggtgatgtta aattaacaca gtctatggcc atcatacgtt atatagctga caagcacaac
241 atgttgggtg gttgtccaaa agagcgtgca gagatttcaa tgcttgaagg agcggttttg
301 gatattagat acggtgtttc gagaattgca tatagtaaag actttgaaac tctcaaagtt
361 gattttctta gcaagctacc tgaaatgctg aaaatgttcg aagatcgttt atgtcataaa
421 acatatthaa atggtgatca tgtaaccat cctgacttca tgttgatatg cgctcttgat
481 gttgttttat acatggaccc aatgtgcctg gatgcgttcc caaaattagt ttgttttaaa
541 aaacgtattg aagctatccc acaaattgat aagtacttga aatccagcaa gtatatagca
601 tggcctttgc agggctggca agccacgttt ggtggtggcg accatcctcc aaaatcggat
661 ctggaagttc tgttccaggg gcccgatttc aaaggcatgg ggatccgga tccaaaggg
721 ggagaagctc ccaaccaagc tctctgagg atcttgaagg aaactgaatt caaaaagatc
781 aaagtgtctg gctccggtgc gttcggcacg gtgtataagg gactctggat cccagaaggt
841 gagaaagtta aaattcccgt cgctatcaag gaattaagag aagcaacatc tccgaaagcc
901 aacaaggaaa tcctcgatga agcctacgtg atggccagcg tggacaaccc ccacgtgtgc
961 cgctgtctgg gcatctgcct cacctccacc gtgcaactca tcacgcagct catgcccttc
1021 ggctgcctcc tggactatgt ccgggaacac aaagacaata ttggctccca gtacctgtc
1081 aactggtgtg tgcagatcgc aaagggcatg aactacttgg aggaccgtcg cttggtgcac
1141 cgcgacctgg cagccaggaa cgtactggtg aaaacaccgc agcatgtcaa gatcacagat
1201 tttgggctgg ccaaactgct ggggtcggaa gagaaagaat accatgcaga aggaggcaaa
1261 gtgcctatca agtggtatggc attggaatca attttacaca gaatctatac ccaccagagt
1321 gatgtctgga gctacggggt gaccgtttgg gagttgatga cctttggatc caagccatat
1381 gacggaatcc ctgccagcga gatctcctcc atcctggaga aaggagaacg cctccctcag
1441 ccacccatat gtaccatcga tgtctacatg atcatggtca agtgctggat gatagacgca
1501 gatagtgcgc caaagtccg tgagttgatc atcgaattct ccaaaatggc ccgagacccc
1561 cagcgtacc ttgtcattca gggggatgaa agaatgcatt tgccaagtcc tacagactcc
1621 aacttctacc gtgcctgat ggatgaagaa gacatggacg acgtggtgga tgccgacgag
1681 tacctcatcc cacagcaggg cttcttcagc agcccctcca cgtcacggac tcccctcctg

```

Certificate of Analysis

```

1741 agctctctga gtgcaaccag caacaattcc accgtggctt gcattgatag aaatgggctg
1801 caaagctgtc ccatcaagga agacagcttc ttgcagcgat acagctcaga cccacaggc
1861 gccttgactg aggacagcat agacgacacc ttctctccag tgctgaata cataaaccag
1921 tccgttccca aaaggccgc tggctctgtg cagaatcctg tctatcaca tcagcctctg
1981 aaccccgcg cccagcagaga cccacactac caggaccccc acagcactgc agtgggcaac
2041 cccgagtatc tcaacactgt ccagcccacc tgtgtcaaca gcacattcga cagccctgcc
2101 cactgggccc agaaaggcag ccaccaaatt agcctggaca accctgacta ccagcaggac
2161 ttctttccca aggaagccaa gccaaatggc atctttaagg gctccacagc tgaaaatgca
2221 gaatacctaa gggtcgcgcc acaaagcagt gaatttattg gagcatga

```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 Eurofins Pharma Discovery Services UK Limited is an independent member of Eurofins Discovery Services.