

Certificate of Analysis

DAPK2, active

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-657, 14-657-K, 14-657M

Parent Lot # 28637U

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialing runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialing run.

Product Description: N-terminal GST-tagged, recombinant, human, full length DAPK2, expressed by baculovirus in Sf21 insect cells. Purified using glutathione agarose. Purity 78% by SDS-PAGE and Coomassie blue staining. MW = 70.6kDa.

Specific Activity (Parent lot# 28637U): 105U/mg, where one unit of DAPK2, active activity is defined as 1nmol phosphate incorporated into 250µM (KKLNRTLSEFAEPG) per minute at 30°C with a final ATP concentration of 100µM.

Formulation: 0.937mg/ml of enzyme in 50mM Tris/HCl pH7.5, 300mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.


Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.

Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.


**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**

Quality Control Testing

Kinase Assay: 9.32–117.5ng of this lot of enzyme phosphorylated 250µM (KKLNRTLSEFAEPG) in the assay described on page two. Assay background was subtracted from the actual counts to yield the results shown below.



MS Tryptic Fingerprint: Confirmed identity as DAPK2 with the translated native sequence listed on page three.



Certificate of Analysis

Kinase Assay Protocol

Stock Solutions:

1. **5 x Reaction Buffer:** 40mM MOPS-NaOH pH7.0, 1mM EDTA.
2. **(KKLNRTLSEFAEPG):** Use at a final assay concentration of 250µM. Make a 2.5µM stock. Add 2.5µl of stock per assay point.
3. **CaCl₂:** Use at a final assay concentration of 500µM. Make a 5mM stock. Add 2.5µl of stock per assay point.
4. **Calmodulin:** Use at a final concentration of 1µM. Make a 0.3mg/ml stock. Add 1.33µl of stock per assay point.
5. **DAPK2, active:** Dilute with 20mM MOPS-NaOH pH7.0, 1mM EDTA, 0.01% Brij-35, 5% glycerol, 0.1% 2-mercaptoethanol, 1mg/ml BSA. Use 9.32–117.5ng per assay point.
6. **[γ-³³P]ATP:** 2.5 x magnesium acetate/[γ-³³P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [γ-³³P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

Assay Procedure (96 well plate format):

1. Add 5µl of 5 x reaction buffer per assay to wells.
2. Add 2.5µl of **(KKLNRTLSEFAEPG)**.
3. Add **2.5µl (9.32–117.5ng) DAPK2, active**.
4. Add 2.5µl of 5mM CaCl₂.
5. Add 1.33µl of 0.3mg/ml calmodulin.
6. Add 1.17µl of dH₂O.
7. Add 10µl of diluted [γ-³³P]ATP mixture.
8. Incubate for 10 minutes at 30°C.
9. Stop the reaction by adding 5µl of 3% phosphoric acid.
10. Transfer a 10µl aliquot onto the appropriate area of a **P30 Filtermat**.
11. Wash the filtermat three times for 5 minutes with 75mM phosphoric acid.
12. Wash the filtermat once for 2 minutes with methanol.
13. Transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
14. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1µl of 30% phosphoric acid.

Certificate of Analysis

DAPK2 Sequence Information

<u>Protein</u>	Human DAPK2
<u>Tags</u>	N-terminal GST
<u>Native sequence</u>	M237 of the recombinant protein is equivalent to M1 of human DAPK2
<u>Accession number</u>	GenBank NM_014326

Recombinant DAPK2 amino acid sequence:

1	MSPIILGYWKI	KGLVQPTRL	LEYLEEKYEE	HLIERDEGDK	WRNKKFELGL	EFPNLPYYID
61	GDVKLTQSMA	IIRYIADKHN	MLGGCPKERA	EISMLEGAVL	DIRYGVSRIA	YSKDFETLKV
121	DFLSKLPEML	KMFEDRLCHK	TYLNGDHVTH	PDFMLYDALD	VVLYMDPMCL	DAFPKLVCFK
181	KRIEAIPOID	KYLKSSKYIA	WPLQGWQATF	GGGDHPPKSD	LEVLFQGPEF	KGLRRQMFQA
241	SMRSPNMEPF	KQQKVEDFYD	IGEELGSGQF	AIVKKCREKS	TGLEAAKFI	KKRQSRASRR
301	GVSREEIERE	VSILRQVLHH	NVITLHDVYE	NRTDVVLILE	LVSGGELFDF	LAQKESLSEE
361	EATSFQIKQIL	DGVNYLHTTK	IAHFDLKPEN	IMLLDKNIP	PHIKLIDFGL	AHEIEDGVEF
421	KNIFGTPEFV	APEIVNYEPL	GLEADMWSIG	VITYILLSGA	SPFLGDTKQE	TLANITAVSY
481	DFDEEFFSQT	SELAKDFIRK	LLVKETRKRL	TIQEALRHPW	ITPVDNQQAM	VRRESVVNLE
541	NFRKQYVRRR	WKLSFSIVSL	CNHLTRSLMK	KVHLRPDEDL	RNCESDTEED	IARRKALHPR
601	RRSSTS					

Recombinant DAPK2 nucleotide sequence:

1	atgtccccta	tactaggtta	ttggaaaatt	aagggccttg	tgcaaccac	tgcacttctt
61	ttggaatata	ttgaagaaaa	atatgaagag	catttgatatg	agcgcgatga	aggtgataaa
121	tggcgaaaca	aaaagtttga	attgggtttg	gagtttccca	atcttcctta	ttatatattgat
181	ggtgatgtta	aattaacaca	gtctatggcc	atcatacggt	atatactga	caagcacaac
241	atgttgggtg	gttggtccaa	agagcgtgca	gagatttcaa	tgcttgaagg	agcgggtttg
301	gatattagat	acggtgtttc	gagaattgca	tatatgaaag	actttgaaac	tctcaaagtt
361	gattttctta	gcaagctacc	tgaaatgctg	aaaatgttcg	aagatcggtt	atgtcataaa
421	acatatattaa	atggtgatca	tgtaaccat	cctgacttca	tggtgatga	cgctcttgat
481	gttgttttat	acatggaccc	aatgtgcctg	gatgcgttcc	caaaattagt	ttgttttaaa
541	aaacgtattg	aagctatccc	acaaattgat	aagtacttga	aatccagcaa	gtatatagca
601	tggcctttgc	agggctggca	agccacgttt	ggtggtggcg	accatcctcc	aaaatcggat
661	ctggaagtgc	tggtccaggg	gcccgaattc	aaaggcctac	gtcgacaaat	gttccaggcc
721	tcaatgagga	gtccaaacat	ggagccattc	aagcagcaga	aggtggagga	cttttatgac
781	atcggagagg	agctggggag	tggccagttt	gccatcgtga	agaagtgccg	ggagaagagc
841	acggggcttg	agtatgcagc	caagttcatc	aagaagcggc	agagccgggc	gagccggcgc
901	ggtgtgagcc	gggaggagat	cgagcgggag	gtgagcatcc	tgcggcaggt	gctgcaccac
961	aatgtcatca	cgctgcacga	cgtctatgag	aaccgcaccg	acgtggtgct	catecttgag
1021	ctagtgtctg	gaggagagct	cttcgatttc	ctggcccaga	aggagtcact	gagtgaggag
1081	gaggccacca	gcttcattaa	gcagatcctg	gatgggggtga	actaccttca	cacaaagaaa
1141	attgctcact	ttgatctcaa	gccagaaaac	attatgttgt	tagacaagaa	tattcccatt
1201	ccacacatca	agctgattga	ctttggtctg	gctcacgaaa	tagaagatgg	agttgaattt
1261	aagaatattt	ttgggacgcc	ggaatttgtt	gctccagaaa	ttgtgaacta	cgagcccctg
1321	ggtctggagg	ctgacatgtg	gagcataggc	gtcatcacct	acatcctctt	aagtggagca
1381	tcccctttcc	tgggagacac	gaagcaggaa	acactggcaa	atatcacagc	agtgagttac
1441	gactttgatg	aggaattctt	cagccagacg	agcagagctg	ccaaggactt	tattcggaag
1501	cttctggtta	aagagacccg	gaaacggctc	acaatccaag	aggctctcag	acacccctgg
1561	atcacgccgg	tggacaacca	gcaagccatg	gtgctgcagg	agtctgtggg	caatctggag
1621	aacttcagga	agcagtatgt	ccgcaggcgg	tggaagcttt	ccttcagcat	cgtgtccctg

Certificate of Analysis

```
1681 tgcaaccacc tcacccgctc gctgatgaag aaggtgcacc tgaggccgga tgaggacctg
1741 aggaactgtg agagtgcacac tgaggaggac atcgccagga ggaaagccct ccacccacgg
1801 aggaggagca gcacctccta a
```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 **Eurofins Pharma Discovery Services UK Limited** is an independent member of Eurofins Discovery Services.