

Certificate of Analysis

PI 3-Kinase (p110 α (E545K)/p85 α)

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-783, 14-783-K, 14-783M

Parent Lot # 1654888

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

Product Description: Complex of N-terminal 6His-tagged, recombinant, full-length human p110 α containing the mutation E545K and untagged, recombinant, full-length human p85 α . Co-expressed by baculovirus in Sf21 insect cells and purified using Ni²⁺/NTA-agarose.

The E545K substitution is a somatic mutation in p110 α that has been associated with tumours of the colon and brain. Combined *in vitro* and *in vivo* studies have shown that this mutation confers higher lipid kinase activity than wild type, and is able to induce oncogenic transformation. (Kang S. *et al.*, PNAS, (2005);102: 802-807 and Zhao J.J. *et al.*, PNAS, (2005);102:18443-18448).

Purity (p110 α / p85 α combined) 85.8% by SDS-PAGE and Coomassie blue staining. p110 α (E545K) MW = 125.3kDa, p85 α MW = 83.7kDa.

Specific Activity (Parent lot# 1654888): 355U/mg, where one unit of PI 3-Kinase alpha (p110 α (E545K)/p85 α (h)) activity is defined as 1nmol phosphatidylinositol 3,4,5-trisphosphate (PIP3) formed per minute at room temperature with a final ATP concentration of 100 μ M.

Formulation: 0.789mg/ml of enzyme in 50mM Tris/HCl pH8.0, 300mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 0.2mM PMSF, 1mM benzamidine, 0.1% 2-mercaptoethanol. Frozen solution.

Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.



Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.

**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**

Quality Control Testing

Kinase Assay: 0.03–2ng of this enzyme phosphorylated 10 μ M phosphatidylinositol 4, 5-bisphosphate in the assay referenced on page two.

MS Tryptic Fingerprint: Confirmed product identity as PI 3-Kinase (p110 α /p85 α) with the p110 α and p85 α translated sequences listed on pages three to six.



Certificate of Analysis

Eurofins PI3 Kinase Homogeneous Time-resolved Fluorescence (HTRF) Class I Reagent Kits

The following Eurofins kits are suitable for use with this enzyme:

Cat. No	Kit Description
33-016	PI3 Kinase 4-Step Assay Reagent 1-Plate Kit
33-017	PI3 Kinase 4-Step Assay Reagent 5-Plate Kit
33-036	PI3 Kinase 4-Step Assay Reagent Kit (10000 wells)
33-037	PI3 Kinase 4-Step Assay Reagent Kit (50000 wells)
33-040	PI3 Kinase 3-Step Assay Reagent Kit (384 wells)
33-041	PI3 Kinase 3-Step Assay Reagent Kit (1920 wells)
33-047	PI3 Kinase 3-Step Assay Reagent Kit (10000 wells)

Kits 33-016, 33-017, 33-036 and 33-037 provide reagents and assay details for the Eurofins standard 4-step HTRF assay. This assay format is suitable for the majority of small and medium throughput screening work. The 3-step HTRF assay (kits 33-040, 33-041, 33-047) was introduced to reduce the number of assay steps to aid high throughput screening. Items 33-040 and 33-041 are intended as introductory kits for 3-step procedure work up. Please contact us for any further information regarding different kit formats (discoveryservices@eurofins.com).

Certificate of Analysis

p110α(E545K) Sequence Information

<u>Protein</u>	Human p110α(E545K)
<u>Tags</u>	N-terminal 6His
<u>Native sequence</u>	M8 of the recombinant protein is equivalent to M1 of human p110α
<u>Accession number</u>	GenBank U79143

Recombinant p110α(E545K) amino acid sequence:

```

1  MHHHHHMP PPSSGELWGI HLMPPRILVE CLLPNGMIVT LECLREATLI TIKHELFKEA
61  RKYPLHQLLQ DESSYIFVSV TQEAEREEFF DETRRLCDLR LFQPFLKVIE PVGNREEKIL
121 NREIGFAIGM PVCEFDMVKD PEVQDFRRNI LNVCKEAVDL RDLNSPHSRA MYVYPPNVES
181 SPELPKHIYN KLDKGQIIVV IWVIVSPNND KQKYTLKINH DCVPEQVIAE AIRKKTRSM
241 LSSEQLKLCV LEYQGYILK VCGCDEYFLE KYPLSQKYI RSCIMLGRMP NLMLMAKESL
301 YSQLPMDCFM MPSYSRRIST ATPYMNGETS TKSLWVINS LRIKILCATY VNVNIRDIDK
361 IYVRTGIYHG GEPLCDNVNT QRVPCSNPRW NEWLNYDIYI PDLPRAARLC LSICSVKGRK
421 GAKEEHCPLA WGNINLFDYT DTLVSGKMAL NLWPVPHGLE DLLNPIGVTG SNPKNKETPCL
481 ELEFDWFSSV VKFPDMSVIE EHANWSVSRE AGFSYSHAGL SNRLARDNEL RENDKEQLKA
541 ISTRDPLSEI TKQEKDFLWS HRHYCVTIPE ILPKLLLSVK WNSRDEVAQM YCLVKDWPPI
601 KPEQAMELLD CNYPDMVRG FAVRCLEKYL TDDKLSQYLI QLVQVLKYEQ YLDNLLVRFL
661 LKKALTNQRI GHFFFHHLKS EMHNKTVSQR FGLLLESYCR ACGMYLKHLN RQVEAMEKLI
721 NLTDILKQEK KDEQKVQMK FLVEQMRRPD FMDALQGFLS PLNPAHQLGN LRLEECRIMS
781 SAKRPLWLNW ENPDIMSELL FQNEEIFKN GDDLRLQDMLT LQIIRIMENI WQNQGLDLRM
841 LPYGCLSIGD CVGLIEVVRN SHTIMQIQCK GGLKGALQFN SHTLHQWLKD KNKGEIYDAA
901 IDLFTRSCAG YCVATFILGI GDRHNSNIMV KDDGQLFHID FGHFLDHKKK KFGYKRERP
961 FVLTDQFLIV ISKGAQECTK TREFERFQEM CYKAYLAIRQ HANLFINLFS MMLGSGMPEL
1021 QSFDDIAYIR KTLALDKTEQ EALEYFMKQM NDAHGGGWT KMDWIFHTIK QHALN

```

Recombinant p110α(E545K) nucleotide sequence:

```

1  atgcatcacc atcaccatca catgcctcca agaccatcat caggtgaact gtggggcatc
61  cacttgatgc cccaagaat cctagtagaa tgtttactac caaatggaat gatagtgact
121 ttagaatgcc tccgtgaggc tacattaata accataaagc atgaactatt taaagaagca
181 agaaaatacc cctccatca acttctcaa gatgaactct cttacatttt cgtaagtgtt
241 actcaagaag cagaaggga agaattttt gatgaaaca gacgactttg tgaccttcgg
301 ctttttcaac cctttttaa agtaattgaa ccagtaggca accgtgaaga aaagatcctc
361 aatcgagaaa ttggttttgc tatcggcatg ccagtgtgtg aatttgatat ggttaaagat
421 ccagaagtag aggacttcgc aagaaatatt ctgaacgttt gtaaagaagc tgtggatcct
481 agggacctca attcacctca tagtagagca atgtatgtct atcctccaaa tgtagaatct
541 tcaccagaat tgccaaagca catatataat aaattagata aagggcgaat aatagtgtgtg
601 atctgggtaa tagtttctcc aaataatgac aagcagaagt atactctgaa aatcaaccat
661 gactgtgtac cagaacaagt aattgctgaa gcaatcagga aaaaaactcg aagtatgttg
721 ctatcctctg aacaactaaa actctgtgtt ttagaataatc agggcaagta tattttaaaa
781 gtgtgtggat gtgatgaata cttcctagaa aaatatcctc tgagtcagta taagtatata
841 agaagctgta taatgcttgg gaggatgccc aatttgatgt tgatggctaa agaaagcctt
901 tattctcaac tgccaatgga ctgttttaca atgccatctt attccagacg catttccaca
961 gctacaccat atatgaatgg agaaacatct acaaaatccc tttgggttat aaatagtgc
1021 ctcaagaata aaattctttg tgcaacctac gtgaatgtaa atattcgaga cattgataag
1081 atctatgttc gaacaggat ctaccatgga ggagaaccct tatgtgacaa tgtgaacact
1141 caaagagtac cttgttccaa tcccagggtg aatgaatggc tgaattatga tatatacatt
1201 cctgatcttc ctctgtctgc tcgactttgc ctttccattt gctctgttaa aggccgaaag
1261 ggtgctaaag aggaacactg tccattggca tggggaaata taaacttggt tgattacaca

```

Certificate of Analysis

```

1321 gacactctag tatctggaaa aatggctttg aatctttggc cagtacctca tggattagaa
1381 gatttgctga accctattgg tgttactgga tcaaattcaa ataaagaaac tccatgctta
1441 gatttgagtg ttgactgggt cagcagtgtg gtaaagtcc cagatatgtc agtgattgaa
1501 gagcatgcc aattggctgt atcccagaaa gcaggattta gctattccca cgcaggactg
1561 agtaacagac tagctagaga caatgaatta agggaaaatg acaaagaaca gctcaaagca
1621 atttctacac gagatcctct ctctgaaatc actaagcagg agaaagattt tctatggagt
1681 cacagacact attgtgtaac tatccccgaa attctacca aattgcttct gtctgttaaa
1741 tggaaattcta gagatgaagt agcccagatg tattgcttgg taaaagattg gcctccaatc
1801 aaacctgaac aggcctatgga acttctggac tgtaattacc cagatcctat ggttcgaggt
1861 tttgctgttc ggtgcttggg aaaatattta acagatgaca aactttctca gtatttaatt
1921 cagctagtac aggtcctaaa atatgaacaa tatttggata acttgcttgt gagattttta
1981 ctgaagaag agtgactaa tcaaaggatt gggcactttt tcttttggca tttaaaatct
2041 gagatgcaca ataaaacagt tagccagagg tttggcctgc ttttggagtc cttatgtcgt
2101 gcatgtggga tgtatttgaa gcacctgaat aggcagtgcg aggcattgga aaagctcatt
2161 aacttaactg acattctcaa acaggagaag aaggatgaaa cacaaaagg acagatgaag
2221 tttttagttg agcaaatgag gcgaccagat ttcattggatg ctctacaggg ctttctgtct
2281 cctctaaacc ctgctcatca actaggaaac ctcaggcttg aagagtgtcg aattatgtcc
2341 tctgcaaaaa ggccactgtg gttgaattgg gagaaccag acatcatgtc agagttagtg
2401 tttcagaaca atgagatcat ctttaaaaat ggggatgatt tacggcaaga tatgctaaca
2461 cttcaaatat ttcgtattat ggaaaatatc tggcaaaatc aaggtcttga tcttcgaatg
2521 ttaccttatg gttgtctgtc aatcggtgac tgtgtgggac ttattgaggt ggtgcgaaat
2581 tctcacacta ttatgcaaat tcagtgcaaa ggcggcttga aaggtgcact gcagttcaac
2641 agccacacac tacatcagtg gctcaaagac aagaacaaag gagaaatata tgatgcagcc
2701 attgacctgt ttacacgttc atgtgctgga tactgtgtag ctaccttcat tttgggaatt
2761 ggagatcgtc acaatagtaa catcatgggtg aaagacgatg gacaactgtt tcatatagat
2821 tttggacact ttttggatca caagaagaaa aaatttgggt ataaacgaga acgtgtgcca
2881 tttgttttga cacaggattt cttaatagtg attagtaaag gagcccaaga atgcacaaag
2941 acaagagaat ttgagagggt tcaggagatg tgttacaagg cttatctagc tattcgacag
3001 catgccaatc tcttcataaa tcttttctca atgatgcttg gctctggaat gccagaacta
3061 caatcttttg atgacattgc atacattcga aagaccctag ccttagataa aactgagcaa
3121 gaggcttttg agtatctcat gaaacaaatg aatgatgcac atcatggtgg ctggacaaca
3181 aaaatggatt ggatcttcca cacaattaaa cagcatgcat tgaactga

```

Certificate of Analysis

p85α Sequence Information

<u>Protein</u>	Human p85α
<u>Tags</u>	Untagged
<u>Native sequence</u>	M1 of the recombinant protein is equivalent to M1 of human p85α
<u>Accession number</u>	GenBank XM_043865

Recombinant p85α amino acid sequence:

```

1  MSAEGYQYRA  LYDYKKEREE  DIDLHLGDIL  TVNKGSLVAL  GFSDGQEARP  EEIGWLNGYN
61  ETTGERGDFP  GTYVEYIGRK  KISPPTPKPR  PPRPLPVAPG  SSKTEADVEQ  QALTLPDLAE
121 QFAPPDIAPP  LLIKLVIAIE  KKGLECESTLY  RTQSSSNLAE  LRQLLCDTP  SVDLEMIDVH
181 VLADAFKRYL  LDLPNPVIPA  AVYSEMISLA  PEVQSSEEIY  QLLKKLIRSP  SIPHQYWLTL
241 QYLLKHFFKL  SQTSSKNLLN  ARVLSEIFSP  MLFRFSAASS  DNTENLIKVI  EILISTEWNE
301 RQPAPALPPK  PPKPTTVANN  GMNNNMSLQD  AEWYWGDISR  EEVNEKL RDT  ADGTFLVRDA
361 STKMHGDYTL  TLRKGGNNKL  IKIFHRDGKY  GFSDPLTFSS  VVELINHYRN  ESLAQYNPKL
421 DVKLLYPVSK  YQQDQVVKED  NIEAVGKKLH  EYNTQFQEK  REYDRLYEY  TRTSQEIQMK
481 RTAIEAFNET  IKIFEEQCQT  QERYSKEYIE  KFKREGNEKE  IQRIMHNYDK  LKSRISEIID
541 SRRRLEEDLK  KQAAEYREID  KRMNSIKPDL  IQLRKTRDQY  LMWLTQKGVR  QKKLNEWLGN
601 ENTEDQYSLV  EDDEDLPHHD  EKTWNVGSSN  RNKAENLLRG  KR DGTFLVRE  SSKQGCYACS
661 VVDVGEVKHC  VINKTATGYG  FAEPYNLYSS  LKELVLHYQH  TSLVQHND  SL  NVTLAYPVYA
721  QQR

```

Recombinant p85α nucleotide sequence:

```

1  atgagtgtctg  aggggtacca  gtacagagcg  ctgtatgatt  ataaaaagga  aagagaagaa
61  gatattgact  tgcacttggg  tgacatatgt  actgtgaata  aagggtcctt  agtagctctt
121 ggattcagtg  atggacagga  agccaggcct  gaagaaattg  gctggttaaa  tggctataat
181 gaaaccacag  gggaaagggg  ggactttccg  ggaacttacg  tagaatatat  tggaaaggaaa
241 aaaatctcgc  ctccacacc  aaagccccgg  ccacctcggc  ctcttcctgt  tgcaccaggt
301 tcttcgaaaa  ctgaagcaga  tgttgaacaa  caagctttga  ctctcccggg  tcttgacagag
361 cagtttgccc  ctcttgacat  tgccccgcct  cttcttatca  agctcgtgga  agccattgaa
421 aagaaaggtc  tggaatgttc  aactctatac  agaacacaga  gctccagcaa  cctggcagaa
481 ttacgacagc  ttcttgattg  tgatacacc  tccgtggact  tggaaatgat  cgatgtgcac
541 gttttggctg  acgctttcaa  acgctatctc  ctggacttac  caaatcctgt  cattccagca
601 gccgtttaca  gtgaaatgat  ttctttagct  ccagaagtac  aaagctccga  agaatatatt
661 cagctattga  agaagcttat  taggtcgctt  agcatacctc  atcagtattg  gcttacgctt
721 cagtatttgt  taaaacattt  cttcaagctc  tctcaaacct  ccagcaaaaa  tctgttgaat
781 gcaagagtac  tctctgaaat  tttcagccct  atgcttttca  gattctcagc  agccagctct
841 gataatactg  aaaacctcat  aaaagttata  gaaattttaa  tctcaactga  atggaatgaa
901 cgacagcctg  caccagcact  gcctcctaaa  ccacaaaac  ctactactgt  agccaacaac
961 ggtatgaata  acaatatgtc  cttacaagat  gctgaatggg  actggggaga  tatctcaggg
1021 gaagaagtga  atgaaaaact  tcgagataca  gcagacggga  cttttttggg  acgagatgag
1081 tctactaaaa  tgcattggtg  ttatactctt  aactaaagga  aaggggggaa  taacaaatta
1141 atcaaaatat  ttcattcgag  tgggaaatat  ggcttctctg  acccattaac  cttcagttct
1201 gtggttgaat  taataaacca  ctaccggaat  gaatctctag  ctcatgataa  tcccaaattg
1261 gatgtgaaat  tactttatcc  agtatccaaa  taccaacagg  atcaagttgt  caaagaagat
1321 aatattgaag  ctgtagggaa  aaaattacat  gaataataca  ctcatgtttc  agaaaaaagt
1381 cgagaatatg  atagattata  tgaagaatat  accgcacat  cccaggaaat  ccaaatgaaa
1441 aggacagcta  ttgaagcatt  taatgaaacc  ataaaaatat  ttgaagaaca  gtgccagacc
1501 caagagcggg  acagcaaaga  atacatagaa  aagtttaaac  gtgaaggcaa  tgagaaagaa
1561 atacaaagga  ttatgcataa  ttatgataag  ttgaagtctc  gaatcagtga  aattattgac

```

Certificate of Analysis

```

1621 agtagaagaa gattggaaga agacttgaag aagcaggcag ctgagtatcg agaaattgac
1681 aaacgtatga acagcattaa accagacctt atccagctga gaaagacgag agaccaatac
1741 ttgatgtggt tgactcaaaa aggtgttcgg caaaagaagt tgaacgagtg gttgggcaat
1801 gaaaacactg aagaccaata ttactgggtg gaagatgatg aagatttgcc ccatcatgat
1861 gagaagacat ggaatgttgg aagcagcaac cgaaacaaag ctgaaaacct gttgcgaggg
1921 aagcgagatg gcacttttct tgtccgggag agcagtaaac agggctgcta tgcctgctct
1981 gtagtggtgg acggcgaagt aaagcattgt gtcataaaca aaacagcaac tggctatggc
2041 ttgcccagc cctataactt gtacagctct ctgaaagaac tggtgctaca ttaccaacac
2101 acctcccttg tgcagcacia cgactccctc aatgtcacac tagcctaccc agtatatgca
2161 cagcagaggc gatga
  
```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 Eurofins Pharma Discovery Services UK Limited is an independent member of Eurofins Discovery Services