RollerMouse Free3
Wireless

User Guide

contour

Box Contents

1. RollerMouse Free3 Wireless
2. Two short keyboard risers
3. Two long keyboard risers
4. Wireless receiver
5. USB 2.0 cable adapter
6. Charging cable

RollerMouse Functions

A. Rollerbar
B. Cursor speed and battery level indicator
C. Copy
D. Paste
E. Back
F. Forward
G. Left-click
H. Right-click
I. Scroll wheel
J. "One Touch" double-click

For additional mouse features and specific Mac settings, please download our driver at www.contour-design.co.uk.

Keyboard Positioning

Before plugging in the unit, take a moment to check the height and angle of your keyboard, and find the arrangement that's most comfortable for you. Use the risers to achieve the correct angle and height regardless of the type of keyboard you are using. The spacebar on your keyboard should come just above your rollerbar. To acheive a proper ergonomic position, the front edge of the keyboard should be as close to the rollerbar.

Contour Design's Balance Keyboard is a perfect option for the Free3 Wireless. Designed specifically for the RollerMouse, the Balance Keyboard sits level with the rollerbar and can be easily adjusted to a positive, neutral, or negative tilt.

Positive Tilt

Negative Tilt

Neutral Tilt

Inserting the Keyboard Risers

Fit the end of the riser **2** into the slot on the back of the RollerMouse Free3 Wireless.

Line up the short and long risers **2** and **3** then press the two parts together until you hear them snap into place.

Negative Tilt

Neutral Elevated

Neutral Flat

Positive Tilt

Power switch

The power switch can be found on the underside of the Free3 Wireless. Make sure the power switch is set to ON before pairing with your computer.

The Free3 Wireless features an optimized power management. Turning off the device is only necessary for permanent storage or during travel.

Connecting to a computer

Plug the wireless receiver ④ or the charging cable ⑥ into the computer's USB port. Allow your computer a few seconds to automatically install.

USB 2.0 cable adapter

This cable ⑤ provides a stronger connectivity* for wireless 2.0 USB devices when connected to USB 3.0 hubs.

If you find the reception of the device is not optimal, please use the included USB cable adapter for your convenience.

For more information on USB 2.0 wireless products in connection with USB 3.0 hubs, please visit our website at www.contourdesign.co.uk.

Using the rollerbar

The rollerbar **A** provides two functions:

• Cursor movement is performed by moving the rollerbar
  from side to side, and up and down.
• Left click is performed by pressing down on the rollerbar.

Click Force Tension Adjustment

For optimal control, you can adjust the amount of pressure required to perform a mouse click. Use the click force tension slider located under your RollerMouse Free3 Wireless. Simply slide it until you find the click control that works best for you.

Turn Bar-Click ON/OFF

To turn off the click functionality in the rollerbar, hold down Cursor Speed
B button, and press the rollerbar **A** .
Repeating this process will re-activate the click functionality in the rollerbar.

Changing the 'Double' click button to 'Middle' button function

To change double click button **B** to function as a middle click, hold
buttons **B** and **J** for two seconds until LED lights flash to confirm.
Repeating this process will revert back to double click functionality.

Battery level

Free3 Wireless has a built-in rechargeable battery. To see the battery level on your device, press the Cursor Speed **B** button once. The Free3 Wireless will first display the current DPI level, then display the current battery level (Red, Orange, Green).

If your Free3 Wireless is running low on battery, the center LED light will start blinking in red.

To charge your battery, plug the charging cable into your Free3 Wireless and connect it to a USB port on your computer.

Free3 Wireless has an expected battery life of approx. 1 month, with daily use.

Full Battery

Half Battery

Low Battery

Change cursor speed

Press the Cursor Speed **B** button to cycle through cursor speeds. There are ten speed selections which range from slow (600 DPI) to fast (2800 DPI). Speed can be identified by the LED lights as shown.

To see the current DPI level, press the Cursor Speed **B** button once.

600 DPI   800 DPI   1000 DPI   1200 DPI   1400 DPI

1600 DPI   1800 DPI   2000 DPI   2400 DPI   2800 DPI

Operating system

RollerMouse Free3 Wireless has 3 modes. PC- mode , Mac-mode and HID-mode. Use the following key commands to switch settings to best fit your operating system.

B + **C** : PC Mode (Hold down the Cursor Speed and press Copy)

B + **D** : Mac Mode (Hold down the Cursor Speed and press Paste)

B + **E** : HID Mode (Hold down the Cursor Speed and press Back)

Different Mode Settings

PC - Mode	LED's light up from left to right.	Windows
MAC - Mode	LED's light up from right to left.	OS
HID - Mode	LED's light up from both sides towards the middle.	Linux

For more information please visit:
www.contour-design.co.uk

Kingsbury House
468 Church Lane
London, NW9 8UA
United Kingdom
Phone: +45 70 27 02 27
Email: info@contour-design.com

Tested to comply with FCC
and IC standards

CE ⌧

FCC Statement
Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC Statement
This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:
    (1) This device may not cause interference; and
    (2) This device must accept any interference, including interference that may cause undesired operation of the device.
The term "IC: " before the certification/registration number only signifies that the Industry Canada technical specifications were met. This product meets the applicable Industry Canada technical specifications.

Le présent appareil est conforme aux CNR d'Industrie Canada applicable aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage,
et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

Warranty
If there is a functional defect due to faulty manufacturing, we will replace the product. This warranty does not cover damage that results from misuse of the product.

Attention!
If you attempt to dismantle your RollerMouse, you will invalidate your warranty.

contour ◣