
(1)

Mirror Cabinet CA3direct










DESCRIPTIONS

- Modern aluminum design that enhances any bathroom décor with a touch of luxury.
- Built to be durable and resistant to corrosion, UL listed components.
- Versatile installation options with both recessed and surface-mounted configurations for easy mounting.
- High color rendering index (CRI) of 90+ for exceptional color accuracy.





ITEM CODE CONFIGURATION

3 0 3 (5) (2)(3) 4 (6)**(7)** (8)

- Types
 - CA Mirror Cabinet
- Sizes
 - 3034 30" x 34"
- Drivers
 - N 100-277VAC Non-Dimming
 - E 100-277VAC ELV-Dimming
- Accessories
 - NA None
- AT Anti-Fog
- TS Touch Sensor
- & Touch Sensor
- AF Anti-Fog

- (2) Styles
 - 3 Double Long Side Inset Frost
- Outputs
 - S Standard Output (550 lumens/ft; 4.5 watts/ft)
 - Account for approximately 60% light
 - loss factor • Use frost size to calculate linear footage
- Mounting
 - S SURFACE MOUNTING
 - R RECESSED

- Lighting Styles
 - d Direct Light
- 6 Color Temperatures
 - 00 Color Switchable 2700k-6500k (90+ CRI) (Only available with high output with touch sensor accessory)
 - 27 2700k (90+ CRI)
 - 30 3000k (90+ CRI)
 - 35 3500k (90+ CRI)
 - 40 4000k (90+ CRI)
 - 50 5000k (90+ CRI)
- Additional Custom Specification Notes
 - Custom Size for Quantity Order

4.88

Mirror Cabinet CA3direct




UNIT: inch





Frost: 2.00 Depth: 4.88 Glass Width: 30 Full Width: 30
Inset: 2.00 Glass Height: 34 Full Height: 24



FRONT

32.82

ACCESSORY DESCRIPTIONS

34

Anti-Fog Demister (120v power supply)

Available Sizes

- 8" x 30" 12" x 18"
- 11" x 14" 18" x 22"
- 13" x 14" 18" x 34"

Mirror Cabinet CA3direct





OTHER FEATURES & BENEFITS

- Designed in America and globally sourced for quality and performance.
- Clear silver mirror, 1/4" thick, pencil polish, copper-free (corrosion resistant),
 ANSI Z97.1 rated
- Forward-facing task lighting for optimal illumination.
- Matte silver aluminum cabinet for modern and durable finish.
- Wide 142° door swing design to maximize accessibility and convenience.
- Easy installation.
- IR technology automatically activates and deactivates the interior lighting.
- Built-in demister to maintain a clear reflection on humid environments.
- IP44 Rated Suitable for damp locations.
- Energy efficient.
- Compliant with ADA standards for accessible design.
- Backed by a 2-year limited warranty.