

Mirror Cabinet CA3direct




Made in the USA




DESCRIPTIONS

- Modern **aluminum design** that enhances any bathroom décor with a touch of luxury.
- Built to be durable and **resistant to corrosion**, UL listed components.
- Versatile installation options with both **recessed** and **surface-mounted** configurations for easy mounting.
- **High color rendering index (CRI) of 90+** for exceptional color accuracy.



RECESSED



SURFACE MOUNTING

ITEM CODE CONFIGURATION

C A 3 d S N

1 Types

- CA - Mirror Cabinet

4 Sizes

- 2430 - 24" x 30"
- 2440 - 24" x 40"

7 Drivers

- N - 100-277VAC Non-Dimming
- E - 100-277VAC ELV-Dimming

9 Accessories

- NA - None
- TS - Touch Sensor
- AF - Anti-Fog
- AT - Anti-Fog & Touch Sensor

2 Styles

- 3 - Double Long Side Inset Frost

5 Outputs

- S - Standard Output
(550 lumens/ft; 4.5 watts/ft)
- Account for approximately 60% light loss factor
- Use frost size to calculate linear footage

8 Mounting

- S - SURFACE MOUNTING
- R - RECESSED

10 Additional Custom Specification Notes

- Custom Size for Quantity Order

3 Lighting Styles

- d - Direct Light

6 Color Temperatures

- 00 - Color Switchable
2700k-6500k (90+ CRI)
(Only available with high output with touch sensor accessory)
- 27 - 2700k (90+ CRI)
- 30 - 3000k (90+ CRI)
- 35 - 3500k (90+ CRI)
- 40 - 4000k (90+ CRI)
- 50 - 5000k (90+ CRI)

Mirror Cabinet CA3direct




Made in the USA

24" X 30" SIZE

UNIT: inch


Frost: 2.00	Depth: 4.88	Glass Width: 20	Full Width: 20
Inset: 2.00		Glass Height: 30	Full Height: 30



24" X 40" SIZE

UNIT: inch

Frost: 2.00	Depth: 4.88	Glass Width: 20	Full Width: 20
Inset: 2.00		Glass Height: 40	Full Height: 40



Please punch holes after the dashed line

Please punch holes before the dashed line



Please punch holes before the dashed line



Please punch holes before the dashed line



Mirror Cabinet CA3direct



 Made in the USA

ACCESSORY DESCRIPTIONS

Anti-Fog Demister (120v power supply)

Available Sizes


- 8" x 30"
- 12" x 18"
- 11" x 14"
- 18" x 22"
- 13" x 14"
- 18" x 34"

Controller

Touch Sensors

- **On/Off Dim**
 - White when Lights ON
 - Orange when Lights OFF
 - Hold 2 seconds to turn Touch Sensor Light OFF
- Color Temperature Switchable between **2700k to 6500k**
- **Custom Logo** available


Direct/ Indirect Styles



Direct/ Indirect Light

USB Socket

Interior 20 Amp, 120V AC duplex receptacle with Type A and C USB charging ports



OTHER FEATURES & BENEFITS

- Designed in America and globally sourced for quality and performance.
- Clear silver mirror, 1/4" thick, pencil polish, copper-free (corrosion resistant), ANSI Z97.1 rated
- Forward-facing task lighting for optimal illumination.
- Matte silver aluminum cabinet for modern and durable finish.
- Wide 142° door swing design to maximize accessibility and convenience.
- Easy installation.
- IR technology automatically activates and deactivates the interior lighting.
- Built-in demister to maintain a clear reflection on humid environments.
- IP44 Rated Suitable for damp locations.
- Energy efficient.
- Compliant with ADA standards for accessible design.
- Backed by a 2-year limited warranty.