

NYINK®

Stoffenkaart 2025/2026

Stofgroep 1 Camira Carlow + Lucia (100% gerecycled)



Avoca (CLW22)




Tallow (CLW01)




Glenamoy (CLW24)




Emly (CLW21)




Convoy (CLW09)



Balloo (CLW17)



Sligo (CLW13)



Ardmore (CLW19)



Carrick (CLW18)




Quin (CLW04)



Havana (YB009)



Paseo (YB019)




Slip (YB094)




Aruba (YB093)


Stofgroep 2 Wol (75% gerecycled) + printdoek decotex | 15% meerprijs




Zwart (FR1003)



Olive (FR53)



Mint (FR50)



Azure (FR144)




Light grey (FR1000)




Ashgrey (FR40)




Shitake (FR124)




Kiezel (FR7)



Beige (FR1037)



Terra (FR31)



Printdoek Decotex

Overige kleuren en
stofferingen op aanvraag

Camira Carlow

composition	100% polypropylene (some colours contain 4-8% recycled polypropylene)
width	170 cm
weight	214 g/m ²
rubbing fastness - dry	4 (ISO 105 - X12)
rubbing fastness - wet	4 (ISO 105 - X12)
flammability	EN 1021 - 1 (cigarette) EN 13501 - 1 adhered class b, s1, d0 EN 13501 - 1 un-adhered class c,s1, d2
light fastness	6 (ISO 105 - B02)
cleaning	vacuum regulary wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo
environmental	certified to the EU Ecolabel

Camira Lucia

composition	100% textile to textile recycled polyester
width	170 cm
weight	260 g/m ²
rubbing fastness - dry	4 (ISO 105 - X12)
rubbing fastness - wet	4 (ISO 105 - X12)
flammability	BS EN 1021 - 1&2 (cigarette & match) BS 7176:2007 low hazard EN 13501-1 (un-)adhered class b, s1, d0
light fastness	6 (ISO 105 - B02)
cleaning	vacuum regulary wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo
environmental	certified to the EU Ecolabel

Facet wol

composition	75% recycled woolen yarns 25% polyamide
width	145 cm
weight	600 g/m ²
rubbing fastness - dry	4
rubbing fastness - wet	4
flammability	BS5852 part 1 (1979) (cigarette & match) DIN EN ISO 1021 - 1:2014 (cigarette) DIN EN ISO 1021 - 2:2014 (match)
light fastness	5
cleaning	dry clean any solvent except trichloroethylene
environmental	N/A

Printed Decotex

composition	100% polyester
width	315 cm
weight	215 g/m ²
rubbing fastness - dry	N/A
rubbing fastness - wet	N/A
flammability	EN-13501: b, s1, d0
light fastness	N/A
cleaning	suitable for washing at 30 degrees
environmental	water-based ink, PVC-free and recyclable