



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes	Analysis Date
Heavy Metal Screen 4 / Metals by ICP/MS					Testing Done By : FSNS
Arsenic	1	<0.010 ppm		Reporting Limit 0.010 ppm	
Cadmium	1	<0.010 ppm		Reporting Limit 0.010 ppm	
Mercury	1	<0.010 ppm		Reporting Limit 0.010 ppm	
Lead	1	<0.010 ppm		Reporting Limit 0.010 ppm	
Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes	
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*					
Acephate	1	None Detected		Limit of Detection 0.01 ppm	
Acequinocyl	1	None Detected		Limit of Detection 0.01 ppm	
Acetochlor	1	None Detected		Limit of Detection 0.01 ppm	
Acrinathrin	1	None Detected		Limit of Detection 0.01 ppm	
Alachlor	1	None Detected		Limit of Detection 0.01 ppm	
Aldrin	1	None Detected		Limit of Detection 0.01 ppm	
Allethrin	1	None Detected		Limit of Detection 0.01 ppm	
Anthraquinone	1	None Detected		Limit of Detection 0.01 ppm	
Atrazine	1	None Detected		Limit of Detection 0.01 ppm	
Azinphos Ethyl	1	None Detected		Limit of Detection 0.01 ppm	
Azinphos Methyl	1	None Detected		Limit of Detection 0.01 ppm	
Bendiocarb	1	None Detected		Limit of Detection 0.01 ppm	
Benfluralin	1	None Detected		Limit of Detection 0.01 ppm	
Benfuracarb	1	None Detected		Limit of Detection 0.01 ppm	
BHC	1	None Detected		Limit of Detection 0.01 ppm	
Bifenthrin	1	None Detected		Limit of Detection 0.01 ppm	



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Biphenyl	1	None Detected		Limit of Detection 0.01 ppm
Boscalid	1	None Detected		Limit of Detection 0.01 ppm
Bromacil	1	None Detected		Limit of Detection 0.01 ppm
Bromophos Ethyl	1	None Detected		Limit of Detection 0.01 ppm
Bromophos Methyl	1	None Detected		Limit of Detection 0.01 ppm
Bromopropylate	1	None Detected		Limit of Detection 0.01 ppm
Bupirimate	1	None Detected		Limit of Detection 0.01 ppm
Buprofezin	1	None Detected		Limit of Detection 0.01 ppm
Butachlor	1	None Detected		Limit of Detection 0.01 ppm
Cadusafos	1	None Detected		Limit of Detection 0.01 ppm
Captafol	1	None Detected		Limit of Detection 0.01 ppm
Captan	1	None Detected		Limit of Detection 0.01 ppm
Carbaryl	1	None Detected		Limit of Detection 0.01 ppm
Carbofuran	1	None Detected		Limit of Detection 0.01 ppm
Carbophenothion	1	None Detected		Limit of Detection 0.01 ppm
Carbosulfan	1	None Detected		Limit of Detection 0.01 ppm
Chlordane cis,trans	1	None Detected		Limit of Detection 0.01 ppm
Chlorfenapyr	1	None Detected		Limit of Detection 0.01 ppm
Chlorfenson	1	None Detected		Limit of Detection 0.01 ppm
Chlorfenvinphos	1	None Detected		Limit of Detection 0.01 ppm
Chlorobenzilate	1	None Detected		Limit of Detection 0.01 ppm
Chlorosulfuron	1	None Detected		Limit of Detection 0.01 ppm

Lab: Kingsburg Center
DFA Ref #: F327771
Sample No: F-20251002-233

DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**
2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Chlorothalonil	1	None Detected		Limit of Detection 0.01 ppm
Chlorpropham	1	None Detected		Limit of Detection 0.01 ppm
Chlorpyrifos	1	None Detected		Limit of Detection 0.01 ppm
Chlorpyrifos Methyl	1	None Detected		Limit of Detection 0.01 ppm
Chlorthiophos	1	None Detected		Limit of Detection 0.01 ppm
Chlozolinate	1	None Detected		Limit of Detection 0.01 ppm
Clomazone	1	None Detected		Limit of Detection 0.01 ppm
Coumaphos	1	None Detected		Limit of Detection 0.01 ppm
Crotoxyphos	1	None Detected		Limit of Detection 0.01 ppm
Cyanazine	1	None Detected		Limit of Detection 0.01 ppm
Cyanophos	1	None Detected		Limit of Detection 0.01 ppm
Cycloate	1	None Detected		Limit of Detection 0.01 ppm
Cyfluthrin	1	None Detected		Limit of Detection 0.01 ppm
Cyhalothrin, gamma	1	None Detected		Limit of Detection 0.01 ppm
Cyhalothrin, lambda	1	None Detected		Limit of Detection 0.01 ppm
Cypermethrin	1	None Detected		Limit of Detection 0.01 ppm
Cyprodinil	1	None Detected		Limit of Detection 0.01 ppm
Dacthal	1	None Detected		Limit of Detection 0.01 ppm
Daminozide	1	None Detected		Limit of Detection 0.01 ppm
Dazomet	1	None Detected		Limit of Detection 0.01 ppm
DBCP	1	None Detected		Limit of Detection 0.01 ppm
DDD	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
DDE	1	None Detected		Limit of Detection 0.01 ppm
DDT	1	None Detected		Limit of Detection 0.01 ppm
Deltamethrin	1	None Detected		Limit of Detection 0.01 ppm
Demeton O	1	None Detected		Limit of Detection 0.01 ppm
Demeton S	1	None Detected		Limit of Detection 0.01 ppm
Demeton-S-methyl	1	None Detected		Limit of Detection 0.01 ppm
Dialifos	1	None Detected		Limit of Detection 0.01 ppm
Diazinon	1	None Detected		Limit of Detection 0.01 ppm
Dichlobenil	1	None Detected		Limit of Detection 0.01 ppm
Dichlofluanid	1	None Detected		Limit of Detection 0.01 ppm
Dichlorvos	1	None Detected		Limit of Detection 0.01 ppm
Diclofop-Methyl	1	None Detected		Limit of Detection 0.01 ppm
Dicloran	1	None Detected		Limit of Detection 0.01 ppm
Dicofol	1	None Detected		Limit of Detection 0.01 ppm
Dieldrin	1	None Detected		Limit of Detection 0.01 ppm
Diethyltoluamide	1	None Detected		Limit of Detection 0.01 ppm
Dimethametryn	1	None Detected		Limit of Detection 0.01 ppm
Diphenamid	1	None Detected		Limit of Detection 0.01 ppm
Diphenylamine	1	None Detected		Limit of Detection 0.01 ppm
Disulfoton	1	None Detected		Limit of Detection 0.01 ppm
Ditalimfos	1	None Detected		Limit of Detection 0.01 ppm
Dithianon	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Endosulfan I	1	None Detected		Limit of Detection 0.01 ppm
Endosulfan II	1	None Detected		Limit of Detection 0.01 ppm
Endosulfan Sulfate	1	None Detected		Limit of Detection 0.01 ppm
Endothall	1	None Detected		Limit of Detection 0.01 ppm
Endrin	1	None Detected		Limit of Detection 0.01 ppm
EPN	1	None Detected		Limit of Detection 0.01 ppm
EPTC	1	None Detected		Limit of Detection 0.01 ppm
Esfenvalerate	1	None Detected		Limit of Detection 0.01 ppm
Ethalfuralin	1	None Detected		Limit of Detection 0.01 ppm
Ethion	1	None Detected		Limit of Detection 0.01 ppm
Ethoprop	1	None Detected		Limit of Detection 0.01 ppm
Etofenprox	1	None Detected		Limit of Detection 0.01 ppm
Etridiazole	1	None Detected		Limit of Detection 0.01 ppm
Etrimfos	1	None Detected		Limit of Detection 0.01 ppm
Fenamiphos	1	None Detected		Limit of Detection 0.01 ppm
Fenbuconazole	1	None Detected		Limit of Detection 0.01 ppm
Fenhexamid	1	None Detected		Limit of Detection 0.01 ppm
Fenitrothion	1	None Detected		Limit of Detection 0.01 ppm
Fenpropathrin	1	None Detected		Limit of Detection 0.01 ppm
Fenthion	1	None Detected		Limit of Detection 0.01 ppm
Fipronil	1	None Detected		Limit of Detection 0.01 ppm
Fluazifop-P-Butyl	1	None Detected		Limit of Detection 0.01 ppm

Lab: Kingsburg Center
DFA Ref #: F327771
Sample No: F-20251002-233

DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**
2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Flucythrinate	1	None Detected		Limit of Detection 0.01 ppm
Fludioxonil	1	None Detected		Limit of Detection 0.01 ppm
Fluridone	1	None Detected		Limit of Detection 0.01 ppm
Flurochloridone	1	None Detected		Limit of Detection 0.01 ppm
Flusilazole	1	None Detected		Limit of Detection 0.01 ppm
Flutriafol	1	None Detected		Limit of Detection 0.01 ppm
Folpet	1	None Detected		Limit of Detection 0.01 ppm
Fonofos	1	None Detected		Limit of Detection 0.01 ppm
Haloxypop-methyl	1	None Detected		Limit of Detection 0.01 ppm
Heptachlor	1	None Detected		Limit of Detection 0.01 ppm
Heptachlor Epoxide	1	None Detected		Limit of Detection 0.01 ppm
Hexachlorobenzene	1	None Detected		Limit of Detection 0.01 ppm
Hexaconazole	1	None Detected		Limit of Detection 0.01 ppm
Hexazinone	1	None Detected		Limit of Detection 0.01 ppm
Hydroxycarbofuran, 3	1	None Detected		Limit of Detection 0.01 ppm
Iprobenfos	1	None Detected		Limit of Detection 0.01 ppm
Iprodione	1	None Detected		Limit of Detection 0.01 ppm
Isazophos	1	None Detected		Limit of Detection 0.01 ppm
Isofenfos	1	None Detected		Limit of Detection 0.01 ppm
Isoprothiolane	1	None Detected		Limit of Detection 0.01 ppm
Kresoxim Methyl	1	None Detected		Limit of Detection 0.01 ppm
Limonene	1	None Detected		Limit of Detection 0.01 ppm

Lab: Kingsburg Center
DFA Ref #: F327771
Sample No: F-20251002-233

DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**
2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Lindane	1	None Detected		Limit of Detection 0.01 ppm
Malathion	1	None Detected		Limit of Detection 0.01 ppm
Matrine	1	None Detected		Limit of Detection 0.01 ppm
Mefenoxam	1	None Detected		Limit of Detection 0.01 ppm
Metalaxyl	1	None Detected		Limit of Detection 0.01 ppm
Metaldehyde	1	None Detected		Limit of Detection 0.01 ppm
Metazachlor	1	None Detected		Limit of Detection 0.01 ppm
Metconazole	1	None Detected		Limit of Detection 0.01 ppm
Methacrifos	1	None Detected		Limit of Detection 0.01 ppm
Methamidophos	1	None Detected		Limit of Detection 0.01 ppm
Methidathion	1	None Detected		Limit of Detection 0.01 ppm
Methiocarb	1	None Detected		Limit of Detection 0.01 ppm
Methoprene	1	None Detected		Limit of Detection 0.01 ppm
Methoxychlor	1	None Detected		Limit of Detection 0.01 ppm
Metolachlor	1	None Detected		Limit of Detection 0.01 ppm
Metrafenone	1	None Detected		Limit of Detection 0.01 ppm
Metribuzin	1	None Detected		Limit of Detection 0.01 ppm
Mevinphos	1	None Detected		Limit of Detection 0.01 ppm
MGK 264	1	None Detected		Limit of Detection 0.01 ppm
Mirex	1	None Detected		Limit of Detection 0.01 ppm
Monocrotophos	1	None Detected		Limit of Detection 0.01 ppm
Monuron	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Myclobutanil	1	None Detected		Limit of Detection 0.01 ppm
Naled	1	None Detected		Limit of Detection 0.01 ppm
Naphthol, 1	1	None Detected		Limit of Detection 0.01 ppm
Napropamide	1	None Detected		Limit of Detection 0.01 ppm
Nitrapyrin	1	None Detected		Limit of Detection 0.01 ppm
Nitrofen	1	None Detected		Limit of Detection 0.01 ppm
Nonachlor	1	None Detected		Limit of Detection 0.01 ppm
Norflurazon	1	None Detected		Limit of Detection 0.01 ppm
Nuarimol	1	None Detected		Limit of Detection 0.01 ppm
Omethoate	1	None Detected		Limit of Detection 0.01 ppm
O-phenylphenol	1	None Detected		Limit of Detection 0.01 ppm
Oxadiazon	1	None Detected		Limit of Detection 0.01 ppm
Oxychlorthane	1	None Detected		Limit of Detection 0.01 ppm
Oxyfluorfen	1	None Detected		Limit of Detection 0.01 ppm
Oxythioquinox	1	None Detected		Limit of Detection 0.01 ppm
Paclobutrazol	1	None Detected		Limit of Detection 0.01 ppm
Parathion	1	None Detected		Limit of Detection 0.01 ppm
Parathion Methyl	1	None Detected		Limit of Detection 0.01 ppm
Parathion OA	1	None Detected		Limit of Detection 0.01 ppm
PCNB	1	None Detected		Limit of Detection 0.01 ppm
Penconazole	1	None Detected		Limit of Detection 0.01 ppm
Pendimethalin	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Penflufen	1	None Detected		Limit of Detection 0.01 ppm
Pentachloroaniline	1	None Detected		Limit of Detection 0.01 ppm
Pentachloroanisole	1	None Detected		Limit of Detection 0.01 ppm
Pentachlorobenzene	1	None Detected		Limit of Detection 0.01 ppm
Pentachlorophenol	1	None Detected		Limit of Detection 0.01 ppm
Permethrin	1	None Detected		Limit of Detection 0.01 ppm
Phenothrin	1	None Detected		Limit of Detection 0.01 ppm
Phorate	1	None Detected		Limit of Detection 0.01 ppm
Phosalone	1	None Detected		Limit of Detection 0.01 ppm
Phosmet	1	None Detected		Limit of Detection 0.01 ppm
Picloram	1	None Detected		Limit of Detection 0.01 ppm
Piperalin	1	None Detected		Limit of Detection 0.01 ppm
Piperonyl Butoxide	1	None Detected		Limit of Detection 0.01 ppm
Piperophos	1	None Detected		Limit of Detection 0.01 ppm
Pirimicarb	1	None Detected		Limit of Detection 0.01 ppm
Pirimiphos Et	1	None Detected		Limit of Detection 0.01 ppm
Pirimiphos Methyl	1	None Detected		Limit of Detection 0.01 ppm
Procymidone	1	None Detected		Limit of Detection 0.01 ppm
Prodiamine	1	None Detected		Limit of Detection 0.01 ppm
Profenofos	1	None Detected		Limit of Detection 0.01 ppm
Profluralin	1	None Detected		Limit of Detection 0.01 ppm
Promecarb	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Pronamide	1	None Detected		Limit of Detection 0.01 ppm
Propachlor	1	None Detected		Limit of Detection 0.01 ppm
Propanil	1	None Detected		Limit of Detection 0.01 ppm
Propargite	1	None Detected		Limit of Detection 0.01 ppm
Propetamphos	1	None Detected		Limit of Detection 0.01 ppm
Propiconazole	1	None Detected		Limit of Detection 0.01 ppm
Propoxur	1	None Detected		Limit of Detection 0.01 ppm
Propyzamide	1	None Detected		Limit of Detection 0.01 ppm
Prothiofos	1	None Detected		Limit of Detection 0.01 ppm
Pyraclostrobin	1	None Detected		Limit of Detection 0.01 ppm
Pyrazophos	1	None Detected		Limit of Detection 0.01 ppm
Pyrethrins	1	None Detected		Limit of Detection 0.01 ppm
Pyridaben	1	None Detected		Limit of Detection 0.01 ppm
Pyridaphenthion	1	None Detected		Limit of Detection 0.01 ppm
Pyrifenoxy	1	None Detected		Limit of Detection 0.01 ppm
Pyrimethanil	1	None Detected		Limit of Detection 0.01 ppm
Pyriproxyfen	1	None Detected		Limit of Detection 0.01 ppm
Quinalphos	1	None Detected		Limit of Detection 0.01 ppm
Quinomethionate	1	None Detected		Limit of Detection 0.01 ppm
Quinoxifen	1	None Detected		Limit of Detection 0.01 ppm
Resmethrin	1	None Detected		Limit of Detection 0.01 ppm
Ronnel	1	None Detected		Limit of Detection 0.01 ppm

Lab: Kingsburg Center
DFA Ref #: F327771
Sample No: F-20251002-233

DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**
2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Simazine	1	None Detected		Limit of Detection 0.01 ppm
Spirodiclofen	1	None Detected		Limit of Detection 0.01 ppm
Strychnine	1	None Detected		Limit of Detection 0.01 ppm
Sulfometuron methyl	1	None Detected		Limit of Detection 0.01 ppm
Sulfotep	1	None Detected		Limit of Detection 0.01 ppm
Tau-Fluvalinate	1	None Detected		Limit of Detection 0.01 ppm
Tebuconazole	1	None Detected		Limit of Detection 0.01 ppm
Tebufenpyrad	1	None Detected		Limit of Detection 0.01 ppm
Tecnazene	1	None Detected		Limit of Detection 0.01 ppm
Tefluthrin	1	None Detected		Limit of Detection 0.01 ppm
Terbacil	1	None Detected		Limit of Detection 0.01 ppm
Terbufos	1	None Detected		Limit of Detection 0.01 ppm
Terbutylazine	1	None Detected		Limit of Detection 0.01 ppm
Tetrachlorvinphos	1	None Detected		Limit of Detection 0.01 ppm
Tetraconazole	1	None Detected		Limit of Detection 0.01 ppm
Tetradifon	1	None Detected		Limit of Detection 0.01 ppm
Tetramethrin	1	None Detected		Limit of Detection 0.01 ppm
Thiomethon	1	None Detected		Limit of Detection 0.01 ppm
THPI	1	None Detected		Limit of Detection 0.01 ppm
Tolclofos-methyl	1	None Detected		Limit of Detection 0.01 ppm
Tolyfluanid	1	None Detected		Limit of Detection 0.01 ppm
Transfluthrin	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI GC/MS / By GC/MS*				
Triadimenol	1	None Detected		Limit of Detection 0.01 ppm
Tri-Allate	1	None Detected		Limit of Detection 0.01 ppm
Triazophos	1	None Detected		Limit of Detection 0.01 ppm
Tricyclazole	1	None Detected		Limit of Detection 0.01 ppm
Tridemorph	1	None Detected		Limit of Detection 0.01 ppm
Trifloxystrobin	1	None Detected		Limit of Detection 0.01 ppm
Triflumizole	1	None Detected		Limit of Detection 0.01 ppm
Trifluralin	1	None Detected		Limit of Detection 0.01 ppm
Vinclozolin	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Abamectin	1	None Detected		Limit of Detection 0.01 ppm
Acetamiprid	1	None Detected		Limit of Detection 0.01 ppm
ACIBENZOLAR-S-METHYL	1	None Detected		Limit of Detection 0.01 ppm
Afidopyropen	1	None Detected		Limit of Detection 0.01 ppm
Aldicarb	1	None Detected		Limit of Detection 0.01 ppm
Aldicarb Sulfone	1	None Detected		Limit of Detection 0.01 ppm
Aldicarb Sulfoxide	1	None Detected		Limit of Detection 0.01 ppm
Ametoctradin	1	None Detected		Limit of Detection 0.01 ppm
Ametryn	1	None Detected		Limit of Detection 0.01 ppm
Aminocarb	1	None Detected		Limit of Detection 0.01 ppm
Amitraz	1	None Detected		Limit of Detection 0.01 ppm
Azadirachtin	1	None Detected		Limit of Detection 0.01 ppm
Azafenidin	1	None Detected		Limit of Detection 0.01 ppm
Azoxystrobin	1	None Detected		Limit of Detection 0.01 ppm
Benalaxyl	1	None Detected		Limit of Detection 0.01 ppm
Bensulide	1	None Detected		Limit of Detection 0.01 ppm
Benzimidazole	1	None Detected		Limit of Detection 0.01 ppm
Benzobicyclon	1	None Detected		Limit of Detection 0.01 ppm
Benzovindiflupyr	1	None Detected		Limit of Detection 0.01 ppm
Bifenazate	1	None Detected		Limit of Detection 0.01 ppm
Bitertanol	1	None Detected		Limit of Detection 0.01 ppm
Brodifacoum	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Broflanilide	1	None Detected		Limit of Detection 0.01 ppm
Bromodiolone	1	None Detected		Limit of Detection 0.01 ppm
Bromoxynil	1	None Detected		Limit of Detection 0.01 ppm
Bromuconazole 1	1	None Detected		Limit of Detection 0.01 ppm
Bromuconazole 2	1	None Detected		Limit of Detection 0.01 ppm
Butocarboxim	1	None Detected		Limit of Detection 0.01 ppm
Carbendazim	1	None Detected		Limit of Detection 0.01 ppm
Carbetamide	1	None Detected		Limit of Detection 0.01 ppm
Carfentrazone Ethyl	1	None Detected		Limit of Detection 0.01 ppm
Chlorantraniliprole	1	None Detected		Limit of Detection 0.01 ppm
Chlorfluazuron	1	None Detected		Limit of Detection 0.01 ppm
Chlorimuron	1	None Detected		Limit of Detection 0.01 ppm
Chloroxuron	1	None Detected		Limit of Detection 0.01 ppm
Chlorphacinone	1	None Detected		Limit of Detection 0.01 ppm
Chlortoluron	1	None Detected		Limit of Detection 0.01 ppm
Chromafenozide	1	None Detected		Limit of Detection 0.01 ppm
Clethodim 1	1	None Detected		Limit of Detection 0.01 ppm
Clethodim 2	1	None Detected		Limit of Detection 0.01 ppm
Clofentezin	1	None Detected		Limit of Detection 0.01 ppm
Clopyralid	1	None Detected		Limit of Detection 0.01 ppm
Clothianidin	1	None Detected		Limit of Detection 0.01 ppm
Cyantraniliprole	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Cyazofamid	1	None Detected		Limit of Detection 0.01 ppm
Cyclaniliprole	1	None Detected		Limit of Detection 0.01 ppm
Cycluron	1	None Detected		Limit of Detection 0.01 ppm
Cyflufenamid	1	None Detected		Limit of Detection 0.01 ppm
Cyflumetofen	1	None Detected		Limit of Detection 0.01 ppm
Cymoxanil	1	None Detected		Limit of Detection 0.01 ppm
Cyproconazole	1	None Detected		Limit of Detection 0.01 ppm
Cyromazin	1	None Detected		Limit of Detection 0.01 ppm
Desmedipham	1	None Detected		Limit of Detection 0.01 ppm
Desmetryn	1	None Detected		Limit of Detection 0.01 ppm
Dichlormid	1	None Detected		Limit of Detection 0.01 ppm
Diclobutazole	1	None Detected		Limit of Detection 0.01 ppm
Diclosulam	1	None Detected		Limit of Detection 0.01 ppm
Dicrotophos	1	None Detected		Limit of Detection 0.01 ppm
Diethofencarb	1	None Detected		Limit of Detection 0.01 ppm
Difenacoum	1	None Detected		Limit of Detection 0.01 ppm
Difenconazole	1	None Detected		Limit of Detection 0.01 ppm
Difethialone	1	None Detected		Limit of Detection 0.01 ppm
Diflubenzuron	1	None Detected		Limit of Detection 0.01 ppm
Dimethachlor	1	None Detected		Limit of Detection 0.01 ppm
Dimethenamid	1	None Detected		Limit of Detection 0.01 ppm
Dimethoate	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Dimethomorph	1	None Detected		Limit of Detection 0.01 ppm
Dimoxystrobin	1	None Detected		Limit of Detection 0.01 ppm
Diniconazole	1	None Detected		Limit of Detection 0.01 ppm
Dinotefuran	1	None Detected		Limit of Detection 0.01 ppm
Dithiopyr	1	None Detected		Limit of Detection 0.01 ppm
Diuron	1	None Detected		Limit of Detection 0.01 ppm
Dodine	1	None Detected		Limit of Detection 0.01 ppm
Edifenphos	1	None Detected		Limit of Detection 0.01 ppm
Emamectin B1a	1	None Detected		Limit of Detection 0.01 ppm
Epoxiconazole	1	None Detected		Limit of Detection 0.01 ppm
Etaconazole	1	None Detected		Limit of Detection 0.01 ppm
Ethaboxam	1	None Detected		Limit of Detection 0.01 ppm
Ethiofencarb	1	None Detected		Limit of Detection 0.01 ppm
Ethiprole	1	None Detected		Limit of Detection 0.01 ppm
Ethirimol	1	None Detected		Limit of Detection 0.01 ppm
Ethofumesate	1	None Detected		Limit of Detection 0.01 ppm
Ethoxyquin	1	None Detected		Limit of Detection 0.01 ppm
Etoazole	1	None Detected		Limit of Detection 0.01 ppm
Famoxadon	1	None Detected		Limit of Detection 0.01 ppm
Fenamidone	1	None Detected		Limit of Detection 0.01 ppm
Fenarimol	1	None Detected		Limit of Detection 0.01 ppm
Fenazaquin	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Fenbutatin Oxide	1	None Detected		Limit of Detection 0.01 ppm
Fenobucarb	1	None Detected		Limit of Detection 0.01 ppm
Fenoxaprop-P-ethyl	1	None Detected		Limit of Detection 0.01 ppm
Fenoxycarb	1	None Detected		Limit of Detection 0.01 ppm
Fenpropimorph	1	None Detected		Limit of Detection 0.01 ppm
Fenpyrazamine	1	None Detected		Limit of Detection 0.01 ppm
Fenpyroximate	1	None Detected		Limit of Detection 0.01 ppm
Fensulfothion	1	None Detected		Limit of Detection 0.01 ppm
Fenuron	1	None Detected		Limit of Detection 0.01 ppm
Flazasulfuron	1	None Detected		Limit of Detection 0.01 ppm
Flonicamid	1	None Detected		Limit of Detection 0.01 ppm
Florasulam	1	None Detected		Limit of Detection 0.01 ppm
Fluazifop-P-Butyl	1	None Detected		Limit of Detection 0.01 ppm
Fluazinam	1	None Detected		Limit of Detection 0.01 ppm
Flubendiamide	1	None Detected		Limit of Detection 0.01 ppm
Flufenacet	1	None Detected		Limit of Detection 0.01 ppm
Flufenoxuron	1	None Detected		Limit of Detection 0.01 ppm
Flumioxazin	1	None Detected		Limit of Detection 0.01 ppm
Fluometuron	1	None Detected		Limit of Detection 0.01 ppm
Fluopicolide	1	None Detected		Limit of Detection 0.01 ppm
Fluopyram	1	None Detected		Limit of Detection 0.01 ppm
Fluoxastrobin	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Flupyradifurone	1	None Detected		Limit of Detection 0.01 ppm
Fluquinconazole	1	None Detected		Limit of Detection 0.01 ppm
Fluroxypyr-meptyl	1	None Detected		Limit of Detection 0.01 ppm
Flutolanil	1	None Detected		Limit of Detection 0.01 ppm
Fluxapyroxad	1	None Detected		Limit of Detection 0.01 ppm
Foramsulfuron	1	None Detected		Limit of Detection 0.01 ppm
Forchlorfenuron	1	None Detected		Limit of Detection 0.01 ppm
Formetanate HCl	1	None Detected		Limit of Detection 0.01 ppm
Fosthiazate	1	None Detected		Limit of Detection 0.01 ppm
Fuberidazole	1	None Detected		Limit of Detection 0.01 ppm
Furalaxyl	1	None Detected		Limit of Detection 0.01 ppm
Furathiocarb	1	None Detected		Limit of Detection 0.01 ppm
Halofenozide	1	None Detected		Limit of Detection 0.01 ppm
Halosulfuron-methyl	1	None Detected		Limit of Detection 0.01 ppm
Haloxypop-methyl	1	None Detected		Limit of Detection 0.01 ppm
Heptenophos	1	None Detected		Limit of Detection 0.01 ppm
Hexaflumuron	1	None Detected		Limit of Detection 0.01 ppm
Hexythiazox	1	None Detected		Limit of Detection 0.01 ppm
Hydramethylnon	1	None Detected		Limit of Detection 0.01 ppm
Hydropene	1	None Detected		Limit of Detection 0.01 ppm
Imazalil	1	None Detected		Limit of Detection 0.01 ppm
Imazosulfuron	1	None Detected		Limit of Detection 0.01 ppm

Lab: Kingsburg Center
DFA Ref #: F327771
Sample No: F-20251002-233

DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

 Reference: **10.2.25**

 Sample Date: **10/2/25**

 Temperature: **21.6 Celsius**

 Condition: **Acceptable**

 Commodity: **Walnuts**
2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Imidacloprid	1	None Detected		Limit of Detection 0.01 ppm
Indaziflam	1	None Detected		Limit of Detection 0.01 ppm
Indoxacarb	1	None Detected		Limit of Detection 0.01 ppm
Ipconazole	1	None Detected		Limit of Detection 0.01 ppm
Iprovalicarb	1	None Detected		Limit of Detection 0.01 ppm
Isofetamid	1	None Detected		Limit of Detection 0.01 ppm
Isoprocarb	1	None Detected		Limit of Detection 0.01 ppm
Isoproturon	1	None Detected		Limit of Detection 0.01 ppm
Isopyrazam	1	None Detected		Limit of Detection 0.01 ppm
Isoxaben	1	None Detected		Limit of Detection 0.01 ppm
Ivermectin B1a	1	None Detected		Limit of Detection 0.01 ppm
Linuron	1	None Detected		Limit of Detection 0.01 ppm
Lufenuron	1	None Detected		Limit of Detection 0.01 ppm
Mandestrobin	1	None Detected		Limit of Detection 0.01 ppm
Mandipropamid	1	None Detected		Limit of Detection 0.01 ppm
Mefentrifluconazole	1	None Detected		Limit of Detection 0.01 ppm
Mepanipyrim	1	None Detected		Limit of Detection 0.01 ppm
Mepronil	1	None Detected		Limit of Detection 0.01 ppm
Mesosulfuron-methyl	1	None Detected		Limit of Detection 0.01 ppm
Mesotrione	1	None Detected		Limit of Detection 0.01 ppm
Metaflumizone	1	None Detected		Limit of Detection 0.01 ppm
Methabenzthiazuron	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Methomyl	1	None Detected		Limit of Detection 0.01 ppm
Methoprotryne	1	None Detected		Limit of Detection 0.01 ppm
Methoxyfenozide	1	None Detected		Limit of Detection 0.01 ppm
Metobromuron	1	None Detected		Limit of Detection 0.01 ppm
Metrafenone	1	None Detected		Limit of Detection 0.01 ppm
Monolinuron	1	None Detected		Limit of Detection 0.01 ppm
Neburon	1	None Detected		Limit of Detection 0.01 ppm
Nicosulfuron	1	None Detected		Limit of Detection 0.01 ppm
Nitenpyram	1	None Detected		Limit of Detection 0.01 ppm
Novaluron	1	None Detected		Limit of Detection 0.01 ppm
Orthosulfamuron	1	None Detected		Limit of Detection 0.01 ppm
Oryzalin	1	None Detected		Limit of Detection 0.01 ppm
Oxadixyl	1	None Detected		Limit of Detection 0.01 ppm
Oxamyl	1	None Detected		Limit of Detection 0.01 ppm
Oxathiapiprolin	1	None Detected		Limit of Detection 0.01 ppm
Oxydemeton-methyl	1	None Detected		Limit of Detection 0.01 ppm
Pencycuron	1	None Detected		Limit of Detection 0.01 ppm
Penoxsulam	1	None Detected		Limit of Detection 0.01 ppm
Penthiopyrad	1	None Detected		Limit of Detection 0.01 ppm
Phenmedipham	1	None Detected		Limit of Detection 0.01 ppm
Phosphamidon	1	None Detected		Limit of Detection 0.01 ppm
Picoxystrobin	1	None Detected		Limit of Detection 0.01 ppm



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Prallethrin	1	None Detected		Limit of Detection 0.01 ppm
Prochloraz	1	None Detected		Limit of Detection 0.01 ppm
Prometryn	1	None Detected		Limit of Detection 0.01 ppm
Propamocarb	1	None Detected		Limit of Detection 0.01 ppm
Propham	1	None Detected		Limit of Detection 0.01 ppm
Prothioconazole	1	None Detected		Limit of Detection 0.01 ppm
Pydiflumetofen	1	None Detected		Limit of Detection 0.01 ppm
Pymetrozine	1	None Detected		Limit of Detection 0.01 ppm
Pyracarbolid	1	None Detected		Limit of Detection 0.01 ppm
Pyraclostrobin	1	None Detected		Limit of Detection 0.01 ppm
Pyraflufen-ethyl	1	None Detected		Limit of Detection 0.01 ppm
Pyridalyl	1	None Detected		Limit of Detection 0.01 ppm
Pyrifluquinazon	1	None Detected		Limit of Detection 0.01 ppm
Pyriofenone	1	None Detected		Limit of Detection 0.01 ppm
Pyroxsulam	1	None Detected		Limit of Detection 0.01 ppm
Rimsulfuron	1	None Detected		Limit of Detection 0.01 ppm
Rotenone	1	None Detected		Limit of Detection 0.01 ppm
Saflufenacil	1	None Detected		Limit of Detection 0.01 ppm
Sebuthylazin	1	None Detected		Limit of Detection 0.01 ppm
Secbumeton	1	None Detected		Limit of Detection 0.01 ppm
Sedaxane	1	None Detected		Limit of Detection 0.01 ppm
Sethoxydim	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Siduron	1	None Detected		Limit of Detection 0.01 ppm
Spinetoram	1	None Detected		Limit of Detection 0.01 ppm
Spinosad	1	None Detected		Limit of Detection 0.01 ppm
Spiromesifen	1	None Detected		Limit of Detection 0.01 ppm
Spirotetramat	1	None Detected		Limit of Detection 0.01 ppm
Spiroxamine	1	None Detected		Limit of Detection 0.01 ppm
Sulfentrazone	1	None Detected		Limit of Detection 0.01 ppm
Sulfosulfuron	1	None Detected		Limit of Detection 0.01 ppm
Sulfoxaflor	1	None Detected		Limit of Detection 0.01 ppm
Sulprofos	1	None Detected		Limit of Detection 0.01 ppm
Tebufenozide	1	None Detected		Limit of Detection 0.01 ppm
Tebuthiuron	1	None Detected		Limit of Detection 0.01 ppm
Teflubenzuron	1	None Detected		Limit of Detection 0.01 ppm
Tembotrione	1	None Detected		Limit of Detection 0.01 ppm
Temephos	1	None Detected		Limit of Detection 0.01 ppm
Terbumeton	1	None Detected		Limit of Detection 0.01 ppm
Terbutryn	1	None Detected		Limit of Detection 0.01 ppm
Thiabendazole	1	None Detected		Limit of Detection 0.01 ppm
Thiacloprid	1	None Detected		Limit of Detection 0.01 ppm
Thiamethoxam	1	None Detected		Limit of Detection 0.01 ppm
Thiazopyr	1	None Detected		Limit of Detection 0.01 ppm
Thidiazuron	1	None Detected		Limit of Detection 0.01 ppm



Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: F-20251002-233



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

2025 crop
test inshell

Test Description / Std. Methods	Test No.	Result	Uncertainty	Notes
DFA Multi Residue Screen OMNI LC/MS/MS / By LC/MS/MS*				
Thiencarbazone-methy	1	None Detected		Limit of Detection 0.01 ppm
Thiobencarb	1	None Detected		Limit of Detection 0.01 ppm
Thiodicarb	1	None Detected		Limit of Detection 0.01 ppm
Thiophanate-methyl	1	None Detected		Limit of Detection 0.01 ppm
Tolfenpyrad	1	None Detected		Limit of Detection 0.01 ppm
Topramezone	1	None Detected		Limit of Detection 0.01 ppm
Triadimefon	1	None Detected		Limit of Detection 0.01 ppm
Triazoxide	1	None Detected		Limit of Detection 0.01 ppm
Tribenuron-methyl	1	None Detected		Limit of Detection 0.01 ppm
Trichlorfon	1	None Detected		Limit of Detection 0.01 ppm
Trifloxysulfuron	1	None Detected		Limit of Detection 0.01 ppm
Triflumuron	1	None Detected		Limit of Detection 0.01 ppm
Triforine	1	None Detected		Limit of Detection 0.01 ppm
Triticonazole	1	None Detected		Limit of Detection 0.01 ppm
Vamidothion	1	None Detected		Limit of Detection 0.01 ppm
Warfarin	1	None Detected		Limit of Detection 0.01 ppm
Zoxamide	1	None Detected		Limit of Detection 0.01 ppm

With clean sample matrices and optimal instrument performance, some pesticides can be clearly identified and reported out below the indicated detection limit.



Analytical Report

Report Date: Thursday, October 16, 2025

Corporate Office
710 Striker Avenue
Sacramento, CA 95834
Phone: (916) 561-5900
Fax: (916) 561-5910

Kingsburg Center
2037 Morgan Drive
Kingsburg, CA 93631
Phone: (559) 233-7249
Fax: (559) 266-2199

Yuba City Laboratory
770 Stafford Way
Yuba City, CA 95991
Phone: (530) 673-6417
Fax: (530) 673-6474

Lab: Kingsburg Center

DFA Ref #: F327771

Sample No: **F-20251002-233**



DeRuosi Nut
25055 Arthur Road
Escalon, CA 95320

Reference: **10.2.25**

Sample Date: **10/2/25**

Temperature: **21.6 Celsius**

Condition: **Acceptable**

Commodity: **Walnuts**

**2025 crop
test inshell**

The reported results pertain only to the samples tested, unless otherwise noted. Samples classified as 'Acceptable' meet all condition requirements for the specified test method. Samples that do not meet these requirements may be adversely affected and have been approved for testing at the client's request. *ISO 17025:2017 Accredited Analysis. □ Compositing Sample. The following statements apply to Aflatoxin and Ochratoxin: [Sample analysis for EU exports was conducted in compliance with Annex II of Regulation (EU) No. 2023/2782. In shell pistachio results are reported on a kernel basis for a 50/50 shell/kernel ratio. Mycotoxins not corrected for recovery. Kingsburg and Yuba City facilities are recognized by the Ministry of Health, Labour and Welfare as Foreign Official Laboratories under Code US10003. Yuba City laboratory is registered to inspect almonds under Code US20170 and the Kingsburg laboratory is registered under Code US 20169. Kingsburg location only: USDA or USDA approved laboratory to test for total aflatoxin content in samples for domestic and imported pistachios marketed in the United States.]

RE: 1863295-1

Tested at: Kingsburg Center, 2037 Morgan Drive, Kingsburg CA

Kerchou Moua - Chemistry Manager