




E.G.
UMBRELLAS

Quad Umbrella

SPECIFICATIONS



E.G. UMBRELLAS

Quad Umbrella

SPECIFICATIONS SUMMARY

Post	Galvanized Steel 5.5"x5.5"
Arm	Galvanized Steel 3.5"x3.5"
Thickness of Metal Parts	$\frac{1}{8}$ "
End Caps	UV-Resistant Plastic in Black, Brown, Grey, White
Hardware	304 Stainless Steel
Crank Mechanism	Marine Grade Galvanized Steel with Plastic Protective Cover & Auto Lock
Ribs	8 Aluminum $\frac{3}{4}$ " x 1 $\frac{1}{2}$ "
Rib Thickness	1/16"
Ribs Joint Protector	Protection Against Wear and Tear High Wind Stabilizer Bar
Multi-Option Bases	Inground, Surface Mount, Freestanding



Quad Umbrella

FRAME & STRUCTURE

Umbrella Frame	Center Post / Cantilever Arms
Number Of Ribs	8
Rib Measurements	$\frac{3}{4}$ " x 1 $\frac{1}{2}$ " X 5/64"
Post & Arm Measurements	5.5" x 5.5" x 5/64"

HARDWARE & COMPONENTS

Hardware	304 Stainless Steel
Crank Mechanism	Marine Grade Auto Lock Winch
End Caps	UV Resistant Plastic

Quad Umbrella

DIMENSIONS & HEIGHT

Canopy Height: Rib to Ground (Open)	8' – 8'6"
Rib to Ground (Closed)	1'8" – 4'5"
Top to Ground	10'10" – 12'4"

BASE & STABILITY

Base: Inground, Surface Mount	18" x 18"
Freestanding Base	18" x 18" 40" x 47"
Base Counterweight	550 - 1650 lbs



Quad Umbrella

FEATURES & OPTIONS

High Wind Stabilizer Bar	Standard	Soltis PVC Fabric	Optional
Rib Joint Protector	Standard	Air Soltis	Optional
Wind Roof Canopy	Standard	Retractable Arm	Optional
Acrylic Fabric	Standard	Valance	Optional
Multi Vent Canopy	Optional	Fabric & Velcro Gutters	Optional
Double Fabric	Optional		

E.G. UMBRELLAS