

E.G. UMBRELLAS



*Enduring Quality
Grand Impression*

Contents

01 | Size Overview

02 | Center Post

04 | Telescopic

06 | Cantilever

08 | Double

10 | Quad

12 | Product Selections

14 | Bases


16 | Powder Coat Colors

17 | Canopies and Valance Styles

18 | Canopy Fabrics


E.G. UMBRELLAS

1




Center Post

<u>Square</u>	<u>Rectangle</u>	<u>Circle</u>
8	6½ x 10	8
9	8 x 10	9
10	10 x 13	10
11½		11½
13		13




Telescopic

<u>Square</u>	<u>Rectangle</u>	<u>Circle</u>
14	13 x 16	18
15	15 x 18	20
16½	16½ x 20	23
18	18 x 23	26
20	20 x 26	
23		




Cantilever

<u>Square</u>	<u>Rectangle</u>	<u>Circle</u>
8	6½ x 10	8
9	8 x 10	9
10	10 x 13	10
11½	13 x 16½	11½
13		13
14		14
15		15
16½		16½



Double

<u>Square</u>	<u>Rectangle</u>
8 x 16	6½ x 20
10½ x 21	8 x 20
11½ x 23	10 x 23
13 x 26	13 x 20
15 x 30	10 x 26



Quad

<u>Square</u>	<u>Rectangle</u>
16½	16½ x 20
18	20 x 26
20	23 x 26
21	
23	
26	







STOUT
FURNITURE
CO.

E.G. UMBRELLAS

3

Center Post



	A	B	C	D1	D2	E
	Canopy Width	Canopy Length	Ground to Crown	Opened Closed	Ground to Rib	Diagonal Length
8 ft	8' 2"	8' 2"	10' 10"	8'	3' 11"	11' 7"
9 ft	9"	9"	10' 10"	8'	3' 3"	12' 9"
10 ft	9' 10"	9' 10"	10' 10"	8'	2' 11"	13' 11"
11½ ft	11' 6"	11' 6"	10' 10"	8'	2' 3"	16' 3"
13 ft	13' 1"	13' 1"	11' 6"	8' 6"	1' 8"	18' 6"
6½ x 10 ft	6' 7"	9' 10"	10' 4"	8'	4' 5"	11' 10"
8 x 10 ft	8' 2"	9' 10"	10' 4"	8'	4' 5"	12' 9"
10 x 13 ft	9' 10"	13' 1"	10' 4"	8'	2' 7"	16' 4"
Ø 8 ft	8' 2"	8' 2"	10' 10"	8'	4' 11"	
Ø 9 ft	8' 10"	8' 10"	10' 10"	8'	4' 8"	
Ø 10 ft	9' 10"	9' 10"	10' 10"	8'	4' 5"	
Ø 11½ ft	11' 6"	11' 6"	10' 10"	8'	3' 11"	
Ø 13 ft	13' 1"	13' 1"	10' 10"	8'	2' 7"	







COLOSSEUM

E.G. UMBRELLAS

5

Telescopic



	A	B	C1	C2	D1	D2	E
	Canopy Width	Canopy Length	Opened Closed Ground to Crown		Opened Closed Ground to Rib		Diagonal Length
14 ft	14'	14'	11' 6"	11' 6"	8' 6"	1' 11"	19' 10"
15 ft	15'	15'	11' 6"	11' 6"	8' 6"	1' 11"	21' 3"
16 ft	16' 6"	16' 6"	11' 6"	11' 6"	8' 6"	1' 11"	23' 4"
18 ft	18'	18'	11' 6"	11' 6"	8' 6"	1' 11"	25' 6"
20 ft	20'	20'	11' 9"	15' 1"	8' 10"	1' 8"	28' 4"
23 ft	23'	23'	13' 1"	17' 8"	9' 6"	1' 8"	32' 6"
13 x 16 ft	13'	16'	11' 6"	14' 1"	8' 6"	1' 11"	20' 8"
15 x 18 ft	15'	18'	11' 6"	15' 1"	8' 6"	1' 11"	23' 5"
16 x 20 ft	16' 6"	20'	11' 6"	15' 1"	8' 6"	1' 11"	25' 11"
18 x 23 ft	18'	23'	13' 1"	17' 8"	9' 8"	1' 8"	29' 3"
20 x 26 ft	20'	26'	13' 1"	17' 8"	9' 6"	1' 8"	32' 10"
Ø 18 ft	18'	18'	11' 9"	15' 1"	8' 6"	1' 11"	
Ø 20 ft	20'	20'	11' 9"	15' 1"	8' 6"	1' 11"	
Ø 23 ft	23'	23'	12' 1"	15' 1"	8' 6"	1' 8"	
Ø 26 ft	26'	26'	13' 1"	15' 9"	8' 10"	1' 8"	




BEVERLY HILLS CAN




E.G. UMBRELLAS

7

Cantilever



	A	B	C	D1	D2	E
	Canopy Width	Canopy Length	Ground to Crown	Opened Closed	Ground to Rib	Diagonal Length
8 ft	8' 2"	8' 2"	10' 10"	8'	1' 8"	11' 7"
9 ft	9'	9'	10' 10"	8'	4' 5"	12' 9"
10 ft	9' 10"	9' 10"	10' 10"	8'	3' 7"	13' 11"
11½ ft	11' 6"	11' 6"	10' 10"	8'	2' 7"	16' 3"
13 ft	13' 1"	13' 1"	11' 6"	8' 6"	1' 8"	18' 6"
14 ft	14'	14'	11' 6"	8' 6"	1' 8"	19' 9"
15 ft	14' 9"	14' 9"	11' 8"	8' 8"	10"	21' 2"
16 ½ ft	16' 5"	16' 5"	12' 4"	9' 4"	1'	23' 3"
6½ x 10 ft	6' 7"	9' 10"	10' 4"	8'	4' 5"	11' 10"
8 x 10 ft	8' 2"	9' 10"	10' 4"	8'	4' 5"	12' 9"
10 x 13 ft	9' 10"	13' 1"	10' 4"	8'	2' 7"	16' 4"
13 x 16 ft	13'	16' 5"	11' 8"	8' 8"	10"	21'
Ø 8 ft	8' 2"	8' 2"	10' 10"	8'	4' 11"	
Ø 9 ft	9'	9'	10' 10"	8'	4' 4"	
Ø 10 ft	9' 10"	9' 10"	10' 10"	8'	4' 5"	
Ø 11½ ft	11' 6"	11' 6"	10' 10"	8'	3' 11"	
Ø 13 ft	13' 1"	13' 1"	10' 10"	8'	2' 7"	
Ø 14 ft	14'	14'	11' 6"	8' 6"	1' 8"	
Ø 15 ft	14' 9"	14' 9"	11' 6"	8' 6"	1' 8"	
Ø 16 ft	16' 5"	16' 5"	11' 8"	8' 6"	1'	








შენი

E.G. UMBRELLAS

Double



	A	B	C	D1	D2	E
	Canopy Width	Canopy Length	Ground to Crown	Opened Closed Ground to Rib		Diagonal Length
8 ft	8'	16'	10' 10"	8'	4' 5"	17' 11"
10 ft	9' 10"	19' 8"	10' 10"	8'	4' 5"	22'
10½ ft	10' 8"	21' 4"	10' 10"	8'	3' 7"	23' 10"
11½ ft	11' 6"	23'	10' 10"	8'	2' 7"	25' 9"
13 ft	13' 1"	26' 3"	11' 6"	8' 6"	1' 8"	29' 4"
15 ft	14' 9"	29' 6"	11' 7"	8' 8"	10"	33'
6½ x 20 ft	6' 6"	20'	10' 10"	8'	4' 5"	21'
8 x 20 ft	8' 2"	20'	10' 10"	8'	4' 5"	21' 7"
10 x 23 ft	9' 10"	23'	10' 10"	8'	2' 7"	25'
13 x 20ft	13' 1"	19' 8"	10' 10"	8'	4' 5"	23' 7"








QUAD

E.G. UMBRELLAS

Quad




	A	B	C	D1	D2	E
	Canopy Width	Canopy Length	Ground to Crown	Opened Closed Ground to Rib		Diagonal Length
16 ft	16' 5"	16' 5"	10' 10"	8'	4' 5"	23' 3"
18 ft	18'	18'	10' 10"	8'	4' 5"	25' 6"
20 ft	19' 8"	19' 8"	10' 10"	8'	4' 5"	27' 10"
21 ft	21' 3"	21' 3"	10' 10"	8'	4' 5"	30' 1"
23 ft	23'	23'	11' 6"	8'	1' 8"	32' 7"
26 ft	26' 3"	26' 3"	11' 6"	8' 6"	1' 8"	37' 2"
16 x 20 ft	16' 5"	9' 8"	10' 10"	8'	4' 5"	25' 7"
20 x 26 ft	19' 8"	26' 3"	10' 10"	8' 6"	1' 8"	32' 10"
23 x 26 ft	23'	26' 3"	11' 6"	8' 6"	1' 8"	34' 11"



Product Selections

Center Post



Anchoring

- + In-Ground Base
- + Surface Mount Base
- + Freestanding
- + Wheel Kit

Post

- + Stainless Steel
- + Aluminum
- + Iroko Teak
- + Winch


Under Canopy

- + Infrared Heating
 - Pre-wired
 - Foldable bracket
 - Controller
- + 3500K Lights
 - Pre-Installed
 - Remote Control
 - Dimmer

Canopy

- + Rain Gutter
- + Side Walls
- + Custom Branding
- + Double Fabric

Telescopic



Anchoring

- + In-Ground Base
- + Freestanding
- + Metal Base Cover
- + Wood Base Cover
- + 2in Base Cushion
- + 6in Base Cushion

Post

- + Galvanized Steel


Under Canopy

- + Infrared Heating
 - Pre-wired
 - Foldable bracket
 - Controller
- + 3500K Lights
 - Pre-Installed
 - Remote Control
 - Dimmer

Canopy

- + Rain Gutter
- + Side Walls
- + Custom Branding
- + Double Fabric

Cantilever



Anchoring

- + In-Ground Base
- + Surface Mount Base
- + Freestanding Base
- + Metal Base Cover
- + Wood Base Cover
- + 2in Base Cushion
- + 6in Base Cushion
- + Wheel Kit

Post


- + Tilt
- + 360° Rotation
- + Stainless Steel
- + Galvanized Steel
- + Iroko Teak
- + Custom Arm Location

Under Canopy

- + Infrared Heating
 - Pre-wired
 - Foldable bracket
 - Controller
- + 3500K Lights
 - Pre-Installed
 - Remote Control
 - Dimmer

Canopy

- + Rain Gutter
- + Side Walls
- + Custom Branding
- + Double Fabric



Anchoring

- + In-Ground Base
- + Freestanding Base
- + Metal Base Cover
- + Wood Base Cover
- + 2in Base Cushion
- + 6in Base Cushion

Post


- + Galvanized Steel
- + Custom Arm Location
- + 180° Rotation

Under Canopy

- + Infrared Heating
 - Pre-wired
 - Foldable bracket
 - Controller
- + 3500K Lights
 - Pre-Installed
 - Remote Control
 - Dimmer

Canopy

- + Rain Gutter
- + Side Walls
- + Custom Branding
- + Double Fabric



Anchoring

- + In-Ground Base
- + Freestanding Base
- + Metal Base Cover
- + Wood Base Cover
- + 2in Base Cushion
- + 6in Base Cushion

Post

- + Galvanized Steel

Under Canopy

- + Infrared Heating
 - Pre-wired
 - Foldable bracket
 - Controller
- + 3500K Lights
 - Pre-Installed
 - Remote Control
 - Dimmer

Canopy

- + Rain Gutter
- + Rain Collar
- + Side Walls
- + Custom Branding
- + Double Fabric

Bases



Freestanding Base

32"

Weight - 102 lbs

Size - 32" x 32"

Material - 1/2" Steel

Finish - Powder Coated

39"

Weight - 158 lbs

Size - 39" x 39"

Material - 1/2" Steel

Finish - Powder Coated



39" - Cut Out

Weight - 130.27 lbs

Size - 39" x 39"

11.5" cutout depth for furniture legs

Material - 1/2" Steel

Finish - Powder Coated



Surface Mount Base

18"

Weight - 51 1/4 lbs

Size - 18" x 18"

Material - 1/2" Steel

Finish - Powder Coated

Hardware - 1/2" x 6" Concrete Screws (x4)



Base Weight Plate

32"

Weight - 42.9lbs ea

- (85.8 lbs per set)

Size - 25" x 25"

Material - 1/2" Steel

Finish - Powder Coated

39"

Weight - 71.19lbs ea

- (142.38 lbs per set)

Size - 32" x 32"

Material - 1/2" Steel

Finish - Powder Coated



39" Cut Out

Weight - 55.48lbs ea

- (110.96 lbs per set)

Size - 32" x 32"

Material - 1/2" Steel

Finish - Powder Coated



In-Ground Base

18"

Weight - 51 1/4 lbs

Size - 18" x 18"

Material - 1/2" Steel

Finish - Powder Coated

Hardware - 1/2" x 6" Concrete Screws (x4)


Sono Tube Solution

Rebar Cage

E.G. UMBRELLAS

15

Bases



41" x 47" x 4" Freestanding Base



26" x 40" x 4" Freestanding Base




5" x 10" Wall Mount


Aluminum Base Cover with Cushions




Wood Base Cover with Cushions



Powder Coat Colors




RAL 8017
Chocolate Brown



RAL 7016
Anthracite Grey




RAL 9006
White Aluminum



RAL 9004
Signal Black



RAL 9010
Pure White



Iroko Wood

Custom powder coat colors available upon request. Visit RALColor.com for full color options.

CANOPIES
VALANCES




Signature

Multiple fabric splits carry a higher wind rating, plus offer extra venting/cooling.




Trimline

Trimline features a single-split canopy for a more streamlined, modern look.



Scallop

A curvy cut that reaches the top of the valance at each peak.



Castle

Square cutoffs that resemble classic castle walls.



Wave

Gentle, rolling curves repeat along the valance.



Straight


A standard, straight edge for a clean, modern look.

Custom edge braid colors on request

Personalize with your logo

E.G. UMBRELLAS

Click on the covers to jump to their page.




Our standard marine grade fabric line. View more than 80 colors and premium sun and water protection.




Our color options for the canopy edge ribbon.



Our fire rated fabric options.




Our screen/sidewall color options.




Optik  1069
 120/153 cm



Blanco  2042
 120/153/200/240 cm




Natural 2926
 120/240 cm




Vainilla  2687
 120/153/240 cm




Crema 2322
 120 cm



Caramel 2022
 120 cm



Seda  2596
 120/153/240 cm




Trigo 1074
 120 cm



Champagne 2826
 120 cm




Alabastro 8157
 120 cm




Marfil  2143
 120/153/200/240 cm



Arena 2274
 120 cm




Maquillaje 20162
NEW  120 cm



Mármol 1070
 120/240 cm



Sand 1071
 120/240 cm




Shell 1469
 120 cm



Salt 20164
NEW  120 cm




Zurich 2255
 120 cm




Lugano 2134
 120 cm



Berna 2041
 120 cm



Hormigón 1072
 120 cm




Rain 1073
 120 cm




Tenneré 2354
 120/240 cm




Gobi 3603
 120 cm




Siroco  2226
 120/240 cm




Integral  2838
 120/153/240 cm




Avena  2296
 120/153 cm




Toast  1470
 120/153 cm




Álamo 1472
 120/240 cm




Beige  2038
 120/153/200/240 cm




Pergamino 20160
NEW  120 cm



Almond 20166
NEW  120 cm




Toffee 2834
 120/240 cm




Visón  2250
 120/153 cm



Tweed Avena  3580
 120/153 cm



Coco  3601
 120/240 cm



Trufa 3003
120 cm



Oro 2688
120 cm




Mostaza 2837
120 cm



Maiz 2141
120/240 cm



Cereal 1468
120/240 cm



Bronce 2090
120 cm



Miel 3001
120 cm




Ocre 2180
120/240 cm




Azafrán 2825
120/240 cm




Cobre 2690
120 cm




Teja △ 2065
120/153/240 cm




Terracota 8645
120 cm



Marrón △ 2146
120/153 cm




Chocolat 1481
120/240 cm



Café △ 2316
120/153 cm



Limón 2829
120 cm



Lima 1482
120 cm



Amarillo △ 2013
120/153/240 cm



Dallas 2083
120 cm



Melocotón 2830
120 cm



Mandarina 2142
120 cm



Naranja  2050
120/153/240 cm



Salmón 2221
120 cm



Tomato 2836
120 cm



Rojo  2211
120/153 cm



Logo Red 1066
120 cm



Generation Red 1473
120 cm



Cherry 1065
120 cm




Splendore 2691
120 cm




Rioja  2210
120/153 cm




Brasserie  2209
120/153 cm



Granate  2101
120/153/200/240 cm




Tweed Rojo  3583
120/153 cm




Sandia 2644
NEW 120 cm




Lava 1076
120 cm




Berry 1488
120 cm



Pink  2835
120/153 cm



Grape 1067
120 cm



Malva 2119
120 cm



Lila 
 120/153 cm

2118



Lavanda
 120 cm

8785



Turkis
 120 cm

2129




Celeste
 120 cm

2066



Blue Mist
NEW  120 cm

20168



Glacier
NEW  120 cm

1560



Denim
NEW  120 cm

1834



Bombay
 120 cm

2116




Índigo 
 120/153/240 cm

2828



Regata 
 120/153 cm

3002



Brisa 
 120/153 cm

2777



Trópic
 120 cm

1489



Ocean 
 120/153 cm

1479



Azul Real 
 120/153/200/240 cm

2235



Azul 
 120/153/200 cm

2018




Marino 
 120/153/200/240 cm

2145



Admiral 
 120/153/200 cm

2051



Commodore  1079
 120/153 cm



Jade  2892
 120/153 cm



Aquamarina  2427
 120/153 cm



Lagoon  1063
 120 cm



Oliva 2832
 120 cm



Bambú 1075
 120 cm




Eucaliptus 3000
 120/240 cm




Cactus 1471
 120 cm



Fresh 2097
 120 cm



Musgo 2247
 120 cm



Tirol 2928
 120 cm



Verde Cl. 2246
 120 cm




Anís 2024
 120 cm




Confetti 2025
 120 cm




Tweed Verde  8573
 120/153 cm




Verde  2242
 120/153/240 cm



Botella  2245
 120/153/200/240 cm



Deep Blue 20161
  120 cm




Racing  2839
 120/153 cm



Quartz

NEW 120 cm

1835



Niebla

NEW 120 cm

1927



Silver

120/153/200 cm

2821



Perla

120/153/240 cm


2979



Piedra

120/153/240 cm


3605



Tweed Gris Cl.

120/153 cm


3581



Tweed Perla

120 cm


1467



Gris

120/153/200 cm


2102



Mineral

120/153 cm


2831



Basalto

120 cm

2327



Grafito

120/153 cm


3602



Antracita

120/153 cm


8488



Carbón

120/153/240 cm


1060



Tweed Negro

120/153 cm


3582



Coal

120/153 cm

1068



Negro

120/153/200/240 cm

2170

PLAINS LISOS

Sauleda manufactures more than 130 solid colors in 100 % mass-dyed acrylic fabrics to enjoy optimal sun protection. Sauleda fabrica más de 130 colores lisos en tejidos 100 % acrílicos tintados en masa para disfrutar de una protección solar óptima.



TECHNICAL DATA SHEET FICHA TÉCNICA

FABRIC MATERIAL		Masacril® 100 % Acrylic Solution Dyed Masacril® 100 % Acrílico Tintado en Masa
YARNS HILOS	WARP URDIMBRE	30 h/cm (Nm 34/2)
	WEFT TRAMA	15 h/cm (Nm 34/2)
TENSILE STRENGTH RESISTENCIA DE TRACCIÓN	WARP URDIMBRE	140 daN/5 cm
	WEFT TRAMA	95 daN/5 cm
WEIGHT PESO		300 gr/m²
WATER REPELLENCY COLUMNA DE AGUA		360 mm
FINISH ACABADO		Sauleda Fabric Protector
LENGTH OF ROLLS LONGITUD DE PIEZAS		60 m / 100 m
WIDTH ANCHO		120 cm 47" / 153 cm 60" / 200 cm 78" / 240 cm 94"



Available finishes. Acabados disponibles:
Sauleda Masacril®, Especial, Green® and Agora.

CODES, WIDTHS AND FINISHES CÓDIGOS, ANCHOS Y ACABADOS

Width Ancho 	120		153		200		240		()	
Finish Acabado	N		N		N		N	UV	AGORA	GREEN
OPTIK	1069		3588	3589				60	3934	
BLANCO	2042		2439	2405	2067	8758	2053	40	3701	1530
NATURAL	2926						2931	60	3702	
VAINILLA	2687		8666	8668			2585	60		
CREMA	2322							60		
CARAMEL	2022							60		
SEDA	2596		2267	2453			8777	60		
TRIGO	1074							60		
CHAMPAGNE	2826							60		
ALABASTRO	8157							60	3703	
ARENA	2274							60		
MAQUILLAJE	20162							60		
MARFIL	2143	8272	2163	2411	8699	8759	2166	60	3704	1531
MÁRMOL	1070						1080	60	1227	
SAND	1071						1081	60	1228	
SHELL	1469							60		1538
SALT	20164							60		
ZURICH	2255							60		
LUGANO	2134							80		
BERNA	2041							60		
HORMIGÓN	1072							60		
RAIN	1073							60		
TENNERÉ	2354						8771	60	3827	
GOBI	3603							60		
SIROCO	2226	2075					2616	60		1533
INTEGRAL	2838	1550	2428	2443			2613	80	3705	
AVENA	2296		2429	2451				60	3707	1532
TOAST	1470		1494	1495				60		1536
ÁLAMO	1472						1493	80		
PERGAMINO	20160							80	20098	
ALMOND	20166							80		
BEIGE	2038	8267	2055	2403	8639	8765	8775	80		

Width Ancho 	120		153		200		240		()	
Finish Acabado	N		N		N		N	UV	AGORA	GREEN
TOFEE	2834						2614	80	3706	
VISÓN	2250		2266	2452				80		
TWEED AVENA	3580		2717	2719				80		
COCO	3601	2047					2295	80	3820	
TRUFA	3003							80		
ORO	2688							80	3824	
MOSTAZA	2837							80	3708	
MAIZ	2141						8772	80		
CEREAL	1468						1496	60		
BRONCE	2090							80		
MIEL	3001							80		
OCRE	2180						2193	80		
AZAFRÁN	2825						2611	80	3709	
COBRE	2690							80		
TEJA	2065		2441	8733			8770	80		
TERRACOTA	8645							80	3710	
MARRÓN	2146		2625	2415				80	3712	
CHOCOLAT	1481						1492	80		1535
CAFÉ	2316	2422	2434	2442				80	3713	
LIMÓN	2829							60	3935	
LIMA	1482							80		
AMARILLO	2013	8265	8667	8634			8764	80	3714	1544
DALLAS	2083							80		
MELOCOTÓN	2830							60		
MANDARINA	2142							80	3715	
NARANJA	2050		2138	8250			2977	80		
SALMÓN	2221							60		
TOMATO	2836							80	3716	
ROJO	2211	8277	2345	2419				80	3717	
LOGO RED	1066							80	1226	
GENERATION RED	1473							60		
CHERRY	1065							60		

Width Ancho 	120		153		200		240		(agora)	
Finish Acabado	N		N		N		N	UV	AGORA	GREEN
SPLENDORE	2691							80	3826	
RIOJA	2210		2634	2729				80		
BRASSERIE	2209	1551	2473	2406				80	3718	1545
GRANATE	2101	8270	2115	2407	8654	8723	2105	80	3711	
TWEED ROJO	3583		2490	2718				80		
SANDIA	2644							60		
LAVA	1076							60		
BERRY	1488							80		
PINK	2835		2064	2469				80	3946	
GRAPE	1067							80	1225	
MALVA	2119							80	3944	
LILA	2118		2058	2467				80	3942	
LAVANDA	8785							80		
TURKIS	2129							80	3721	
CELESTE	2066							80		
BLUE MIST	20168							80		
GLACIER	1560							80		
DENIM	1834							80		
BOMBAY	2116							80	3941	
ÍNDIGO	2828		2745	2746			2612	80	3733	
REGATA	3002		2072	2470				80		
BRISA	2777		2712	2418				80	3736	
TRÓPIC	1489							80		
OCEAN	1479		1497	1498				80		1541
AZUL REAL	2235	8276	2435	2423	8635	8722	2229	80		
AZUL	2018	8266	2431	2401	8748	8727		80	3722	
MARINO	2145	8273	2437	2413	8636	8725	8810	80	3723	1540
ADMIRAL	2051		2450	2449	8629	8721		80		
COMMODORE	1079		3553	3554				80		
JADE	2892		2715	2416				80		
AQUAMARINA	2427		2433	2460				80		
LAGOON	1063							60		

Width Ancho 	120		153		200		240		(agora)	
Finish Acabado	N		N		N		N	UV	AGORA	GREEN
OLIVA	2832							80	3724	
BAMBÚ	1075							60		
EUCALIPTUS	3000						2344	80		
CACTUS	1471							60		1537
FRESH	2097							80		
MUSGO	2247							80		
TIROL	2928							80		
VERDE CL.	2246							80	3726	
ANÍS	2024							60	3936	1542
CONFETTI	2025							80	3937	
TWEED VERDE	8573		2711	2710				80		
VERDE	2242	8280	2748	2742			8809	80	3727	
BOTELLA	2245	8269	2531	2488	8630	8258	2177	80	3725	1543
DEEP BLUE	20161							80	XXX	
RACING	2839		2098	2410				80		
SILVER	2821		2540	2409	8260	8261		60	3728	
QUARTZ	1835							60		
NIEBLA	1927							60		
PERLA	2979		2703	2417			8776	60	3755	1547
PIEDRA	3605		3598	3599			2363	80	3825	1548
TWEED GRIS CL.	3581		2716	2471				80		
TWEED PERLA	1467							80		
GRIS	2102	8271	2895	2421	8655	8724		80		1546
MINERAL	2831		2749	2750				80	3729	
BASALTO	2327							80	3730	
GRAFITO	3602		2057	2466				80	3823	
ANTRACITA	8488	1552	8487	2461				80	3731	
CARBÓN	1060		1137	1138			1136	80		1539
TWEED NEGRO	3582	2085	2227	2463				80		
COAL	1068		1077	8860				80		
NEGRO	2170	8275	2880	2881	8656	8726	8742	80	3732	1549


Edge Braid Colors



Extra Blanca 5089



Extra Vainilla 5075




Extra Marfil 5090




Extra Beige 5073




Extra Berna 5076



Extra Teja 5085




Extra Marrón 5080




Extra Café 5074



Extra Amarillo 5070




Extra Naranja 5081




Extra Roja 5084




Extra Granate 5077



Extra Verde 5087




Extra Botella 5088



Extra Turkis 5086




Extra Azul Real 5072




Extra Marino 5079



Extra Gris 5078



Extra Antracita 5071




Extra Negro 5082

Edge Braid Colors




Blanca

5033



Vainilla

5062




Marfil

5054



Beige

5032




Ocre

5040



Teja

5052



Marrón

5038



Café

5035




Amarillo

5030



Naranja

5034



Rojo

5041



Granate

5047



Rioja

5050



Verde Claro

5045



Verde

5044



Botella

5049



Musgo

5053



Tirol

5057



Celeste

5036



Real

5043




Azul

5031



Marino

5055



Gris

5037



Negro

5039

Soltis 502 Proof

Colorful, durable, waterproof membrane made with 100% recycled polyester yarns

Environment

- The Soltis 502, made from high tenacity recycled polyester yarns, maintains its high-quality standard while reducing the carbon footprint. (GWP: -28.6% compared to previous versions)

Sparks creativity

- A unique satin finish to give a modern and high end look to your projects
- Flexibility and strength providing total freedom of shape and size.

Innovation and performance

- A very smooth finish ensures easy upkeep
- Tried and tested protection against heat and bad weather for year-round comfort

Proven longevity

thanks to Précontraint® technology and its improved technical characteristics, Soltis 502:

- does not tear or stretch, ensuring structures last over time
- durably resists UV impact thanks to rigorous pigment selection and thicker yarn crest coating than other market offers.



Recycled
&
colorful

Thermal and light transmission properties
(according to EN 14501)


		TS	RS	AS
Proof				
502V3-1125C		6	17	77
502V3-1354C		0	10	90
502V3-2012C		1	38	61
502V3-2150C		12	45	43
502V3-2160C		5	35	60
502V3-2161C		6	28	66
502V3-2166C		15	58	27
502V3-2167C		0	18	82
502V3-2168C		1	46	53
502V3-2171C		2	51	47
502V3-8056C		0	10	90
502V3-8204C		16	47	37
502V3-8255C		18	37	45
502V3-8284C		1	11	88
502V3-8450C		0	6	94
502V3-50265C		1	47	52
502V3-50283C		5	35	60
502V3-50670C		1	22	77
502V3-50674C		10	59	31
502V3-50677C		7	34	59
502V3-51332C		1	31	68

		TS	RS	AS
Proof				
502V3-51946C		1	22	77
502V3-51969C		11	77	12
502V3-51970C		11	77	12
502V3-51971C		2	66	32
502V3-51972C		0	17	83
502V3-51973C		0	18	82
502V3-51974C		5	66	29
502V3-51975C		6	53	41
502V3-51976C		1	24	75
502V3-51977C		2	49	49
502V3-51978C		6	33	61
502V3-51979C		11	72	17
TS	SolarTransmissionin%			
RS	SolarReflectionin%			
AS	Solar Absorption in %			
TS+RS+AS	=100%oftheincidentenergy			




Soltis 502



Proof




White 502V3-51969C




Boulder 502V3-2171C




Concrete 502V3-2167C




Pearl white 502V3-51970C




Aluminium 502V3-2168C




Anthracite 502V3-1354C




Enamel white 502V3-51971C





Titanium 502V3-51972C




Black 502V3-8450C




Titanium 502V3-51972C



Champagne 502V3-51979C




Lemon 502V3-50674C



Peach 502V3-51974C



Hemp 502V3-50265C



Buttercup 502V3-2166C



Raspberry 502V3-2150C




Pepper 502V3-2012C




Orange 502V3-8204C




Poppy 502V3-8255C




Antelope 502V3-51973C



Rust 502V3-50283C



Burgundy 502V3-8284C



Revival blue

502V3-51946C




Alpine blue

502V3-51975C




Tin green

502V3-51977C




Victoria blue

502V3-50677C




Lagoon

502V3-2160C




Spring green

502V3-51332C




Midnight blue

502V3-2161C




Porcelain green

502V3-50670C




Garden green

502V3-51978C




Marine

502V3-1125C



Peacock blue


502V3-51976C




Tennis green

502V3-8056C

Main applications

Proof		
Exterior solar protection		
	Shade-sail	✓
	Fixed pergola roof	✓
	Retractable pergola roof	✓



Recycled content
base



Waterproof



Glare control



Wide range
of colors


Act now to build a better tomorrow



Loop is a new generation of innovative products, made of recycled materials, which embodies our sustainable approach: “Do better with less”. This sentence reflects our will for lighter, more durable and high-performance membranes, without any additional environmental impact. Aimed at saving natural resources, Loop products are a forerunner of tomorrow, when we will be able to do even more with less.

Exclusive Précontraint® technology

This unique, world-patented technology involves maintaining the composite in bi-axial tension throughout the manufacturing cycle. It ensures our materials’ exceptional performance characteristics, which ensure they exceed market standards in terms of long-term stability, strength, coating thickness and flatness.



1	High-tenacity polyester micro-yarn reinforcing mesh	Higher resistance to elongation and tearing
2	Coating under bi-axial, warp and weft tension	No deformation during installation and usage
3	Coating thickness covering top of yarns and dirt repellent surface treatment	Enhanced aesthetic and structural durability
4	Extremely flat and thin	Easy-to-clean smooth surface ensuring compactness and easy rolling

Soltis 502 Proof

Technical properties

Composition	100% recycled PET yarns / Coating PVC
Weight EN ISO 2286-2	590 g/m ² • 17.4 oz/sq. yd
Thickness	0.45 mm • 450 microns
Width	180 cm • 70.9 in

Roll lengths

In 180 cm • 70.9 in width	40 lm • 43.74 yd
---------------------------	------------------

Physical properties

Tensile strength (warp/weft) EN ISO 1421	220/220 daN/5 cm • 495/495 lbs/2 in
Tear strength (warp/weft) DIN 53.363	25/22 daN • 56/49 lbs

Environmental properties

Carbon impact EN 15804 + A1	2.20 kg CO ₂ eq/m ²
-28.6% compared to equivalent version without recycled content.	

Fire resistance

Rating*	M2/NF P 92-507 B1/DIN 4102-1 M2/UNE 23.727-90 Class 2/UNI 9177-87 VKF 5.3/SN 198898 BS 7837 Schwerbrennbar Q1-Tr1/ONORMA 3800-1 Method 1/NFPA701 Method 2/NFPA701 CSFM T19 Class A/ASTM E84 CAN ULC S109 AS/NZS 1530.2 AS/NZS 1530.3 Group 1/AS NZS 3837 T2/EN15619
Euroclass EN 13501-1	B-s2,d0

Management systems

Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001
--

Certifications, labels, warranty

Précontraint® Technology	10-year warranty				
-----------------------------	---------------------	---	---	---	---

Tools and services

Soltissim: tool to evaluate energy savings that can be achieved with Soltis solar protection. Contact your Serge Ferrari representative.

*Fire certification ongoing.

¹ These products don't contain intentionally added PFAS (these products were not formulated or intended to contain a PFAS that imparts a specific function or characteristic to the product).

² Loop labels technical membranes incorporating recycled and/or bio-based materials.

³ Summarizes the group's CSR project focused on human, to align economic performance and positive impact.

The technical data above are average values with a +/-5% tolerance.

The global warming value has been validated by the Bureau Veritas certification company.

The purchaser of our products is responsible for their application or transformation in relation to possible third party rights. The purchaser of our products is responsible for their installation in compliance with the standards, working practices and safety regulations of their destination country.

Values quoted in this document are commonly used test results for design purposes. They are given for information only in order to offer our customers optimum usage of our products. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data.

The colors and textures presented are included for information only.

Soltis 86

A range dedicated to transparency

Thanks to Soltis 86, you can achieve remarkable transparency and improve the amount of natural light while maintaining good thermal protection.

Excellent transparency

Soltis 86 provides excellent outward visual contact to enjoy the view even when the awning is lowered. It proves its efficiency by blocking up to 93% of the heat in outdoor use.

Optimised natural light contribution

Soltis 86 promotes natural light intake. This is beneficial in terms of:

- energy savings by reducing the use of artificial lighting
- the well-being, health and productivity of people in a professional or private environment.

Harmonised ranges

All the colors of Soltis 86 are coordinated with Soltis 92 to:

- harmonise all the facades of a building
- meet visual comfort needs according to each facade's orientation
- adjust thermal protection to save energy.



Transparency
and natural light

Soltis 86

Color




Snow white

86-50690




White

86-2044




Champagne

86-2175




Sandy beige

86-2135




Pepper

86-2012




Brick

86-51180




Bronze

86-2043




Boulder

86-2171




Moss green

86-2158




Red

86-8255




Deep red

86-51181




Buttercup

86-2166




Orange


86-8204




Aniseed 86-2157




Deep blue 86-51182




Concrete 86-2167



Beaten metal 86-2045




Anthracite 86-2047




Deep black 86-51176


Alu




White/Alu 86-2051



Oat/Alu 86-2046



Alu/Alu 86-2048



Anthracite/Alu 86-2068

A range of colours to match every kind of project


The new Soltis 86 range features colors designed by our design office to complement the building's entire environment (joinery, openings and facades). The colours present tones that match the most common colours (RAL and NCS references).



Download
our RAL and NCS
color correspondence

Exclusive Précontraint® technology

This unique, world-patented technology involves maintaining the composite in bi-axial tension throughout the manufacturing cycle. It ensures our materials' exceptional performance characteristics, which ensure they exceed market standards in terms of long-term stability, strength, coating thickness and flatness.



1	High-tenacity polyester micro-yarn reinforcing mesh	Higher resistance to elongation and tearing
2	Coating under bi-axial, warp and weft tension	No deformation during installation and usage
3	Coating thickness covering top of yarns and dirt repellent surface treatment	Enhanced aesthetic and structural durability
4	Extremely flat and thin	Easy-to-clean smooth surface ensuring compactness and easy rolling

Thermal and light transmission properties
(according to EN 14501)


		Width (cm-in)		TS	RS	AS	TV n-h	g _{tot} ^{e*}	g _{tot} ^{i*}
		177	267						
		69.7	105.1						
Color									
86-2012				18	27	55	17	0.08	0.24
86-2043				15	11	74	14	0.07	0.28
86-2044				29	59	12	28	0.11	0.15
86-2045				16	29	55	17	0.08	0.23
86-2047				17	7	76	16	0.07	0.28
86-2135				24	39	37	22	0.09	0.21
86-2157				25	44	31	21	0.08	0.21
86-2158				18	25	57	17	0.08	0.25
86-2166				31	45	24	27	0.11	0.21
86-2167				17	14	69	16	0.07	0.26
86-2171				22	36	42	19	0.08	0.21
86-2175				30	57	13	29	0.11	0.16
86-8204				29	41	30	21	0.10	0.23
86-8255				21	24	55	13	0.07	0.27

TS	Solar Transmission in %
RS	Solar Reflection in %
AS	Solar Absorption in %
TS+RS+AS	= 100% of the incident energy
TVn-h	Normal Visible light transmission - hemispherical in %
A	Aluminium surface exposed to the sun
B	Colored surface exposed to the sun
g _{tot} ^e	External Solar Factor
g _{tot} ⁱ	Indoor Solar Factor

		Width (cm-in)		TS	RS	AS	TV n-h	g _{tot} ^{e*}	g _{tot} ^{i*}
		177	267						
		69.7	105.1						
Color									
86-50690				28	61	11	27	0.11	0.14
86-51176				14	5	81	14	0.07	0.29
86-51180				17	24	59	15	0.07	0.26
86-51181				18	14	68	16	0.08	0.28
86-51182				18	23	59	15	0.07	0.27
Alu									
86-2046 A				22	40	38	22	0.10	0.16
86-2046 B				22	55	23	22	0.09	0.20
86-2048				19	39	42	20	0.09	0.20
86-2051 A				22	40	38	21	0.09	0.13
86-2051 B				22	60	18	21	0.09	0.20
86-2068 A				17	31	52	18	0.08	0.23
86-2068 B				17	7	76	18	0.09	0.28

* Detailed method ISO 52022-3
Takes into account the spectral values of glazing transmission and reflection + blind complex for calculating the solar factor g_{tot}.
Type "D" glazing: insulating double glazing with low emissivity on surface 2 (4 + 16 + 4; Argon filling) g = 0.32 - U = 1.1.

Main applications

		Color	Alu
Exterior solar protection & Terrace			
	Facade blind	✓	✓
	Projection awning	✓	✓
	Wintergarden blind	✓	✓
	Fixed pergola roof	✓	✓
	Rollable pergola roof	✓	✓
	Retractable pergola roof	✓	✓
	Lateral pergola blind	✓	✓
	Retractable arm awning	✓	✓
	Wind shield	✓	✓
	Shade-sail	✓	✓

Soltis 86

	Color	Alu
Technical properties		
Openness factor	14%	
Weight EN ISO 2286-2	380 g/m² • 11.2 oz/sq. yd	
Thickness	0.45 mm • 450 microns	
Width	177 cm - 267 cm • 69.7 in- 105.1 in	
Roll length		
In 177 cm • 69.7 in width	50 lm • 54.68 yd	
In 267 cm • 105.1 in width	40 lm • 43.74 yd	
Physical properties		
Tensile strength (warp/weft) EN ISO 1421	230/160 daN/5 cm • 517/360 lbs/2 in	
Tear strength (warp/weft) DIN 53.363	45/20 daN • 101/45 lbs	
Environmental properties		
Carbon impact EN 15804 + A1	2.22 kg CO ₂ eq/m²	
Fire resistance		
Rating	B1/DIN 4102-1 M1/UNE 23.727-90 Class 1/EN 13773 Class 1/UNI 9177-87 VKF 5.3/SN 198898 BS 7837 BS 5867-2 Schwerbrennbar-Q1-Tr1/ONORM A 3800-1 NFPA 701 Method 1 & Method 2 CSFM T19 Class A/ASTM E84 CAN ULCS109 AS/NZS 1530.2 & 1530.3 G1/GOST 30244-94	
Euroclass EN 13501-1	B-s2,d0	
Management system		
Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001		
Certifications, labels, warranty		
Précontraint® Technology 5-year warranty         		

Tools and Services		
Soltissim: tool to evaluate energy savings that can be achieved with Soltis solar protection. Contact your Serge Ferrari representative.		
¹ Summarizes the group's CSR project focused on human, to align economic performance and positive impact.		

The technical data above are averaged values with a +/-5% tolerance.

The global warming value has been validated by the Bureau Veritas certification company.

The purchaser of our products is responsible for their application or transformation in relation to possible third party rights. The purchaser of our products is responsible for their installation in compliance with the standards, working practices and safety regulations of their destination country. Please refer to our warranty document with regard to contractual liability.

Values quoted in this document are commonly used test results for design purposes. They are given for information only in order to offer our customers optimum usage of our products. Our products are subject to improvements resulting from technical developments and we reserve the right to modify their characteristics at any time. The purchaser of our products is responsible for checking the above data.

The colors and textures presented are included for information only.