





E.G. UMBRELLAS

Cantilever Specifications

E.G. UMBRELLAS

Cantilever



Size Options

<u>Square</u>	<u>Rectangle</u>	<u>Circle</u>
8'	6' x 10'	8'
9'	8' x 10'	9'
10'	10' x 13'	10'
11'	13' x 16'	11'
13'		13'
14'		14'
15'		15'
16'		16'

Specifications Summary

Post	• Aluminum • 316 Stainless Steel • Steel
Canopy Type	• Signature • Trimline
Thickness of Metal Parts	5/64"
End Caps	• Black • Brown • Grey • White
Hardware	304 Stainless Steel
Mechanism	6061 Aluminum Internal Winch
Ribs	Aluminum 8ct. 3/4" x 1 1/2"
Rib Wall Thickness	5/64"
Rib Joints	Aluminum
Base Options	Inground Surface Mount Freestanding

E.G. UMBRELLAS

Cantilever Specifications

Frame + Structure

Umbrella Frame	Cantilever
Number of Ribs	8
Rib Measurements	3/4" x 1-1/2" 5/64" Wall Thickness
Post + Arm Measurements	3-1/2" x 3-1/2" 5/64" Wall Thickness

Dimensions + Height

Rib to Ground (Opened)	8' – 8' 6"
Ribs to Ground (Closed)	1' 8" – 4' 5"
Top to Ground	10' 10" – 11' 6"

Hardware + Components

Hardware	304 Stainless Steel
Opening/Closing	6061 Aluminum Internal Winch
End Caps	UV Resistant Polymer

Base + Stability

Freestanding Base	32" x 32" 39" x 39"
Inground Base	18" x 18" 7" Diameter
Surface Mount	7" Diameter
Base Weights	550 – 1100 lbs

Features + Options

360° Rotation	Standard
Wind Roof Canopy	Standard
Umbrella Cover	Standard
Fire Rated Fabric	Optional
Valance	Optional
Fabric Gutters	Optional
Logo	Optional
Multi Vent Canopy	Optional
Double Fabric	Optional
Wheel Kit	Optional