





E.G. UMBRELLAS

Double Canopy Specifications

E.G. UMBRELLAS

Double Canopy



Size Options

Square

8 x 16
10 x 21
11 x 23
13 x 26
15 x 30

Rectangle

6 x 20
8 x 20
10 x 23
13 x 20
10 x 26

Specifications Summary

Post	5" x 5" Steel
Arm	3" x 4" Steel
Thickness of Metal Parts	5/64"
End Caps	• Black • Brown • Grey • White
Hardware	304 Stainless Steel
Crank Mechanism	6061 Aluminum Internal Winch
Ribs	Aluminum 16ct. 3/4" x 1 1/2"
Rib Wall Thickness	5/64"
Rib Joints	Aluminum
Base Options	Inground Surface Mount Freestanding

E.G. UMBRELLAS

Double Canopy Specifications

Frame + Structure

Umbrella Frame	Cantilever
Number of Ribs	8
Rib Measurements	3/4" x 1-1/2" 5/64" Wall Thickness
Post + Arm Measurements	5-1/2" x 5-1/2" 5/64" Wall Thickness

Dimensions + Height

Rib to Ground (Opened)	8' – 9' 4"
Ribs to Ground (Closed)	10" – 4' 5"
Top to Ground	10' 10" – 12' 4"

Hardware + Components

Hardware	304 Stainless Steel
Opening/Closing	6061 Aluminum Internal Winch
End Caps	UV Resistant Polymer

Base + Stability

Freestanding Base	32" x 32" 39" x 39"
Inground Base	18" x 18"
Surface Mount	18" x 18"
Base Weights	550 – 1100 lbs

Features + Options

Multi Vent Canopy	Standard
Acrylic Fabric	Standard
Valance	Optional
Fabric Gutter	Optional
Logo	Optional
Umbrella Cover	Optional