



# **LEO CONNECT KIT S**

## **Performance Kit (Gen3)**

### Instruction Guide

# LEO CONNECT KIT S PERFORMANCE KIT (GEN3)

## Table of Contents

Components List.....	3
Setup Instructions .....	4,5,6

Should you encounter issues or wish to schedule a more in-depth session, please contact the PEAKE Support Team:

- **Email:** [support@peake.com](mailto:support@peake.com)
- **Phone:** 800-719-4603

# LEO CONNECT KIT S PERFORMANCE KIT (GEN3)

## Components List



### Kit Includes:

- Starlink Antenna ..... Attached mounting bracket;  
Attached magnets (4 total)
- Starlink Power Supply..... Attached to base plate
- Starlink Antenna Cable..... Attached to antenna mount
- Starlink Ethernet Cable .....Runs underneath base plate
- Starlink Power Cable.....Runs underneath base plate
- Starlink DC Power Cable .....Runs underneath base plate
- Peplink Router..... Attached to base plate
- Peplink Router Antennas.....4 in total attached to Peplink
- Peplink Power Cable.....Runs underneath base plate
- Ethernet Cable.....Runs underneath base plate
- Power Cable for Exterior of Case..... Gives the case power as a whole

# LEO CONNECT KIT S PERFORMANCE KIT (GEN3)

## Setup Instructions

### Step 1

Open kit; remove antenna from case using the handle in the middle.



### Step 2

The case power cord and Starlink antenna cord are wrapped around the Starlink bracket. Remove the power cord and unwind antenna cord to needed length.



### Step 3

Plug the case power cord into the outlet on the outside of the case. Plug the other side into a power source.



### Step 4

Plug the Starlink antenna cord into the left ethernet port on the outside of the case labeled 'STARLINK.'



# LEO CONNECT KIT S PERFORMANCE KIT (GEN3)

## Setup Instructions

### Step 5

With everything now plugged in, confirm the Starlink and Peplink status lights are on.

If not check all connection points.



### Step 6

Close the lid and place the Starlink on top of the case. The magnetic feet will lock it in place.



### Step 7

Give the case 10-15 minutes to start up and connect to the satellites.

Make sure the kit has an unobstructed view of the sky, free of any trees, buildings, etc.

# LEO CONNECT KIT S PERFORMANCE KIT (GEN3)

## Setup Instructions

### Step 8 - Phone Wi-Fi

1. Ensure kit is on using previous steps
2. Go to 'Settings' app
3. Click Wi-Fi
4. Tap on kit Wi-Fi SSID (JobCode\_Peplink\_LastFourSerial)
5. Enter given Wi-Fi password (JobCodePeake1!)

### Step 9 - Phone Wi-Fi

1. Ensure kit is on using previous steps
2. Click on "Internet Connection" symbol in bottom right corner



3. Click on kit Wi-Fi SSID (JobCode\_Peplink\_LastFourSerial)
4. Enter given Wi-Fi password (JobCodePeake1!)

### Step 10 - Ethernet Connection

To connect a device with a wired connection to the case, insert an ethernet cable into one of the two right exterior ethernet ports. Plug the other side of the ethernet cord into a device of your choosing.

