




Øin.	SL Std Pipe Weight Lbs.	SL 16ga Pipe Weight Lbs.	SL 14ga Pipe Weight Lbs.	AFL Std Pipe Weight Lbs.	AFL 14ga Pipe Weight Lbs.
3	0.90			1.75	
4	1.00			2.25	
5	1.20			2.80	
6	1.50			3.85	
7	2.20	9.42		4.90	
8	6.10	13.64	19	7.66	23
9	7.60	16.64	24	8.45	29
10	9.00	21.54	29	15.47	35
11	10.50	27.65	35	17.60	41
12	12.40	33.76	42	19.33	49
13	14.26	40.07	46	22.40	54
14	19.00	46.38	50	25.39	59
15	21.25	52.61	54	27.90	69
16	24.00	58.83	59	30.51	75
17	27.50	66.14	63	32.30	80
18	30.90	73.44	68	34.67	85
20	35.97	85.40	97	41.99	110
22	43.06	107.98	103	46.90	124
24	55.50	132.63	131	70.96	154
26				89.12	178
28				99.19	214
30				110.26	233
32				121.38	274
34				133.52	295
36				149.04	340
38				162.31	363
40				176.20	414



### SNAPLOCK MATERIAL OPTIONS

GALVANIZED			
Gauges	Size in		
	Min Øin.	Max Øin.	
STD.	24	3	7
	22	8	12
	20	13	24
OPT.	16	7	24
	14	8	24

STAINLESS STEEL			
Gauges	Size in		
	Min Øin.	Max Øin.	
STD.	3"-6" refer to tubed elbows		
	22	3	12
	20	13	24
OPT.	18	8	24
	16	8	24

### FLANGED MATERIAL OPTIONS

GALVANIZED			
Gauges	Size in		
	Min Øin.	Max Øin.	
STD.	24	3	7
	22	8	12
	20	13	24
	18	26	30
	16	32	40
	14	42	50
	12	52	72
OPT.	20	8	12
	18	8	24
	16	8	30
	14	8	50
	12	10	72
	10	12	72

STAINLESS STEEL			
Gauges	Size in		
	Min Øin.	Max Øin.	
STD.	3"-6" refer to tubed elbows		
	22	7	12
	20	13	24
	18	26	30
	16	32	40
OPT.	20	8	12
	18	8	24
	16	8	30

Øin.	Tangents SL		Tangents AFL	
	GALV	S. STEEL	GALV	S. STEEL
3	2.00	2.00	2.00	2.00
4	1.32	2.00	2.00	2.00
5	1.32	2.00	2.00	2.00
6	1.32	2.00	2.00	2.00
7	1.32	2.25	2.00	2.00
8 to 15	2.00	2.00	2.00	2.00
16 to 24	2.00	2.00	4.00	4.00
26 to 40	2.00	2.00	4.00	4.00