



Bimagrip Acraprime

SAFETY DATA SHEET

ACCORDING TO EC REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

1.1 - Product identifier

Product Name:	Bimagrip Acraprime
CAS No:	Not applicable
EC No:	Not applicable
Registration Number(s):	Not known

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s):	Surface primer
Uses Advised Against:	Due to the nature of the product, it should not be used for any purpose other than its specified use.

1.3 - Details of the supplier of the safety data sheet

Manufacturer Identification:	Beegrip
Address of Manufacturer:	c/o Colony Silk St, 1 Silk St, Manchester
Postal Code:	M4 6LZ
Telephone:	+44 (0)749 686 5570
Email:	info@beegrip.com
Supplier Identification:	Beegrip
Address of Manufacturer:	c/o Colony Silk St, 1 Silk St, Manchester
Postal Code:	M4 6LZ
Telephone:	+44 (0)749 686 5570
Email:	info@beegrip.com

1.4 - Emergency telephone number

Emergency Phone Number:	+44 (0)749 686 5570
Contact:	Technical Department
National Response Centre:	NHS Direct
Emergency Phone Number:	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 - Classification of substance or mixture

Regulation (EC) No 1272/2008 (CLP)	Asp. Tox 1: May be fatal if swallowed and enters airways Skin Irrit. 2 :Causes skin irritation. Skin Sens. 1 :May cause an allergic skin reaction. Eye Irrit. 2 :Causes serious eye irritation. Acute Tox. 4 :Harmful if inhaled. Resp. Sens. 1 :May cause allergy or asthma symptoms or breathing difficulties if inhaled. STOT SE 3 :May cause respiratory irritation. Muta 1B May cause genetic defects Carc. 1B :May cause cancer. STOT RE 2 :May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 3: Harmful to aquatic life with long lasting effects
------------------------------------	---

2.2 - Label elements

Regulation (EC) No 1272/2008 (CLP)
Product Name:
Hazard Pictograms:

Bimagrip Acraprime			
GHS08	GHS07		

Signal Word:	Danger		
Hazard Statements:	H304	May be fatal if swallowed and enters airways	
	H315	Causes skin irritation	
	H317	May cause an allergic skin reaction	
	H319	Causes serious eye irritation	
	H332	Harmful if inhaled	
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
	H335	May cause respiratory irritation	
	H340	May cause genetic defects	
	H350	May cause cancer	

Precautionary Statements:

H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects
EUH204	Contains isocyanates. May produce an allergic reaction
P201	Obtain special instructions before use
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash hands and exposed skin thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

2.3 - Other Hazards

None known

2.4 - Additional Information

As from 24th August 2023 adequate training is required before industrial or professional use

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 - Substances

Not applicable

3.2 - Mixtures

HAZARDOUS INGREDIENT(S)	CAS Nr.	EC No. / REACH Registration No	%W/W	Hazard Statement(s)	Hazard pictogram(s)
Prepolymer based on aromatic isocyanate	99784-49-3	807-385-1	30-40	Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1A H334 STOT SE 3 H335 STOT RE 2 H373	GHS08 GHS07
Hydrocarbons, C10, aromatics, <1% naphthalene		918-811-1 01-211946358334	15-25	Asp. Tox. 1 H304 STOT SE3 H336 Aquatic Chron. 2 H411	GHS08 GHS07 GHS09
4,4'-methylenediphenyl diisocyanate diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0	10-20	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351 STOT RE 2 H373	GHS08 GHS07
o-(p-isocyanatobenzyl)phenyl isocyanate diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9	10-20	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351 STOT RE 2 H373	GHS08 GHS07
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		918-481-9	<3	Flam. Liq 3 H226 Asp. Tox. 1 H304	GHS 02 GHS 08
Hydrocarbons, C9 aromatics	128601-23-0	918-668-5	<3	Flam. Liq 3 H226 Asp. Tox 1 H304 STOT SE 3 H335 STOT SE 3 H336 Aquatic Chron. 2 H411	GHS02 GHS08 GHS07 GHS09
Solvent naphtha (petroleum), light arom.Low boiling point naphtha - unspecified[A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]	64742-95-6	265-199-0	<1	Asp. Tox. 1 H304 Muta. 1B H340 Carc. 1B H350	GHS08
dibutyltin dilaurate	77-58-7	201-039-8	<0.5	Muta. 2 H341 Repr. 1B H360FD STOT RE 1 H372	GHS08

Contains no non classified vPvB substances.

Contains no non classified substances with a Union workplace exposure limit.

For a full text of H/P Statements see section 16.

HAZARDOUS INGREDIENT(S)	CAS No	Specific Concentration Limit		M-Factor	ATE
Prepolymer based on aromatic isocyanate	99784-49-3				Acute Tox. 4 (H332) : 11.000
o-(p-isocyanatobenzyl)phenyl isocyanate diphenylmethane-2,4'-diisocyanate	5873-54-1	Skin Irrit. 2	C>= 5.00 <= 100.00		Acute Tox. 4 (H332) : 11.000
		Eye Irrit. 2	C>= 5.00 <= 100.00		
		Resp. Sens. 1	C>= 0.10 <= 100.00		
		STOT SE 3	C>= 5.00 <= 100.00		
4,4'-methylenediphenyl diisocyanate diphenylmethane-4,4'-diisocyanate	101-68-8	Skin Irrit. 2	C>= 5.00 <= 100.00		Acute Tox. 4 (H332) : 11.000
		Eye Irrit. 2	C>= 5.00 <= 100.00		
		Resp. Sens. 1	C>= 0.10 <= 100.00		
		STOT SE 3	C>= 5.00 <= 100.00		

SECTION 4: FIRST AID MEASURES

4.1 - Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Get medical advice/attention if you feel unwell.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention.
Ingestion	Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

4.2 - Most important symptoms and effects, both acute and delayed

May cause irritation. Allergic contact dermatitis.

4.3 - Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Call a doctor if you feel unwell. Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1 - Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable Extinguishing media	None.

5.2 - Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 - Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 - Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory protection) during removal of spillages.

6.2 - Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 - Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable absorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 - Reference to other sections

See Also Section 8, 13

SECTION 7: HANDLING AND STORAGE

7.1 - Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

7.2 - Conditions for safe storage, including any incompatibilities

Storage Temperature
Storage Life
Incompatible materials

Store in a well-ventilated place. Keep container tightly closed.
Ambient (5°C to 30°C)
Stable under normal conditions
None known

7.3 - Specific end use(s)

Surface primer

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 - Control parameters

8.1.1 - Occupational Exposure Limits

Occupational Exposure Limits

SUBSTANCE	CAS No	LTCL (8 u TWA ppm)	LTCL (8 u TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Isocyanates, all (as –NCO) Except methyl isocyanate	101-68-8		0.02		0.07	Sen

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sen Capable of causing occupational asthma.

Biological Exposure Indices

Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
Isocyanates (applies to HDI, IPDI, TDI and MDI)	5873-54-1	At the end of the period of exposure	urine	isocyanate derived diamine	1 µmol isocyanate-derived	
Isocyanates (applies to HDI, IPDI, TDI and MDI)	101-68-8	At the end of the period of exposure	urine	isocyanate derived diamine	1 µmol isocyanate-derived	

8.2 - Exposure controls

8.2.1 - Appropriate engineering controls

Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2 - Personal protective equipment

	Eye Protection	Wear eye protection with side protection (EN ISO 16321-1).
	Skin Protection	Wear protective clothing and gloves: Impervious gloves (EN 374).
	Respiratory Protection	Where natural ventilation or engineering controls are not fitted or inadequate wear suitable respiratory protective equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate. PF200: 200 x Protection Factor.
	Thermal Hazards	None known.

8.2.3 - Environmental exposure controls

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 - Information on basic physical and chemical properties

Appearance	Liquid
Odour	Colour: Silver/grey
Odour threshold	Characteristic
pH	No data
Melting point/Freezing Point	Not known
Initial boiling point & boiling range	No data
Flash point	No data
Evaporation rate	>65°C (closed cup)
Flammability (solid, gas)	No data
Upper/lower flammability limits	Not known
Vapour pressure	No data
Density (g/ml)	1.10 g/cm ³ @25°C
Relative density	No data
Solubility(ies)	Solubility (water): Reacts with water
	Solubility (Other): No data
Partition coefficient: n:octanol/water	No data
Auto-ignition temperature	No data
Decomposition temperature (°C)	No data
Viscosity	200-520 mPa.s @ 25°C
Explosive properties	Not explosive
Oxidising properties	No data

9.2 - Other information

None

SECTION 10: STABILITY AND REACTIVITY

10.1 - Reactivity

None anticipated

10.2 - Chemical stability

Stable under normal conditions

10.3 - Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 - Conditions to avoid

None anticipated

10.5 - Incompatible materials

Not known.

10.6 - Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 - Information of toxicological effects

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method: Not classified
Acute toxicity - Skin contact	Calculation method: Not classified
Acute toxicity - Inhalation	Calculation method: Harmful if inhaled
	Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 17.87
Skin corrosion/irritation	Calculation method: Causes skin irritation
Serious eye damage/irritation	Calculation method: Causes serious eye irritation
Skin sensitization data	Calculation method: May cause an allergic skin reaction
Respiratory sensitization data	Calculation method: May cause allergy or asthma symptoms or breathing difficulties if inhaled
Germ cell mutagenicity	Calculation method: Not classified
Carcinogenicity	Calculation method: May cause cancer
Reproductive toxicity	Calculation method: Not classified
Lactation	Calculation method: Not classified
STOT - single exposure	Calculation method: May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method: May cause damage to organs through prolonged or repeated exposure
Aspiration hazard	Calculation method: May be fatal if swallowed and enters airways.

11.2 - Other information

Not known

SECTION 12: ECOLOGICAL INFORMATION

12.1 - Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known
Toxicity - Fish	Not known
Toxicity - Algae	Not known
Toxicity - Sediment Compartment	Not classified
Toxicity - Terrestrial Compartment	Not classified

12.2 - Persistence and degradability

Not known

12.3 - Bioaccumulative potential

Not known

12.4 - Mobility in soil

Not known

12.5 - Results of PBT and vPvB assessment

Not Known

12.6 - Other adverse effects

Not Known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 - Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 - Additional information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 - UN number

UN No. 3082


14.2 - UN proper shipping name

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 - Transport hazard class(es)

ADR/RID	
ADR/RID Class	9
ADR Classification Code	M6
Special Provisions	274, 335, 375, 601
Limited Quantities	5 L
Excepted Quantities	E1
Emergency Action Code	•3Z
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1 TP29
Tank Code for Tanks	LGBV
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	3
Tunnel Restriction Code	-
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	V12
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	CV13
ADR HIN	
	90
IMDG	
IMDG Class	9
Special Provisions	274, 335, 375, 601
Limited Quantities	5 L

Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	PP1
	T4
Special Provisions for Portable Tanks	TP1 TP29
IMDG EMS	F-A S-F
Stowage and Handling	Category A
Segregation	
Marine Pollutant	
IATA Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited	
Quantities Packing Instructions	Y964
Passenger and Cargo Aircraft Limited	
Quantities Max net Qty	30Kg G
Passenger and Cargo Aircraft Packing	
Instructions	964
Passenger and Cargo Aircraft Max net Qty	450L
Cargo Aircraft Packing Instructions	
Cargo Aircraft Max net Qty	964
Special Provisions	450L
Emergency Response Guidebook (ERG) Code	A97, A158, A197, A215
	9L
Labels	
Labels	9



14.4 - Packing group

Packing group	III
---------------	-----

14.5 - Environmental hazards

Environmental hazards	Not classified as a marine pollutant
-----------------------	--------------------------------------

14.6 - Special precautions for user

Special precautions for user	Not known
------------------------------	-----------

14.7 - Transport in bulk according to Annex II of Marpol and the IBC code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations	Authorisations and/or Restrictions On Use
Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market & use of certain dangerous substances, mixtures & articles	2,4'-Methylenediphenyl diisocyanate (5873-54-1), 4,4'-Methylenediphenyl diisocyanate (101-68-8), Toxic to reproduction: category 1B (77-58-7), Mutagens: category 1B (64742-95-6), Hydrocarbons, C10, aromatics, <1% naphthalene (), Prepolymer based on aromatic isocyanate (99784-49-3), Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (), Hydrocarbons, C9, aromatics (128601-23-0).
Community Rolling Action Plan (CoRAP)	4,4'-methylenediphenyl diisocyanate (101-68-8)
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
National Regulations	
Others	Not known

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS08



GHS07

Hazard classification

Flam. Liq. 3 : Flammable liquid, Category 3
 Asp. Tox. 1 : Aspiration hazard, Category 1
 Skin Irrit. 2 : Skin corrosion/irritation, Category 2
 Skin Sens. 1 : Skin sensitization, Category 1
 Eye Irrit. 2 : Serious eye damage/irritation, Category 2
 Acute Tox. 4 : Acute toxicity, Category 4
 Resp. Sens. 1 : Respiratory sensitization, Category 1
 Resp. Sens. 1A : Respiratory sensitization, Category 1A
 STOT SE 3 : Specific t . . . ty — single exposure, Category 3
 STOT SE 3 : Specific t . . . ty — single exposure, Category 3
 STOT SE 3 : Specific t . . . ty — single exposure, Category 3
 Muta. 1B : Germ cell mutagenicity, Category 1B
 Muta. 2 : Germ cell mutagenicity, Category 2
 Carc. 1B : Carcinogenicity, Category 1B
 Carc. 2 : Carcinogenicity, Category 2
 Repr. 1B : Reproductive toxicity, Category 1B
 STOT RE 1 : Specific t . . . — repeated exposure, Category 1
 STOT RE 2 : Specific t . . . — repeated exposure, Category 2
 Aquatic Chron.2 : Hazardous aquatic environment, Chronic, Category 2
 Aquatic Chron. 3 : Hazardous aquatic environment, Chronic, Category 3

Hazard statement(s):

H317: May cause an allergic skin reaction
 H319: Causes serious eye irritation
 H332: Harmful if inhaled.
 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335: May cause respiratory irritation
 H336: May cause drowsiness or dizziness.
 H340: May cause genetic defects
 H341: Suspected of causing genetic defects.
 H350: May cause cancer.
 H351: Suspected of causing cancer
 H360FD: May damage fertility. May damage the unborn child
 H372: Causes damage to organs through repeated or prolonged exposure.
 H373: May cause damage to organs through prolonged or repeated exposure
 H411: Toxic to aquatic organisms with long lasting effects
 H412: Harmful to aquatic organisms with long lasting effects
 EUH204: Contains isocyanates. May produce an allergic reaction.

Precautionary Statement(s):

P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P260: Do not breathe dust/fume/gas/mist/vapours/spray.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash hands and exposed skin thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P272: Contaminated work clothing should not be allowed out of the workplace.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P284: In case of inadequate ventilation wear respiratory protection.
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
 P302+P352: IF ON SKIN: Wash with plenty of water.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTRE/doctor if you feel unwell.
P314: Get medical advice/attention if you feel unwell.
P321: Specific treatment (see Medical Advice on this label).
P331: Do NOT induce vomiting.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P337+P313: If eye irritation persists: Get medical advice/attention.
P342+P311: If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.
P362+P364: Take off contaminated clothing and wash it before reuse.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P405: Store locked up.
P501: Dispose of contents in accordance with local, state or national legislation.
P502: Refer to manufacturer or supplier for information on recovery or recycling.

Acronyms:

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references Regulation (EC) No. 1272/2008 (CLP)
and sources for data used
to compile the SDS:

General Information:

As part of an employers overall duty to carry out assessments in the work place the law requires employers to complete safety/risk assessment. This involves assessing the risks of using a substance and implementing any measures needed to control exposure to it. Most of the information that will be required to carry out the assessment will be found within this Safety Data Sheet.

General Information (Continued):

Other factors such as where the product will be used and the training level of those using the product will have to be determined by the relevant employer or assessor. If more than 5 people are employed, then as with other risk assessments, the assessment must be recorded and reviewed at suitable intervals. The Health and Safety Executive web site www.hse.gov.uk has a great deal of information on all aspects of health and safety including many free to download documents on the subjects. PLEASE NOTE :- This document is a Safety Data Sheet (SDS or MSDS) . It is not in itself an assessment. The information found in this Safety Data Sheet can be used when carrying out an assessment but it cannot provide all the information that will be required as this will be specific to each individual situation e.g. limitations of the location where the product is to be used etc.

It should be noted that the full risk and hazard phrases detailed above (section 16 - other information) relate to Section 3 of the document, which lists ingredients used in the manufacture of this product. These do not represent the hazards associated with the use of this product. The hazard identification of this product is found in section 2 of this document and should be the basis of your risk management measures. This revision (10) is the final updated layout to conform fully with updated regulations.

Issued by:	Beegrip
Revision Number:	V2025A
Revision Date:	04/03/2025
Product & SDS status:	Active

Disclaimers:

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Beegrip gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Beegrip accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed