



## 9-Month Data Collection Wave: Child Proxy by Mother (DCW1C) Data Dictionary

12APR2021 16:35:57

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
1				Child ID	IDN_CHILD			Identification key	Randomly generated child ID. Allows linking to other datasets	0	0%
2			Q2	Baby's gender	GENDER_PDL	1	Boy	Raw	Harmonised information with perinatal data	0	0%
						2	Girl			.	
3			Q4	Birth month	BIRTHMONTH_PDL			Derived	Harmonised information with perinatal data. Derived from child's date of birth	2	0.03%
4				Gestational age (weeks)	TERM_PDL	1	PreTerm (<37 GW)	Categorised	The category 'Term' can also be defined as the 'Full term'	17	0.25%
						2	Term (37-41 GW)			.	
						3	PostTerm (>41 GW)			.	
5			Q5	How much did the child weigh when he/she was born (grams)	BW_PDL	98	Refused	Derived	Harmonised information with perinatal data	11	0.16%
						99	Don't Know			.	
6				Delivery type groups	DELIVERYGRPS_PDL	1	Spontaneous vaginal delivery	Categorised	Harmonised information with perinatal data	68	0.99%
						2	Planned caesarean			.	
						3	Emergency or unplanned caesarean			.	
						4	Other assisted birth			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						5	Unknown			.	
7				Fetal count	BIRTHS_PDL	1	Singletons	Categorised		0	0%
						2	Multiples			.	
8			Q8	Birth length (cm)	BL_PDL			Derived	Harmonised information with perinatal data	1989	29.05%
9				Mother ID (at 6 week data collection)	IDN_W6M			Identification key	Randomly generated mother ID at six week interview. Allows linking to other datasets	10	0.15%
10	Child information			Child's age at 6 weeks data collection	AGE_WK6			Derived	Age in weeks	10	0.15%
11			Q10	How long did you stay in hospital after the birth (days)?	NUMHOSPDAYS_W6	8	8-14 Days	Categorised	Mother specific information. Values categorised	31	0.42%
						9	15-21 Days			.	
						10	22-28 Days			.	
						11	29+ Days			.	
						87	Had a home birth			.	
						98	Refused			.	
						99	Don't Know			.	
12		Child sleeping paterns	Q11	What is current sleeping arrangement you have for your baby in your home?	SLPARR_W6	1	Infant cot in a separate room alone	Raw		657	9.6%
						2	Infant cot in a separate room with siblings			.	
						3	Infant cot in parents' room			.	
						4	In protected space in parents' bed			.	
						5	In parents' bed but not in a protected space			.	
						87	Other (please specify)			.	
						98	Refused			.	
						99	Don't Know			.	
13			Q12	In what position do you usually put your child to sleep?	SLPPOS_W6	1	On his/her stomach	Raw		657	9.6%
						2	On his/her side			.	
						3	On his/her back			.	
						98	Refused			.	
						99	Don't Know			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
14			Q13	What is the longest stretch that your child sleeps for (hours and minutes)?	SLPDUR_W6			Raw		680	9.93%
15		Child feeding patterns	Q14	What are you currently feeding your baby?	FEED_W6	1	Breast milk only (means no water, breast milk substitutes, other liquids or solid foods)	Raw		657	9.6%
						2	Mainly breast milk, but has also received some water based drinks(e.g., water, sugar water, fruit juice)			.	
						3	Formula only			.	
						4	Formula and breast milk			.	
						5	Other (please specify)			.	
						98	Refused to answer			.	
						99	Don't Know			.	
16			Q15	How many visits did your midwife or lead maternity carer(LMC) make to your home after the birth?	LMCVISITS_W6	12	12 and more	Categorised	Upper extreme categorised	10	0.15%
						98	Refused			.	
						99	Don't Know			.	
17		Health carer looking after Child	Q16	Which health professionals are looking after child now: a general practice team?	HEALTHPROF_GP_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
18				Which health professionals are looking after child now: plunket?	HEALTHPROF_PLUNK_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
19				Which health professionals are looking after child now: specialist, e.g., paediatrician?	HEALTHPROF_SPE_C_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
20				Which health professionals are looking after child now: Maori health provider?	HEALTHPROF_MAORI_W6	0	No	Raw		657	9.6%
						1	Yes			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						98	Refused			.	
						99	Don't Know			.	
21				Which health professionals are looking after child now: pacific island health provider?	HEALTHPROF_PACIF_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
22				Which health professionals are looking after child now: public health nurse?	HEALTHPROF_PHNUR_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
23				Which health professionals are looking after child now: community nurse?	HEALTHPROF_COMNUR_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
24				Which health professionals are looking after child now: community health worker?	HEALTHPROF_COMHW_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
25				Which health professionals are looking after child now: none?	HEALTHPROF_NONE_W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
26				Which health professionals are looking after child now: hospital nurse?	HEALTHPROF_HOSP_NURSE_W6	0	No	Re-classified	Other specified text responses translated into a new numeric variable	657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
27				Which health professionals are looking after child now: alternative medicine?	HEALTHPROF_ALTERNATIVE_W6	0	No	Re-classified	Other specified text responses translated into a new numeric variable	657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
28				Which health professionals are looking after child now: lactation consultant?	HEALTHPROF_LACT CONS_W6	0	No	Re-classified	Other specified text responses translated into a new numeric variable	657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
29				Which health professionals are looking after child now: others?	HEALTHPROF_OTH _W6	0	No	Raw		657	9.6%
						1	Yes			.	
						98	Refused			.	
						99	Don't Know			.	
30		Feeling	Q17	How are you feeling within yourself?	FEELING_W6	98	Refused	Raw	Mother specific information. A scale from 1-10, where 10 = Better than I've never been and 1 = Worse than I've ever been	657	9.6%
						99	Don't Know			.	
31			Q6	When was child last weighted (grams reported from 6 weeks data collection)?	CWAGO_W6	0	Less than a week	Categorised		359	5.24%
						10	10 or more weeks			.	
						98	Refused			.	
						99	Don't Know			.	
32			Q7	Child's weight reported at 6 weeks data collection (grams)	WEIGHT_W6			Derived	Values converted to grams	602	8.79%
33				How much child weight (pounds)					Information contained in derived variable WEIGHT_W6	.	
34				How much child weight (ounces)					Information contained in derived variable WEIGHT_W6	.	
35				How much child weight (grams)					Information contained in derived variable WEIGHT_W6	.	
36				Mother ID (at 9 month data collection)	IDN_M9M			Identification key	Randomly generated mother ID at nine month interview. Allows linking to other datasets	377	5.51%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
37				Partner ID (at 9 month data collection)	IDN_M9P			Identification key	Randomly generated partner ID at nine month interview. Allows linking to other datasets	2696	39.37%
38	About baby's health	Baby's health	C1	In general how would you say baby's current health is?	CH1_M9CM	1	Excellent	Raw		377	5.51%
						2	Very Good			.	
						3	Good			.	
						4	Fair			.	
						5	Poor			.	
						98	RF			.	
						99	DK			.	
39			C2	Does your baby have a health or developmental problem?	CH2_M9CM	1	Yes	Raw		377	5.51%
						2	No			.	
						98	RF			.	
						99	DK			.	
40			C3	Can you describe up to 5 of baby's health or developmental problems: 1?	NCH3_1_M9CM	1	Infectious and parasitic diseases	Re-classified	Re-classified to ICD10 chapters	6238	91.11%
						2	Infectious and parasitic diseases			.	
						3	Malignant neoplasms			.	
						4	In situ neoplasms			.	
						5	Diseases of blood, blood-forming organs, immune mechanism			.	
						6	Endocrine, nutritional, and metabolic disease			.	
						7	Mental and behavioral disorders			.	
						8	Diseases of the nervous system			.	
						9	Diseases of the eye and adnexa			.	
						10	Diseases of the ear and mastoid process			.	
						11	Diseases of the circulatory system			.	
						12	Diseases of the respiratory system			.	
						13	Diseases of the digestive system			.	
						14	Diseases of skin and subcutaneous tissue			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						15	Diseases of the musculoskeletal system and connective tissue			.	
						16	Diseases of the genitourinary system			.	
						17	Pregnancy, childbirth, and the puerperium			.	
						18	Certain conditions originating in the perinatal period			.	
						19	Congenital malformations, deformations, and chromosomal abnormalities			.	
						20	Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified			.	
						21	Injury, poisoning, and certain other consequences of external causes			.	
						22	External causes of morbidity and mortality			.	
						23	Factors influencing health status and contact with health services			.	
41				Can you describe up to 5 of baby's health or developmental problems: 2?	NCH3_2_M9CM	1	Infectious and parasitic diseases	Re-classified	Re-classified to ICD10 chapters	6729	98.28%
						2	Infectious and parasitic diseases			.	
						3	Malignant neoplasms			.	
						4	In situ neoplasms			.	
						5	Diseases of blood, blood-forming organs, immune mechanism			.	
						6	Endocrine, nutritional, and metabolic disease			.	
						7	Mental and behavioral disorders			.	
						8	Diseases of the nervous system			.	
						9	Diseases of the eye and adnexa			.	
						10	Diseases of the ear and mastoid process			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						11	Diseases of the circulatory system			.	
						12	Diseases of the respiratory system			.	
						13	Diseases of the digestive system			.	
						14	Diseases of skin and subcutaneous tissue			.	
						15	Diseases of the musculoskeletal system and connective tissue			.	
						16	Diseases of the genitourinary system			.	
						17	Pregnancy, childbirth, and the puerperium			.	
						18	Certain conditions originating in the perinatal period			.	
						19	Congenital malformations, deformations, and chromosomal abnormalities			.	
						20	Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified			.	
						21	Injury, poisoning, and certain other consequences of external causes			.	
						22	External causes of morbidity and mortality			.	
						23	Factors influencing health status and contact with health services			.	

42				Can you describe up to 5 of baby's health or developmental problems: 3?	NCH3_3_M9CM	1	Infectious and parasitic diseases	Re-classified	Re-classified to ICD10 chapters	6824	99.66%
						2	Infectious and parasitic diseases			.	
						3	Malignant neoplasms			.	
						4	In situ neoplasms			.	
						5	Diseases of blood, blood-forming organs, immune mechanism			.	
						6	Endocrine, nutritional, and metabolic disease			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						7	Mental and behavioral disorders			.	
						8	Diseases of the nervous system			.	
						9	Diseases of the eye and adnexa			.	
						10	Diseases of the ear and mastoid process			.	
						11	Diseases of the circulatory system			.	
						12	Diseases of the respiratory system			.	
						13	Diseases of the digestive system			.	
						14	Diseases of skin and subcutaneous tissue			.	
						15	Diseases of the musculoskeletal system and connective tissue			.	
						16	Diseases of the genitourinary system			.	
						17	Pregnancy, childbirth, and the puerperium			.	
						18	Certain conditions originating in the perinatal period			.	
						19	Congenital malformations, deformations, and chromosomal abnormalities			.	
						20	Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified			.	
						21	Injury, poisoning, and certain other consequences of external causes			.	
						22	External causes of morbidity and mortality			.	
						23	Factors influencing health status and contact with health services			.	
43				Can you describe up to 5 of baby's health or developmental problems: 4?	NCH3_4_M9CM	1	Infectious and parasitic diseases	Re-classified	Re-classified to ICD10 chapters	6843	99.94%
						2	Infectious and parasitic diseases			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						3	Malignant neoplasms			.	
						4	In situ neoplasms			.	
						5	Diseases of blood, blood-forming organs, immune mechanism			.	
						6	Endocrine, nutritional, and metabolic disease			.	
						7	Mental and behavioral disorders			.	
						8	Diseases of the nervous system			.	
						9	Diseases of the eye and adnexa			.	
						10	Diseases of the ear and mastoid process			.	
						11	Diseases of the circulatory system			.	
						12	Diseases of the respiratory system			.	
						13	Diseases of the digestive system			.	
						14	Diseases of skin and subcutaneous tissue			.	
						15	Diseases of the musculoskeletal system and connective tissue			.	
						16	Diseases of the genitourinary system			.	
						17	Pregnancy, childbirth, and the puerperium			.	
						18	Certain conditions originating in the perinatal period			.	
						19	Congenital malformations, deformations, and chromosomal abnormalities			.	
						20	Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified			.	
						21	Injury, poisoning, and certain other consequences of external causes			.	
						22	External causes of morbidity and mortality			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						23	Factors influencing health status and contact with health services			.	
44				Can you describe up to 5 of baby's health or developmental problems: 5?					Combined responses of NCH3_5_M9CM with NCH3_4_M9CM	.	
45			C4	Which of the following well child checks has baby had: at birth?	NCH4_1_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
46				Which of the following well child checks has baby had: first 2 weeks?	NCH4_2_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
47				Which of the following well child checks has baby had: about six weeks?	NCH4_3_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
48				Which of the following well child checks has baby had: about three months?	NCH4_4_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
49				Which of the following well child checks has baby had: about five months?	NCH4_5_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
50				Which of the following well child checks has baby had: baby has had no well child checks?	NCH4_6_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
51			C5	Who did your baby's well child checks at birth: midwife?	NCH5_1_M9CM	0	No	Raw		558	8.15%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						1	Yes			.	
						98	RF			.	
						99	DK			.	
52				Who did your baby's well child checks at birth: Plunket/well child nurse?	NCH5_2_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
53				Who did your baby's well child checks at birth: Public Health nurse?	NCH5_3_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
54				Who did your baby's well child checks at birth: Maori health provider?	NCH5_4_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
55				Who did your baby's well child checks at birth: Pacific health provider?	NCH5_5_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
56				Who did your baby's well child checks at birth: GP/GP practice?	NCH5_6_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
57				Who did your baby's well child checks at birth: Paediatrician/specialist?	NCH5_7_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
58				Who did your baby's well child checks at birth: other?	NCH5_97_M9CM	0	No	Raw		558	8.15%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
59			C6	Who did your baby's well child checks in the first two weeks: midwife?	NCH6_1_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
60				Who did your baby's well child checks in the first two weeks: Plunket/well child nurse?	NCH6_2_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
61				Who did your baby's well child checks in the first two weeks: Public Health nurse?	NCH6_3_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
62				Who did your baby's well child checks in the first two weeks: Maori health provider?	NCH6_4_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
63				Who did your baby's well child checks in the first two weeks: Pacific health provider?	NCH6_5_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
64				Who did your baby's well child checks in the first two weeks: GP/GP practice?	NCH6_6_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
65				Who did your baby's well child checks in the first two weeks: Paediatrician/specialist?	NCH6_7_M9CM	0	No	Raw		589	8.6%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
66				Who did your baby's well child checks in the first two weeks: other?	NCH6_97_M9CM	0	No	Raw		589	8.6%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						1	Yes			.	
						98	RF			.	
						99	DK			.	
67			C7	Who did your baby's well child checks at about six weeks: midwife?	NCH7_1_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
68				Who did your baby's well child checks at about six weeks: Plunket/well child nurse?	NCH7_2_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
69				Who did your baby's well child checks at about six weeks: Public Health nurse?	NCH7_3_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
70				Who did your baby's well child checks at about six weeks: Maori health provider?	NCH7_4_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
71				Who did your baby's well child checks at about six weeks: Pacific health provider?	NCH7_5_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
72				Who did your baby's well child checks at about six weeks: GP/GP practice?	NCH7_6_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
73				Who did your baby's well child checks at about six weeks: Paediatrician/specialist?	NCH7_7_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
74				Who did your baby's well child checks at about six weeks: other?	NCH7_97_M9CM	0	No	Raw		502	7.33%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
75			C8	Who did your baby's well child checks at about three months: midwife?	NCH8_1_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
76				Who did your baby's well child checks at about three months: Plunket/well child nurse?	NCH8_2_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
77				Who did your baby's well child checks at about three months: Public Health nurse?	NCH8_3_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
78				Who did your baby's well child checks at about three months: Maori health provider?	NCH8_4_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
79				Who did your baby's well child checks at about three months: Pacific health provider?	NCH8_5_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
80				Who did your baby's well child checks at about three months: GP/GP practice?	NCH8_6_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
81				Who did your baby's well child checks at about three months: Paediatrician/specialist?	NCH8_7_M9CM	0	No	Raw		611	8.92%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						1	Yes			.	
						98	RF			.	
						99	DK			.	
82				Who did your baby's well child checks at about three months: other?	NCH8_97_M9CM	0	No	Raw		611	8.92%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
83			C9	Who did your baby's well child checks at about five months: midwife?	NCH9_1_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
84				Who did your baby's well child checks at about five months: Plunket/well child nurse?	NCH9_2_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
85				Who did your baby's well child checks at about five months: Public health nurse?	NCH9_3_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
86				Who did your baby's well child checks at about five months: Maori health provider?	NCH9_4_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
87				Who did your baby's well child checks at about five months: Pacific health provider?	NCH9_5_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
88				Who did your baby's well child checks at about five months: GP/GP practice?	NCH9_6_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
89				Who did your baby's well child checks at about five months: Paediatrician/specialist?	NCH9_7_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
90				Who did your baby's well child checks at about five months: other?	NCH9_97_M9CM	0	No	Raw		714	10.43%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
91	About Illnesses	Illnesses	C10	How many times has your baby had an ear infection?	CH10_M9CM	1	Never	Categorised	Upper extreme categorised	377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7+ Times			.	
						98	RF			.	
						99	DK			.	
92			C11	How many of those times did baby see a doctor because of this ear infection?	CH11_M9CM	1	Never	Raw		5383	78.62%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
93			C12	How many times has baby been admitted to hospital because of an ear infection?	CH12_M9CM	1	Number of Admissions	Raw		5383	78.62%
						98	RF			.	
						99	DK			.	
94				How many times has 'baby' been admitted to hospital because of an ear infection: number of admissions?	CH12NUM_M9CM	0	None	Categorised	Upper extreme categorised	5383	78.62%
						1	1			.	
						2	2 or more times			.	
95			C13	At what age did baby have his/her first ear infection?	CH13_M9CM	1	Age provided	Raw		5383	78.62%
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
96				At what age did baby have his/her first ear infection (weeks)?	CH13_WEEK_M9CM			Derived	Values converted to weeks	5406	78.95%
97				At what age did baby have his/her first ear infection: months					Information contained in variable CH13_WEEK_M9CM	.	
98				At what age did baby have his/her first ear infection: weeks					Information contained in variable CH13_WEEK_M9CM	.	
99			C14	How many times has your baby had chest infections, wheezing, bronchiolitis, bronchitis, asthma, pneumonia, or croup?	CH14_M9CM	1	Never	Raw		377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
100			C15	How many times have they lasted more than a week?	CH15_M9CM	1	Never	Raw		5107	74.59%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
101			C16	How many times did baby see a doctor because of chest infections, wheezing bronchiolitis, bronchitis, asthma, pneumonia, or croup?	CH16_M9CM	1	Never	Raw		5107	74.59%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
102			C17	HHow many times did 'baby' been admitted to hospital because of a chest infection, wheezing bronchiolitis, bronchitis, asthma, pneumonia, or croup??	CH17_M9CM	1	Number of Admissions	Raw		5107	74.59%
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
103				How many times did 'baby' been admitted to hospital because of a chest infection, wheezing bronchiolitis, bronchitis, asthma, pneumonia, or croup: number of admissions?	CH17NUM_M9CM	4	4 or more times	Categorised	Upper extreme categorised	5107	74.59%
104			C18	How many times has your baby had a cough lasting for a week or more?	CH18_M9CM	1	Never	Raw		377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
105			C19	How many of those times did baby see a doctor because of this cough?	CH19_M9CM	1	Never	Raw		3938	57.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
106			C20	How many times has baby been admitted to hospital because of a cough?	CH20_M9CM	1	Number of Admissions	Raw		3938	57.51%
						98	RF			.	
						99	DK			.	
107				How many times did 'baby' been admitted to hospital because of cough: number of admissions?	CH20NUM_M9CM	3	3 or more times	Categorised	Upper extreme categorised	3938	57.51%
108			C21	What is the longest time that baby has had a cough?	CH21_M9CM	1	Time provided	Raw		3938	57.51%
						98	RF			.	
						99	DK			.	
109				What is the longest time that baby has had a cough (weeks)?	CH21_WEEK_M9CM	30	30 and above	Derived and Categorised	Values converted to weeks. Upper extreme categorised	3951	57.7%
110				What is the longest time that baby has had a cough: months					Information contained in variable CH21_WEEK_M9CM	.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
111				What is the longest time that baby has had a cough: weeks					Information contained in variable CH21_WEEK_M9CM	.	
112			C22	How many times has your baby had gastroenteritis?	CH22_M9CM	1	Never	Raw		377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
113			C23	How many of those times did baby see a doctor because of this gastroenteritis?	CH23_M9CM	1	Never	Categorised	Upper extreme categorised	5448	79.57%
						2	1-3 Times			.	
						3	4 or more times			.	
						98	RF			.	
						99	DK			.	
114			C24	How many times has baby been admitted to hospital because of Gastroenteritis?	CH24_M9CM	1	Number of Admissions	Raw		5448	79.57%
						98	RF			.	
						99	DK			.	
115				How many times did 'baby' been admitted to hospital because of gastroenteritis: number of admissions?	CH24NUM_M9CM	2	2 or more times	Categorised	Upper extreme categorised	5448	79.57%
116			C25	How many times has your baby had a skin infection (where the skin is red and warm, or there are pustules or boils, or crusting or oozing)?	CH25_M9CM	1	Never	Raw		377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
117			C26	How many of those times did baby see a doctor because of this skin infection?	CH26_M9CM	1	Never	Categorised	Upper extreme categorised	6313	92.2%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7 or more times			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
118			C27	How many times has baby been admitted to hospital because of a skin infection?	CH27_M9CM	1	Number of Admissions	Raw		6313	92.2%
						98	RF			.	
						99	DK			.	
119				How many times did 'baby' been admitted to hospital because of skin infection: number of admissions?	CH27NUM_M9CM	0	None	Categorised	Upper extreme categorised	6313	92.2%
						1	1 or more times			.	
120			C28	How many times has your baby had an injury or accident?	CH28_M9CM	1	Never	Raw		377	5.51%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	
121			C29	How many of those times did baby see a doctor because of this injury or accident?	CH29_M9CM	1	Never	Categorised	Upper extreme categorised	6043	88.26%
						2	1-3 Times			.	
						3	4 or more times			.	
						98	RF			.	
						99	DK			.	
122			C30	How many times has baby been admitted to hospital because of an injury or accident?	CH30_M9CM	1	Number of Admissions	Raw		6043	88.26%
						98	RF			.	
						99	DK			.	
123				How many times did 'baby' been admitted to hospital because of injury or accident : number of admissions?	CH30NUM_M9CM	0	None	Categorised	Upper extreme categorised	6043	88.26%
						1	1 or more times			.	
124			C31	How many times has your baby accidentally eaten or drunk a harmful substance?	CH31_M9CM	1	Never	Categorised	Upper extreme categorised	377	5.51%
						2	1-3 Times			.	
						3	4 or more times			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
125			C32	How many of those times did baby see a doctor because they accidentally ate or drank a harmful substance?	CH32_M9CM	1	Never	Categorised	Upper extreme categorised	6739	98.42%
						2	1-2 or more times			.	
						98	RF			.	
						99	DK			.	
126			C33	How many times has baby been admitted to hospital because they accidentally ate or drank a harmful substance?	CH33_M9CM	1	Number of Admissions	Raw		6739	98.42%
						98	RF			.	
						99	DK			.	
127				How many times has baby been admitted to hospital because they accidentally ate or drank a harmful substance: number of admissions					Sensitive information with low cell counts	.	
128			C34	Has your baby ever had eczema or dermatitis?	CH34_M9CM	1	Yes	Raw		377	5.51%
						2	No			.	
						98	RF			.	
						99	DK			.	
129			C35	At what age did your baby first have eczema or dermatitis?	CH35_M9CM	1	Age provided	Raw		4699	68.63%
						98	RF			.	
						99	DK			.	
130				At what age did your baby first have eczema or dermatitis (weeks)?	CH35_WEEK_M9CM			Derived	Values converted to weeks	4707	68.75%
131				At what age did baby first have eczema or dermatitis: months					Information contained in variable CH35_WEEK_M9CM	.	
132				At what age did baby first have eczema or dermatitis: weeks					Information contained in variable CH35_WEEK_M9CM	.	
133			C36	How many times did baby see a doctor because of eczema or dermatitis?	CH36_M9CM	1	Never	Raw		4699	68.63%
						2	1-3 Times			.	
						3	4-6 Times			.	
						4	7-9 Times			.	
						5	10+ Times			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
134			C37	How many times has baby been admitted to hospital because of Eczema or Dermatitis?	CH37_M9CM	1	Number of Admissions	Raw		4699	68.63%
						98	RF			.	
						99	DK			.	
135				How many times did 'baby' been admitted to hospital because of eczema or dermatitis: number of admissions?	CH37NUM_M9CM	0	None	Categorised	Upper extreme categorised	4699	68.63%
						1	1			.	
						2	2 or more times			.	
136		Immunisation	C38	Which immunisations your baby has had (includes partial or full immunisations): birth?	NCH38_1_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
137				Which immunisations your baby has had (includes partial or full immunisations): 6 weeks?	NCH38_2_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
138				Which immunisations your baby has had (includes partial or full immunisations): 3 months?	NCH38_3_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
139				Which immunisations your baby has had (includes partial or full immunisations): 5 months?	NCH38_4_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
140				Which immunisations your baby has had (includes partial or full immunisations): hasn't had any immunisations or vaccinations?	NCH38_5_M9CM	0	No	Raw		377	5.51%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
141	Medication	Medication	C39	How often has Paracetamol been given to baby since 'he/she' was born?	CH39_M9CM	1	None	Raw		377	5.51%
						2	1-10 Times			.	
						3	11-20 Times			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						4	21-30 Times			.	
						5	31+ Times			.	
						98	RF			.	
						99	DK			.	
142			C40	How often has Nurofen been given to baby since 'he/she' was born?	CH40_M9CM	1	None	Raw		377	5.51%
						2	1-10 Times			.	
						3	11-20 Times			.	
						4	21-30 Times			.	
						5	31+ Times			.	
						98	RF			.	
						99	DK			.	
143			C41	How many courses of antibiotics prescribed by a doctor has baby had?	CH41_M9CM	1	None	Raw		377	5.51%
						2	1-2 Courses			.	
						3	3-4 Courses			.	
						4	5-6 Courses			.	
						5	7+ Courses			.	
						98	RF			.	
						99	DK			.	
144		Oral Health and Hygiene	C42	How many teeth does your baby have now?	HY1_M9CM	1	Number of teeth	Raw		378	5.52%
						88	Has no teeth yet			.	
						98	RF			.	
						99	DK			.	
145				How many teeth does your baby have now: number of teeth	HY1NUM_M9CM	12	12 or more	Categorised	Upper extreme categorised	1797	26.25%
146			C43	How old was he/she when the first one appeared?	HY2_M9CM	1	Age provided	Raw		1797	26.25%
						98	RF			.	
						99	DK			.	
147				How old was he/she when the first one appeared (weeks)?	HY2_WEEK_M9CM			Derived	Values converted to weeks	1827	26.68%
148				How old was he/she when the first one appeared: months					Information contained in variable HY2_WEEK_M9CM	.	
149				How old was he/she when the first one appeared: weeks					Information contained in variable HY2_WEEK_M9CM	.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
150			C44	Have you begun cleaning his/her teeth or gums?	HY3_M9CM	1	Yes	Raw		378	5.52%
						2	No			.	
						98	RF			.	
						99	DK			.	
151			C45	How often does your baby have a bath/shower?	HY4_M9CM	1	More than once a day	Raw		378	5.52%
						2	Once every day			.	
						3	Once every other day			.	
						4	Once a week			.	
						5	Hardly ever			.	
						98	RF			.	
						99	DK			.	
152		Sunlight exposure	C46	Approximately how many hours has baby spent outdoors on an average week day in the last four weeks?	HY5_M9CM	1	Number of hours	Raw		380	5.55%
						88	Less than 1 hour			.	
						89	No exposure at all			.	
						98	RF			.	
						99	DK			.	
153				Approximately how many hours has baby spent outdoors on an average week day: hours	HY5H_M9CM			Raw		2367	34.57%
154			C47	Approximately how many hours has baby spent outdoors on an average weekend day in the last four weeks?	HY6_M9CM	1	Number of hours	Raw		388	5.67%
						88	Less than 1 hour			.	
						89	No exposure at all			.	
						98	RF			.	
						99	DK			.	
155				Approximately how many hours has baby spent outdoors on an average weekend day: hours	HY6H_M9CM			Raw		1682	24.57%
156	Baby's weight\Feeding\Diet and nutrition	Baby's weight	C48	Think about the last time your baby was weighed. How much did your baby weigh then	CW2_M9CM	1	Weight provided	Raw		378	5.52%
						98	RF			.	
						99	DK			.	
157				Child's weight reported at 9 months data collection (grams)	WEIGHT_M9CM			Derived		830	12.12%
158				Think about the last time your baby was weighed. How much did your baby weigh then: pounds					Information contained in variable WEIGHT_M9CM	.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
159				Think about the last time your baby was weighed. How much did your baby weigh then: ounces					Information contained in variable WEIGHT_M9CM	.	
160				Think about the last time your baby was weighed. How much did your baby weigh then: kilograms					Information contained in variable WEIGHT_M9CM	.	
161				Think about the last time your baby was weighed. How much did your baby weigh then: grams					Information contained in variable WEIGHT_M9CM	.	
162			C49	How old was your baby at the time he/she was last weighed?	CW1_M9CM	1	Age provided	Raw	Age in weeks	830	12.12%
						98	RF			.	
						99	DK			.	
163				How old was your baby at the time he/she was last weighed (weeks)?	CW1_WEEK_M9CM			Derived	Age in weeks	846	12.36%
164				How old was your baby at the time he/she was last weighed: months					Information contained in variable CW1_WEEK_M9CM	.	
165				How old was your baby at the time he/she was last weighed: weeks					Information contained in variable CW1_WEEK_M9CM	.	
166			C50	Do you think baby is...?	CW3_M9CM	1	Very underweight	Raw		378	5.52%
						2	Somewhat underweight			.	
						3	Normal weight			.	
						4	Somewhat overweight			.	
						5	Very overweight			.	
						98	RF			.	
						99	DK			.	
167		Breastfeeding/Feeding	C51	Did you ever breastfeed this baby ( breastfeeding includes feeding expressed milk)?	CN1_M9CM	1	Still breastfeeding	Raw		407	5.94%
						2	Breastfed but stopped			.	
						3	Never breastfed			.	
						98	RF			.	
						99	DK			.	
168			C52	How many times a day (24 hour period) on average do you currently breastfeed?	CN2_M9CM	1	Times per day	Raw		3831	55.95%
						87	Less than once per day			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
169				How many times a day (24 hour period) on average do you currently breastfeed: times per day	CN2NUM_M9CM			Raw		3845	56.16%
170			C53	How long on average does it take for each breast feed?	CN3_M9CM	1	Time provided	Raw		3831	55.95%
						98	RF			.	
						99	DK			.	
171				How long on average does it take for each breast feed (minutes)?	CN3_MIN_M9CM	60	60 or more	Derived and Categorised	Values converted to minutes. Upper extreme categorised	3838	56.05%
172				How long on average does it take for each breast feed: minutes					Information contained in variable CW1_WEEK_M9CM	.	
173				How long on average does it take for each breast feed: hours					Information contained in variable CW1_WEEK_M9CM	.	
174			C54	How long did you exclusively breastfeed (for biological mothers only)?	CN4_M9CM	1	Time provided	Raw		3831	55.95%
						88	Still exclusively breastfeeding			.	
						98	RF			.	
						99	DK			.	
175				How long did you exclusively breastfeed (for biological mothers only) (months)?	CN4_MONTH_M9CM	9	9 and more	Derived and Categorised	Values converted to months. Upper extreme categorised	3861	56.39%
176				How long did you exclusively breastfeed: months					Information contained in variable CN4_MONTH_M9CM	.	
177				How long did you exclusively breastfeed: weeks					Information contained in variable CN4_MONTH_M9CM	.	
178				How long did you exclusively breastfeed: days					Information contained in variable CN4_MONTH_M9CM	.	
179			C55	How long did you exclusively breastfeed (for biological mothers who have stopped breastfeeding)?	CN5_M9CM	1	Time provided	Raw		3631	53.03%
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
180				How long did you exclusively breastfeed (for biological mothers who have stopped breastfeeding) (months)?	CN5_MONTH_M9CM	8	8 and more	Derived and Categorised	Values converted to months. Upper extreme categorised	3651	53.32%
181				How long did you exclusively breastfeed: months					Information contained in variable CN5_MONTH_M9CM	.	
182				How long did you exclusively breastfeed: weeks					Information contained in variable CN5_MONTH_M9CM	.	
183				How long did you exclusively breastfeed: days					Information contained in variable CN5_MONTH_M9CM	.	
184			C56	How old was your baby when you stopped breastfeeding?	CN6_M9CM	1	Time provided	Raw		3631	53.03%
						98	RF			.	
						99	DK			.	
185				How old was your baby when you stopped breastfeeding (months)?	CN6_MONTH_M9CM	10	10 and more	Derived and Categorised	Values converted to months. Upper extreme categorised	3636	53.1%
186				How old was your baby when you stopped breastfeeding: months					Information contained in variable CN6_MONTH_M9CM	.	
187				How old was your baby when you stopped breastfeeding: weeks					Information contained in variable CN6_MONTH_M9CM	.	
188				How old was your baby when you stopped breastfeeding: days					Information contained in variable CN6_MONTH_M9CM	.	
189			C57	Why did you stop breastfeeding: had breast fed long enough?	NCN7_1_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
190				Why did you stop breastfeeding: baby had trouble latching on?	NCN7_2_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
191				Why did you stop breastfeeding: didn't have enough milk?	NCN7_3_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
192				Why did you stop breastfeeding: breast milk alone did not seem to satisfy baby?	NCN7_4_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
193				Why did you stop breastfeeding: painful breasts?	NCN7_5_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
194				Why did you stop breastfeeding: baby not gaining enough weight?	NCN7_6_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
195				Why did you stop breastfeeding: baby lost interest/self weaned?	NCN7_7_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
196				Why did you stop breastfeeding: I wanted/needed someone else to feed the baby?	NCN7_8_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
197				Why did you stop breastfeeding: went back to work and expressing breast milk not convenient/possible?	NCN7_9_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
198				Why did you stop breastfeeding: new pregnancy?	NCN7_10_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						98	RF			.	
						99	DK			.	
199				Why did you stop breastfeeding: baby was old enough that the difference between breast milk and formula was minimal?	NCN7_11_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
200				Why did you stop breastfeeding: teething/biting?	NCN7_13_M9CM	0	No	Re-classified	Other specified text responses translated into a new numeric variable	3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
201				Why did you stop breastfeeding: mothers health concerns?	NCN7_14_M9CM	0	No	Re-classified	Other specified text responses translated into a new numeric variable	3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
202				Why did you stop breastfeeding: other?	NCN7_97_M9CM	0	No	Raw		3632	53.05%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
203			C58	For non-biological mother only, was baby breastfed?					Non-biological mothers responded to questions from C58–C59. These questions offer low discrimination and present identification risk	.	
204			C59	For non-biological mother only, how old was baby when breastfeeding ended?					Non-biological mothers responded to questions from C58–C59. These questions offer low discrimination and present identification risk	.	
205				For non-biological mother only, how old was baby when breastfeeding ended: months					Non-biological mothers responded to questions from C58–C59. These questions offer low discrimination and present identification risk	.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
206				For non-biological mother only, how old was baby when breastfeeding ended: weeks					Non-biological mothers responded to questions from C58–C59. These questions offer low discrimination and present identification risk	.	
207				For non-biological mother only, how old was baby when breastfeeding ended: days					Non-biological mothers responded to questions from C58–C59. These questions offer low discrimination and present identification risk	.	
208			C60	Has your baby ever had infant milk formula or milk other than breast milk?	CN10_M9CM	1	Yes	Raw		401	5.86%
						2	No			.	
						98	RF			.	
						99	DK			.	
209			C61	How old was your baby when he/she was first fed this infant milk formula or other milk?	CN11_M9CM	1	Age provided	Raw		1809	26.42%
						98	RF			.	
						99	DK			.	
210				How old was your baby when he/she was first fed this infant milk formula or other milk (months)?	CN11_MONTH_M9CM	10	10 and more	Derived and Categorised	Values converted to months. Upper extreme categorised	1816	26.52%
211				How old was your baby when he/she was first fed this infant milk formula or other milk: months					Information contained in variable CN11_MONTH_M9CM	.	
212				How old was your baby when he/she was first fed this infant milk formula or other milk: weeks					Information contained in variable CN11_MONTH_M9CM	.	
213				How old was your baby when he/she was first fed this infant milk formula or other milk: days					Information contained in variable CN11_MONTH_M9CM	.	
214			C62	Which of these different milk formulas or milks have been given to baby: pasteurised/bottled cow's milk?	NCN12_1_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
215				Which of these different milk formulas or milks have been given to baby: cow's milk infant formula?	NCN12_2_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
216				Which of these different milk formulas or milks have been given to baby: follow-on formula?	NCN12_3_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
217				Which of these different milk formulas or milks have been given to baby: soy formula?	NCN12_4_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
218				Which of these different milk formulas or milks have been given to baby: goat's milk formula?	NCN12_5_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
219				Which of these different milk formulas or milks have been given to baby: hypoallergenic formula?	NCN12_6_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
220				Which of these different milk formulas or milks have been given to baby: lactose free?	NCN12_8_M9CM	0	No	Re-classified	Other specified text responses translated into a new numeric variable	1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
221				Which of these different milk formulas or milks have been given to baby: anti reflux?	NCN12_9_M9CM	0	No	Re-classified	Other specified text responses translated into a new numeric variable	1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
222				Which of these different milk formulas or milks have been given to baby: other milk?	NCN12_97_M9CM	0	No	Raw		1811	26.45%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
223				Which of these formulas is baby currently having: pasteurised/bottled cow's milk?	NCN13_1_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
224				Which of these formulas is baby currently having: cow's milk infant formula?	NCN13_2_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
225				Which of these formulas is baby currently having: follow-on formula?	NCN13_3_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
226				Which of these formulas is baby currently having: soy formula?	NCN13_4_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
227				Which of these formulas is baby currently having: goat's milk formula?	NCN13_5_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
228				Which of these formulas is baby currently having: hypoallergenic formula?	NCN13_6_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	
						87	None of these			.	
						98	RF			.	
						99	DK			.	
229				Which of these formulas is baby currently having: other milk?	NCN13_97_M9CM	0	No	Raw		1826	26.67%
						1	Yes			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						87	None of these			.	
						98	RF			.	
						99	DK			.	
230			C63A	How many times per day does baby have pasteurised/bottled cow's milk now?	CN14_1_M9CM			Raw		6725	98.22%
231			C64A	How many times per day does baby have cow's milk infant formula now?	CN14_2_M9CM			Raw		6082	88.83%
232			C65A	How many times per day does baby have follow-on formula now?	CN14_3_M9CM			Raw		3566	52.08%
233			C66A	How many times per day does baby have soy formula now?	CN14_4_M9CM			Raw		6771	98.89%
234			C67A	How many times per day does baby have goat's milk formula now?	CN14_5_M9CM			Raw		6698	97.82%
235			C68A	How many times per day does baby have hypoallergenic formula now?	CN14_6_M9CM			Raw		6739	98.42%
236			C69A	How many times per day does baby have other milk now?	CN14_97_M9CM			Raw		6590	96.25%
237			C63B	Approx how many mls of cow's milk does baby have per feed?	CN15_1_M9CM			Raw		6725	98.22%
238			C64B	Approx how many mls of cow's milk infant formula does baby have per feed?	CN15_2_M9CM			Raw		6082	88.83%
239			C65B	Approx how many mls of follow-on formula does baby have per feed?	CN15_3_M9CM			Raw		3566	52.08%
240			C66B	Approx how many mls of soy formula does baby have per feed?	CN15_4_M9CM			Raw		6771	98.89%
241			C67B	Approx how many mls of goat's milk formula does baby have per feed?	CN15_5_M9CM			Raw		6698	97.82%
242			C68B	Approx how many mls of hypoallergenic formula does baby have per feed?	CN15_6_M9CM			Raw		6739	98.42%
243			C69B	Approx how many mls of other milk does baby have per feed?	CN15_97_M9CM			Raw		6590	96.25%
244			C70	Does baby finish all his/her bottle/cup of milk formula or milk?	CN27_M9CM	1	All or almost all	Raw		2169	31.68%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						2	At least half of all			.	
						3	Less than half of all			.	
						98	RF			.	
						99	DK			.	
245		Feeding position	C71	When your baby has a bottle/cup how often is he/she being held and fed a bottle by a carer?	CN28_M9CM	1	Never	Raw		2146	31.34%
						2	Sometimes			.	
						3	Always			.	
						98	RF			.	
						99	DK			.	
246			C72	When your baby has a bottle/cup how often is he/she lying down and feeding him/herself?	CN29_M9CM	1	Never	Raw		2146	31.34%
						2	Sometimes			.	
						3	Always			.	
						98	RF			.	
						99	DK			.	
247		Diet\Nutrition	C73	Which of the food baby has tried: baby rice?	NCN32_1_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
248			C74	Which of the food baby has tried: baby breakfast cereal?	NCN32_2_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
249			C75	Which of the food baby has tried: other cereal?	NCN32_3_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
250			C76	Which of the food baby has tried: bread or toast?	NCN32_4_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
251			C77	Which of the food baby has tried: rusks?	NCN32_5_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
252			C78	Which of the food baby has tried: biscuits?	NCN32_6_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
253			C79	Which of the food baby has tried: vegetables (raw or cooked)?	NCN32_7_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
254			C80	Which of the food baby has tried: fruit (includes fresh and canned)?	NCN32_8_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
255			C81	Which of the food baby has tried: meat, chicken, meat dishes?	NCN32_9_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
256			C82	Which of the food baby has tried: fish, fish dishes (includes fresh and canned)?	NCN32_10_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
257			C83	Which of the food baby has tried: eggs?	NCN32_11_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
258			C84	Which of the food baby has tried: milk puddings, rice pudding, yoghurt, custards?	NCN32_12_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
259			C85	Which of the food baby has tried: nuts or peanut butter?	NCN32_13_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
260			C86	Which of the food baby has tried: shellfish?	NCN32_14_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
261			C87	Which of the food baby has tried: soy foods, tofu, soy desserts?	NCN32_15_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
262			C88	Which of the food baby has tried: sweets?	NCN32_16_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
263			C89	Which of the food baby has tried: chocolate?	NCN32_17_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
264			C90	Which of the food baby has tried: hot chips?	NCN32_18_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
265			C91	Which of the food baby has tried: potato chips (crisps)?	NCN32_19_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
266			C92	Which of the food baby has tried: fruit juices (includes watered down juice)?	NCN32_20_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
267			C93	Which of the food baby has tried: herbal drinks?	NCN32_21_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
268			C94	Which of the food baby has tried: tea?	NCN32_22_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
269			C95	Which of the food baby has tried: coffee?	NCN32_23_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
270			C96	Which of the food baby has tried: soft drinks?	NCN32_24_M9CM	0	No, have not tried these foods	Raw		402	5.87%
						1	Yes, tried these foods			.	
						87	None of these foods			.	
						98	RF			.	
						99	DK			.	
271			C73A	Indicate age in months when your baby first tried baby rice	CN33_1_M9CM	1	Month provided	Raw		1411	20.61%
						98	RF			.	
						99	DK			.	
272			C74A	Indicate age in months when your baby first tried baby breakfast cereal	CN33_2_M9CM	1	Month provided	Raw		1753	25.6%
						98	RF			.	
						99	DK			.	
273			C75A	Indicate age in months when your baby first tried other cereal	CN33_3_M9CM	1	Month provided	Raw		3673	53.64%
						98	RF			.	
						99	DK			.	
274			C76A	Indicate age in months when your baby first tried bread or toast	CN33_4_M9CM	1	Month provided	Raw		1576	23.02%
						98	RF			.	
						99	DK			.	
275			C77A	Indicate age in months when your baby first tried rusks	CN33_5_M9CM	1	Month provided	Raw		2153	31.44%
						98	RF			.	
						99	DK			.	
276			C78A	Indicate age in months when your baby first tried biscuits	CN33_6_M9CM	1	Month provided	Raw		2729	39.86%
						98	RF			.	
						99	DK			.	
277			C79A	Indicate age in months when your baby first tried vegetables (raw or cooked)	CN33_7_M9CM	1	Month provided	Raw		600	8.76%
						98	RF			.	
						99	DK			.	
278			C80A	Indicate age in months when your baby first tried fruit (includes fresh and canned)	CN33_8_M9CM	1	Month provided	Raw		520	7.59%
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
279			C81A	Indicate age in months when your baby first tried meat, chicken, meat dishes	CN33_9_M9CM	1	Month provided	Raw		1049	15.32%
						98	RF			.	
						99	DK			.	
280			C82A	Indicate age in months when your baby first tried fish dishes (includes fresh and canned)	CN33_10_M9CM	1	Month provided	Raw		3299	48.18%
						98	RF			.	
						99	DK			.	
281			C83A	Indicate age in months when your baby first tried eggs	CN33_11_M9CM	1	Month provided	Raw		3249	47.45%
						98	RF			.	
						99	DK			.	
282			C84A	Indicate age in months when your baby first tried milk puddings, rice pudding, yoghurt, custards	CN33_12_M9CM	1	Month provided	Raw		1450	21.18%
						98	RF			.	
						99	DK			.	
283			C85A	Indicate age in months when your baby first tried nuts or peanut butter	CN33_13_M9CM	1	Month provided	Raw		5346	78.08%
						98	RF			.	
						99	DK			.	
284			C86A	Indicate age in months when your baby first tried shellfish	CN33_14_M9CM	1	Month provided	Raw		6512	95.11%
						98	RF			.	
						99	DK			.	
285			C87A	Indicate age in months when your baby first tried soy foods, tofu, soy desserts	CN33_15_M9CM	1	Month provided	Raw		6286	91.81%
						98	RF			.	
						99	DK			.	
286			C88A	Indicate age in months when your baby first tried sweets	CN33_16_M9CM	1	Month provided	Raw		5461	79.76%
						98	RF			.	
						99	DK			.	
287			C89A	Indicate age in months when your baby first tried chocolate	CN33_17_M9CM	1	Month provided	Raw		4915	71.78%
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
288			C90A	Indicate age in months when your baby first tried hot chips	CN33_18_M9CM	1	Month provided	Raw		4228	61.75%
						98	RF			.	
						99	DK			.	
289			C91A	Indicate age in months when your baby first tried potato chips (crisps)	CN33_19_M9CM	1	Month provided	Raw		5579	81.48%
						98	RF			.	
						99	DK			.	
290			C92A	Indicate age in months when your baby first tried fruit juices (includes watered down juice)	CN33_20_M9CM	1	Month provided	Raw		4502	65.75%
						98	RF			.	
						99	DK			.	
291			C93A	Indicate age in months when your baby first tried herbal drinks	CN33_21_M9CM	1	Month provided	Raw		6706	97.94%
						98	RF			.	
						99	DK			.	
292			C94A	Indicate age in months when your baby first tried tea	CN33_22_M9CM	1	Month provided	Raw		6644	97.04%
						98	RF			.	
						99	DK			.	
293			C95A	Indicate age in months when your baby first tried coffee	CN33_23_M9CM	1	Month provided	Raw		6809	99.45%
						98	RF			.	
						99	DK			.	
294			C96A	Indicate age in months when your baby first tried soft drinks	CN33_24_M9CM	1	Month provided	Raw		6494	94.84%
						98	RF			.	
						99	DK			.	
295				Baby rice: months	CN33M_1_M9CM			Raw		1416	20.68%
296				Baby breakfast cereal: months	CN33M_2_M9CM			Raw		1755	25.63%
297				Other cereal: months	CN33M_3_M9CM			Raw		3678	53.72%
298				Bread or toast: months	CN33M_4_M9CM			Raw		1577	23.03%
299				Rusks: months	CN33M_5_M9CM			Raw		2154	31.46%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
300				Biscuits: months	CN33M_6_M9CM			Raw		2734	39.93%
301				Vegetables (raw or cooked): months	CN33M_7_M9CM			Raw		601	8.78%
302				Fruit (includes fresh and canned): months	CN33M_8_M9CM			Raw		523	7.64%
303				Meat, chicken, meat dishes: months	CN33M_9_M9CM			Raw		1050	15.34%
304				Fish dishes (includes fresh and canned): months	CN33M_10_M9CM			Raw		3310	48.34%
305				Eggs: months	CN33M_11_M9CM			Raw		3258	47.58%
306				Milk puddings, rice pudding, yoghurt, custards: months	CN33M_12_M9CM			Raw		1450	21.18%
307				Nuts or peanut butter: months	CN33M_13_M9CM			Raw		5351	78.15%
308				Shellfish: months	CN33M_14_M9CM			Raw		6518	95.19%
309				Soy foods, tofu, soy desserts: months	CN33M_15_M9CM			Raw		6290	91.87%
310				Sweets: months	CN33M_16_M9CM			Raw		5471	79.9%
311				Chocolate: months	CN33M_17_M9CM			Raw		4919	71.84%
312				Hot chips: months	CN33M_18_M9CM			Raw		4232	61.81%
313				Potato chips (crisps): months	CN33M_19_M9CM			Raw		5585	81.57%
314				Fruit juices (includes watered down juice): months	CN33M_20_M9CM			Raw		4504	65.78%
315				Herbal drinks: months	CN33M_21_M9CM			Raw		6706	97.94%
316				Tea: months	CN33M_22_M9CM			Raw		6645	97.05%
317				Coffee: months	CN33M_23_M9CM			Raw		6810	99.46%
318				Soft drinks: months	CN33M_24_M9CM			Raw		6495	94.86%
319			C73B	How often does baby have baby rice currently?	CN34_1_M9CM	1	Times per day	Raw		1411	20.61%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						98	RF			.	
						99	DK			.	
320			C74B	How often does baby have baby breakfast cereal currently?	CN34_2_M9CM	1	Times per day	Raw		1753	25.6%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
321			C75B	How often does baby have other cereal currently?	CN34_3_M9CM	1	Times per day	Raw		3673	53.64%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
322			C76B	How often does baby have bread or toast currently?	CN34_4_M9CM	1	Times per day	Raw		1576	23.02%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
323			C77B	How often does baby have rusks currently?	CN34_5_M9CM	1	Times per day	Raw		2153	31.44%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
324			C78B	How often does baby have biscuits currently?	CN34_6_M9CM	1	Times per day	Raw		2729	39.86%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
325			C79B	How often does baby have vegetables (raw or cooked) currently?	CN34_7_M9CM	1	Times per day	Raw		600	8.76%
						2	Times per week			.	
						88	Less than weekly			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
326			C80B	How often does baby have fruit (includes fresh and canned) currently?	CN34_8_M9CM	1	Times per day	Raw		520	7.59%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
327			C81B	How often does baby have meat, chicken, meat dishes currently?	CN34_9_M9CM	1	Times per day	Raw		1049	15.32%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
328			C82B	How often does baby have fish dishes (includes fresh and canned) currently?	CN34_10_M9CM	1	Times per day	Raw		3299	48.18%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
329			C83B	How often does baby have eggs currently?	CN34_11_M9CM	1	Times per day	Raw		3249	47.45%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
330			C84B	How often does baby have milk puddings, rice pudding, yoghurt, custards currently?	CN34_12_M9CM	1	Times per day	Raw		1450	21.18%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
331			C85B	How often does baby have nuts or peanut butter currently?	CN34_13_M9CM	1	Times per day	Raw		5346	78.08%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
332			C86B	How often does baby have shellfish currently?	CN34_14_M9CM	1	Times per day	Raw		6512	95.11%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
333			C87B	How often does baby have soy foods, tofu, soy desserts currently?	CN34_15_M9CM	1	Times per day	Raw		6286	91.81%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
334			C88B	How often does baby have sweets currently?	CN34_16_M9CM	1	Times per day	Raw		5461	79.76%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
335			C89B	How often does baby have chocolate currently?	CN34_17_M9CM	1	Times per day	Raw		4915	71.78%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
336			C90B	How often does baby have hot chips currently?	CN34_18_M9CM	1	Times per day	Raw		4228	61.75%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
337			C91B	How often does baby have potato chips (crisps) currently?	CN34_19_M9CM	1	Times per day	Raw		5579	81.48%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
338			C92B	How often does baby have fruit juices (includes watered down juice) currently?	CN34_20_M9CM	1	Times per day	Raw		4502	65.75%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
339			C93B	How often does baby have herbal drinks currently?	CN34_21_M9CM	1	Times per day	Raw		6706	97.94%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
340			C94B	How often does baby have tea currently?	CN34_22_M9CM	1	Times per day	Raw		6644	97.04%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
341			C95B	How often does baby have coffee currently?	CN34_23_M9CM	1	Times per day	Raw		6809	99.45%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	
342			C96B	How often does baby have soft drinks currently?	CN34_24_M9CM	1	Times per day	Raw		6494	94.84%
						2	Times per week			.	
						88	Less than weekly			.	
						89	No longer fed			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
343				Baby rice: times per day	CN34D_1_M9CM			Raw		5698	83.22%
344				Baby breakfast cereal: times per day	CN34D_2_M9CM			Raw		4410	64.41%
345				Other cereal: times per day	CN34D_3_M9CM			Raw		5316	77.64%
346				Bread or toast: times per day	CN34D_4_M9CM			Raw		4066	59.38%
347				Rusks: times per day	CN34D_5_M9CM			Raw		6136	89.62%
348				Biscuits: times per day	CN34D_6_M9CM			Raw		5548	81.03%
349				Vegetables (raw or cooked): times per day	CN34D_7_M9CM			Raw		1174	17.15%
350				Fruit (includes fresh and canned): times per day	CN34D_8_M9CM			Raw		1357	19.82%
351				Meat, chicken, meat dishes: times per day	CN34D_9_M9CM			Raw		3431	50.11%
352				Fish dishes (includes fresh and canned): times per day	CN34D_10_M9CM			Raw		6640	96.98%
353				Eggs: times per day	CN34D_11_M9CM			Raw		6604	96.45%
354				Milk puddings, rice pudding, yoghurt, custards: times per day	CN34D_12_M9CM			Raw		4879	71.26%
355				Nuts or peanut butter: times per day	CN34D_13_M9CM			Raw		6705	97.93%
356				Shellfish: times per day	CN34D_14_M9CM			Raw		6841	99.91%
357				Soy foods, tofu, soy desserts?: times per day	CN34D_15_M9CM			Raw		6794	99.23%
358				Sweets: times per day	CN34D_16_M9CM			Raw		6778	98.99%
359				Chocolate: times per day	CN34D_17_M9CM			Raw		6814	99.52%
360				Hot chips: times per day	CN34D_18_M9CM			Raw		6816	99.55%
361				Potato chips (crisps): times per day	CN34D_19_M9CM			Raw		6805	99.39%
362				Fruit juices (includes watered down juice): times per day	CN34D_20_M9CM			Raw		6252	91.31%
363				Herbal drinks: times per day	CN34D_21_M9CM			Raw		6837	99.85%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
364				Tea: times per day	CN34D_22_M9CM			Raw		6821	99.62%
365				Coffee: times per day	CN34D_23_M9CM			Raw		6843	99.94%
366				Soft drinks: times per day	CN34D_24_M9CM			Raw		6823	99.65%
367				Baby rice: weeks	CN34W_1_M9CM			Raw		5949	86.88%
368				Baby breakfast cereal: weeks	CN34W_2_M9CM			Raw		5600	81.79%
369				Other cereal: weeks	CN34W_3_M9CM			Raw		5775	84.34%
370				Bread or toast: weeks	CN34W_4_M9CM			Raw		4834	70.6%
371				Rusks: weeks	CN34W_5_M9CM			Raw		5340	77.99%
372				Biscuits: weeks	CN34W_6_M9CM			Raw		4975	72.66%
373				Vegetables (raw or cooked): weeks	CN34W_7_M9CM			Raw		6307	92.11%
374				Fruit (includes fresh and canned): weeks	CN34W_8_M9CM			Raw		6085	88.87%
375				Meat, chicken, meat dishes: weeks	CN34W_9_M9CM			Raw		4658	68.03%
376				Fish dishes (includes fresh and canned): weeks	CN34W_10_M9CM			Raw		4715	68.86%
377				Eggs: weeks	CN34W_11_M9CM			Raw		4939	72.13%
378				Milk puddings, rice pudding, yoghurt, custards: weeks	CN34W_12_M9CM			Raw		4161	60.77%
379				Nuts or peanut butter: weeks	CN34W_13_M9CM			Raw		6071	88.67%
380				Shellfish: weeks	CN34W_14_M9CM			Raw		6786	99.11%
381				Soy foods, tofu, soy desserts: weeks	CN34W_15_M9CM			Raw		6613	96.58%
382				Sweets: weeks	CN34W_16_M9CM			Raw		6413	93.66%
383				Chocolate: weeks	CN34W_17_M9CM			Raw		6434	93.97%
384				Hot chips: weeks	CN34W_18_M9CM			Raw		5976	87.28%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
385				Potato chips (crisps): weeks	CN34W_19_M9CM			Raw		6431	93.92%
386				Fruit juices (includes watered down juice): weeks	CN34W_20_M9CM			Raw		5987	87.44%
387				Herbal drinks: weeks	CN34W_21_M9CM			Raw		6798	99.28%
388				Tea: weeks	CN34W_22_M9CM			Raw		6772	98.9%
389				Coffee: weeks	CN34W_23_M9CM			Raw		6841	99.91%
390				Soft drinks: weeks	CN34W_24_M9CM			Raw		6747	98.54%
391			C97	Is baby's food mostly homemade, or from jars, tins, and packets?	CN78_M9CM	1	Mostly homemade	Raw		405	5.91%
						2	Mostly jars, tins and packets			.	
						3	About half and half			.	
						98	RF			.	
						99	DK			.	
392			C98	Do you add salt to your baby's food or milk?	CN79_M9CM	1	Yes	Raw		402	5.87%
						2	No			.	
						3	Sometimes			.	
						98	RF			.	
						99	DK			.	
393			C99	Do you add sugar to your baby's food or milk?	CN80_M9CM	1	Yes	Raw		402	5.87%
						2	No			.	
						3	Sometimes			.	
						98	RF			.	
						99	DK			.	
394			C100	Which of the following are sources of information for you about your baby's diet: family or friends?	NCN81_1_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
395				Which of the following are sources of information for you about your baby's diet: Plunket helpline?	NCN81_2_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
396				Which of the following are sources of information for you about your baby's diet: Plunket?	NCN81_3_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
397				Which of the following are sources of information for you about your baby's diet: Public Health?	NCN81_4_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
398				Which of the following are sources of information for you about your baby's diet: Maori health provider?	NCN81_5_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
399				Which of the following are sources of information for you about your baby's diet: Pacific health provider?	NCN81_6_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
400				Which of the following are sources of information for you about your baby's diet: GP?	NCN81_7_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
401				Which of the following are sources of information for you about your baby's diet: midwife?	NCN81_8_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
402				Which of the following are sources of information for you about your baby's diet: pharmacist?	NCN81_9_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
403				Which of the following are sources of information for you about your baby's diet: magazines?	NCN81_10_M9CM	0	No	Raw		379	5.54%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						1	Yes			.	
						98	RF			.	
						99	DK			.	
404				Which of the following are sources of information for you about your baby's diet: internet?	NCN81_11_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
405				Which of the following are sources of information for you about your baby's diet: books?	NCN81_12_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
406				Which of the following are sources of information for you about your baby's diet: none of these?	NCN81_14_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
407				Which of the following are sources of information for you about your baby's diet: self knowledge?	NCN81_15_M9CM	0	No	Re-classified	Other specified text responses have been translated into a new numeric variable	379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
408				Which of the following are sources of information for you about your baby's diet: other?	NCN81_97_M9CM	0	No	Raw		379	5.54%
						1	Yes			.	
						98	RF			.	
						99	DK			.	
409			C101	In how many meals each day (24 hour period) does baby eat solids now?	CN84_M9CM	1	Numbers each day provided	Raw		380	5.55%
						88	Less than once per day			.	
						98	RF			.	
						99	DK			.	
410				In how many meals each day (24 hour period) does baby eat solids now: number of solid meals each day?	CN84NUM_M9CM			Categorised	Upper extremes categorised	403	5.89%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
411	Baby's behaviour	Baby behaviour	C102	In terms of your baby's behaviour, how typical has the last week been for your baby?	IB1_M9CM	1	Not typical at all	Raw		380	5.55%
						5	Very typical			.	
						98	RF			.	
						99	DK			.	
412		Baby's reaction to challenges	C103	When tired, how often did your baby show distress?	IB4_M9CM	1	Does not apply	Raw	Please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
413			C104	When introduced to an unfamiliar adult, how often did the baby cling to a parent?	IB5_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
414			C105	When it was time for bed or a nap and your baby did not want to go, how often did he/she whimper, cry, or sob?	IB10_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
415			C106	After sleeping, how often did the baby cry if someone didn't come within a few minutes?	IB11_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
416			C107	How often did the baby seem angry (crying and fussing) when you left her/him in the cot?	IB17_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
417			C108	How often during the last week did the baby startle at a sudden change in body position (e.g., when moved suddenly)?	IB18_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
418			C109	At the end of an exciting day, how often did your baby become tearful?	IB23_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
419			C110	How often during the last week did the baby protest being placed in a confining place (infant seat, play pen, car seat, etc.)?	IB24_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
420			C111	When introduced to an unfamiliar adult, how often did the baby refuse to go to the unfamiliar person?	IB29_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
421			C112	When you were busy with another activity, and your baby was not able to get your attention, how often did he/she cry?	IB30_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
422			C113	When the baby wanted something, how often did he/she become upset when he/she could not get what he/she wanted?	IB33_M9CM	1	Does not apply	Raw		380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
423			C114	When in the presence of several unfamiliar adults, how often did the baby cling to a parent?	IB34_M9CM	1	Does not apply	Raw	Please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
424		What baby can do	C115	Does baby lift his/her head when he/she is upright and hold it steady?	MT1_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
425			C116	Does baby roll over on to his/her side when lying on his/her stomach?	MT2_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
426			C117	Shake or bang a rattle or other toy when given it?	MT3_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
427			C118	Reach for objects such as a toy or bottle with one hand?	MT4_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
428			C119	Smile or laugh while looking at you?	SB1_M9CM	1	Not yet	Raw	Please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
429			C120	Do you know when your baby is happy and when your baby is upset?	SB7_M9CM	1	Not yet	Raw	Please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
430			C121	Does baby sit without any support for 30 seconds or more?	MT5_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
431			C122	Does baby crawl on his/her hands and knees for about 5 metres without falling?	MT6_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
432			C123	Let you know that he/she needs help or wants an object out of reach?	SB2_M9CM	1	Not yet	Raw	For C123-C131, please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
433			C124	Do things just to get you to laugh?	SB3_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
434			C125	Try to get you to notice interesting objects, just to get you to look at the objects, not to get you do anything with them?	SB4_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
435			C126	Use sounds or words to get attention or help?	SB5_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
436			C127	String sounds together, such as uh oh, mama, gaga, bye bye, bada?	SB6_M9CM	1	Not yet	Raw		380	5.55%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
437			C128	When your baby plays with toys, does he/she look at you to see if you are watching?	SB8_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
438			C129	When you look at and point to a toy across the room, does your baby look at it?	SB9_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
439			C130	When you are not paying attention to your baby, does he/she try to get your attention?	SB10_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
440			C131	When you call your baby's name, does he/she respond by looking or turning toward you?	SB11_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
441			C132	Does baby extend his/her arm to show you something he/she is holding?	MC1_M9CM	1	Not yet	Raw	For C132-C139, please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
442			C133	Does baby reach out and give you a toy or some object that he/she is holding?	MC2_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						3	Often			.	
						98	RF			.	
						99	DK			.	
443			C134	Point (with arm and index finger extended) at some interesting object or event?	MC3_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
444			C135	Wave bye bye on his/her own when someone leaves?	MC4_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
445			C136	Extend his/her arm upward to signal a wish to be picked up?	MC5_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
446			C137	Shake head 'no'?	MC6_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
447			C138	Nod head 'yes'?	MC7_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
448			C139	Gesture 'sshh' by placing finger to lips?	MC8_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
449			C140	Use objects such as furniture to pull his/her self up to stand?	MT7_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
450			C141	Request something by extending his/her arm and opening and closing his/her hand?	MC9_M9CM	1	Not yet	Raw	For C141-C144, please refer to External Data Release 2017 Reference and Process User Guide.	380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
451			C142	Blow kisses from a distance?	MC10_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
452			C143	Smack lips in a 'yum yum' gesture to indicate when something tastes good?	MC11_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
453			C144	Shrug to indicate 'All gone' or 'Where did it go'?	MC12_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
454			C145	Stand up from a sitting position without help?	MT8_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
455			C146	Walk across the room with help (using furniture or with the hand held)?	MT9_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						98	RF			.	
						99	DK			.	
456			C147	Walk across the room without help?	MT10_M9CM	1	Not yet	Raw		380	5.55%
						2	Sometimes			.	
						3	Often			.	
						98	RF			.	
						99	DK			.	
457			C148	About how many of the following consonant sounds does your baby use: ma, na, ba, da, ga, wa, la, ya, sa, sha?	SB12_M9CM	1	None	Raw		380	5.55%
						2	1-2 sounds			.	
						3	3-4 sounds			.	
						4	5-8 sounds			.	
						5	Over 8 sounds			.	
						98	RF			.	
						99	DK			.	
458			C149	About how many different words or phrases does your baby understand without gestures?	SB13_M9CM	1	None	Raw		380	5.55%
						2	1-2 sounds			.	
						3	3-4 sounds			.	
						4	5-8 sounds			.	
						5	Over 8 sounds			.	
						98	RF			.	
						99	DK			.	
459		Baby's activity level	C150	When being dressed or undressed during the last week, how often did the baby squirm and/or try to roll away?	IB2_M9CM	1	Does not apply	Raw	For C150-C162, please refer to External Data Release 2017 Reference and Process User Guide.	382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
460			C151	When tossed around playfully how often did the baby laugh?	IB3_M9CM	1	Does not apply	Raw		382	5.58%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
461			C152	How often during the week did your baby move quickly toward new objects?	IB8_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
462			C153	When in the bath water, how often did the baby laugh?	IB9_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
463			C154	When placed on his/her back, how often did the baby squirm and/or turn their body?	IB14_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
464			C155	During a game such as peek-a-boo, how often did the baby laugh?	IB15_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
465			C156	How often did your baby look up from playing when the telephone rang?	IB16_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
466			C157	When visiting a new place, how often did your baby get excited about exploring new surroundings?	IB21_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
467			C158	How often during the last week did the baby smile or laugh when given a toy?	IB22_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
468			C159	When hair was washed, how often did the baby make a noise (vocalisation) excluding crying?	IB27_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
469			C160	How often did your baby notice the sound of loud noise, for example, sound of a train, plane, or truck passing?	IB28_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
470			C161	How often did your baby make talking sounds when riding in a car?	IB37_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
471			C162	When placed in an infant seat or car seat, how often did the baby squirm and turn their body?	IB38_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
472		Expectation about baby's development	C163	How well is your baby meeting your expectations for his/her motor development?	EX1_M9CM	1	Does not meet my expectations at all	Raw		382	5.58%
						2	Meets my expectations somewhat			.	
						3	Meets my expectations			.	
						4	Exceeds my expectations			.	
						98	RF			.	
						99	DK			.	
473			C164	How well is your baby meeting your expectations for his/her social development?	EX2_M9CM	1	Does not meet my expectations at all	Raw		382	5.58%
						2	Meets my expectations somewhat			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						3	Meets my expectations			.	
						4	Exceeds my expectations			.	
						98	RF			.	
						99	DK			.	
474			C165	How well is your baby meeting your expectations for his/her language development?	EX3_M9CM	1	Does not meet my expectations at all	Raw		382	5.58%
						2	Meets my expectations somewhat			.	
						3	Meets my expectations			.	
						4	Exceeds my expectations			.	
						98	RF			.	
						99	DK			.	
475		Things that baby enjoys doing	C166	How often during the last week did the baby enjoy being read to?	IB6_M9CM	1	Does not apply	Raw	For C166-C177, please refer to External Data Release 2017 Reference and Process User Guide.	382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
476			C167	How often during the last week did the baby play with one toy or object for 5–10 minutes?	IB7_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						99	DK			.	
477			C168	In the last week, while being fed, how often did the baby seem eager to get away as soon as the feeding was over?	IB12_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
478			C169	When singing or talking to your baby, how often did he/she soothe immediately?	IB13_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
479			C170	How often during the last week did the baby enjoy hearing the sound of words, as in nursery rhymes?	IB19_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
480			C171	How often during the last week did the baby look at pictures in books and/or magazines for 5 minutes or longer at a time?	IB20_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
481			C172	When being held, in the last week, did your baby seem to enjoy him/her self?	IB25_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
482			C173	When showing the baby something to look at, how often did he/she soothe immediately?	IB26_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
483			C174	How often during the last week did the baby enjoy gentle rhythmic activities, such as rocking or swaying?	IB31_M9CM	1	Does not apply	Raw		382	5.58%

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
484			C175	How often during the last week did the baby stare at a mobile, cot bumper or picture for 5 minutes or longer?	IB32_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
485			C176	When rocked or hugged, in the last week, did your baby seem to enjoy him/her self?	IB35_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
486			C177	When patting or gently rubbing some part of the baby's body, how often did he/she soothe immediately?	IB36_M9CM	1	Does not apply	Raw		382	5.58%
						2	Never			.	
						3	Very rarely			.	

No.	Research domain	Subdomain	Questionnaire number	Question	Variable name	Formatted data values	Value labels	Variable type	Notes	Missing n	Missing % *
						4	Less than half the time			.	
						5	About half the time			.	
						6	More than half the time			.	
						7	Almost always			.	
						8	Always			.	
						98	RF			.	
						99	DK			.	
487				Child's age at 9 month data collection	AGE_M9CM			Derived	Age in weeks	383	5.59%
488				Were the 6-week, 3-month and 5-month immunisations all given?	VAC_ALL6_NUM_NIR1			Derived	Participants were linked with National Immunisation Register data and then the information was derived.	179	2.61%
489				Were the 6-week, 3-month and 5-month immunisations all given on time?	VAC_ALL6_ONTIME_NIR1			Derived	Participants were linked with National Immunisation Register data and then the information was derived.	179	2.61%
490				Was child admitted to hospital due to respiratory infection?	RES_ADM_NMDS1	0	No	Derived	Please refer to External Data Release 2017 Reference and Process User Guide. Derived from National Minimum Dataset	475	6.94%
						1	Yes			.	
						98	Seen at hospital for respiratory infection but not admitted			.	
491				How many days did child stay in hospital due to respiratory infection?	RES_LOS_NMDS1	9	9+	Derived and re-categorised	Please refer to External Data Release 2017 Reference and Process User Guide. Derived from National Minimum Dataset. Categorise upper extreme at 9+	6463	94.39%
492				How many times was the child admitted to respiratory infection?	RES_RECUR_NMDS1	5	5+	Derived and re-categorised	Please refer to External Data Release 2017 Reference and Process User Guide. Categorise upper extreme at 5+	6463	94.39%

\* The percentage missing is calculated as follows: (number of missing responses to a particular item)/ (number of participants who answered at least one item within the questionnaire).