



2-Year Data Collection Wave:
Child Proxy by Mother (DCW2C) Data Dictionary
12APR2021 12:40:25

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|------------------------|----------------------|---|---------------|-----------------------|--------------|--------------------|--|-----------|-------------|
| 1 | | | | Child ID | IDN_CHILD | | | Identification key | Randomly generated child ID. Allows linking to other datasets | 0 | 0% |
| 2 | | | | Mother ID (Linkable to other datasets) | IDN_M16CM | | | Identification key | Randomly generated mother ID at 16 month interview. Allows linking to other datasets | 60 | 0.9% |
| 3 | Health & Well-being | Complications for baby | BC1 | How was Child after birth, did he/she have any of the following problems: no problems? | NBC1_1_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 4 | | | | How was Child after birth, did he/she have any of the following problems: delay in breathing at birth? | NBC1_2_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 5 | | | | How was Child after birth, did he/she have any of the following problems: breathing difficulties or distress in the first week? | NBC1_3_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 6 | | | | How was Child after birth, did he/she have any of the following problems: meconium or meconium aspiration? | NBC1_4_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 7 | | | | How was Child after birth, did he/she have any of the following problems: jaundice requiring hospital treatment (e.g. lights)? | NBC1_5_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 8 | | | | How was Child after birth, did he/she have any of the following problems: infection or suspected infection? | NBC1_6_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 9 | | | | How was Child after birth, did he/she have any of the following problems: hypoglycaemia? | NBC1_7_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 10 | | | | How was Child after birth, did he/she have any of the following problems: other specified: | NBC1_97_M16CM | 0 | No | Raw | | 86 | 1.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 11 | | | BC2 | Did Child need any help with his/her breathing from a ventilator? Not just a 'head box' for oxygen | BC2_M16CM | 1 | Yes | Raw | | 6392 | 96.12% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 12 | | | BC2a | What sort of ventilator was used? CPAP | NBC2A_1_M16CM | 0 | No | Raw | | 6485 | 97.52% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------------|-----------|----------------------|---|-----------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| 13 | | | | What sort of ventilator was used? Full ventilation(IPPV) | NBC2A_2_M16CM | 0 | No | Raw | | 6485 | 97.52% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 14 | | | BC3 | Did Child have to go into a Neonatal Intensive Care Unit or Special Care Nursery after he/she was born? | BC3_M16CM | 1 | Yes | Raw | | 5730 | 86.17% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 15 | | | BC3a | How long did he/she stay there for? | BC3A_M16CM | 1 | Days | Raw | | 6128 | 92.15% |
| | | | | | | 2 | Weeks | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 16 | | | | How long did he/she stay there for: Days? | BC3ADAYS_M16CM | | | Raw | | 6296 | 94.68% |
| 17 | | | | How long did he/she stay there for: Weeks? | BC3AWEEKS_M16CM | | | Raw | | 6483 | 97.49% |
| 18 | Background (child's name) | The child | C1 | Does Child walk across the room without help? | C1_M16CM | 1 | Not Yet | Raw | | 60 | 0.9% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Always | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 19 | | | C1a | Could you tell me what age child was when he/she took their first few wobbly steps? | C1A_M16CM | 1 | Age in Months | Raw | | 429 | 6.45% |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 20 | | | | Could you tell me what age child was when he/she took their first few wobbly steps : in months? | C1AAGE_M16CM | | | Raw | | 456 | 6.86% |
| 21 | | | C2 | Does Child walk for at least three steps, which can be wobbly without help? | C2_M16CM | 1 | Not Yet | Raw | | 6282 | 94.47% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|----------------------------|----------------------|---|---------------|-----------------------|-----------------|--------------------|--|-----------|-------------|
| 22 | | | C2a | At what age did this first happen? | C2A_M16CM | 1 | Age in Months | Raw | | 6563 | 98.69% |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 23 | | | | At what age did this first happen :in months? | C2AAGE_M16CM | | | Raw | | 6564 | 98.71% |
| 24 | | | C3 | Does child walk across the room with help (using furniture or with the hand held)? | C3_M16CM | 1 | Not Yet | Raw | | 6369 | 95.77% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 25 | | | C4 | Approximately how old was child when he/she said his/her first word? | C4_M16CM | 1 | Age in Months | Raw | | 60 | 0.9% |
| | | | | | | 2 | Not talking yet | | | . | |
| | | | | | | 98 | Refused | | | . | |
| | | | | | | 99 | Don't Know | | | . | |
| 26 | | | | Approximately how old was child when he/she said his/her first word : in months? | C4AGE_M16CM | | | Raw | | 1045 | 15.71% |
| 27 | | | C4a | Child first word? | | | | | Free Text | . | |
| 28 | | | C5 | Could you tell me two of Child's favourite foods: First favourite food? | | | | | Indicator variable affiliated to free text data | . | |
| 29 | | | | Could you tell me two of Child's favourite foods: Second favourite food? | | | | | Indicator variable affiliated to free text data | . | |
| 30 | | | | First favourite food name | | | | | Free Text | . | |
| 31 | | | | Second favourite food name | | | | | Free Text | . | |
| 32 | | | | Mother ID (Linkable to other datasets) | IDN_M23CM | | | Identification key | Randomly generated mother ID at 23 month interview. Allows linking to other datasets | 100 | 1.5% |
| 33 | | Your child's eating habits | C2 | Thinking about CHILD's main meal of the day, how often is [HIS/HER] main meal the same as the main meal that you eat? | EAH1_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Almost Always | | | . | |
| | | | | | | 3 | Sometimes | | | . | |
| | | | | | | 4 | Almost Never | | | . | |
| | | | | | | 5 | Never | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 96 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 34 | | | C4 | Thinking about CHILD, in your opinion does [HE/SHE] regularly do any of the following : Not eat enough food? | EAH2_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Never | | | . | |
| | | | | | | 88 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 35 | | | C5 | Thinking about CHILD, in your opinion does [HE/SHE] regularly do any of the following : Refuses to eat the right food? | EAH3_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Never | | | . | |
| | | | | | | 88 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 36 | | | C6 | Thinking about CHILD, in your opinion does [HE/SHE] regularly do any of the following : Is choosy with food? | EAH4_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Never | | | . | |
| | | | | | | 88 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 37 | | | C7 | Thinking about CHILD, in your opinion does [HE/SHE] regularly do any of the following : Over-eats? | EAH5_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Never | | | . | |
| | | | | | | 88 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 38 | | | C8 | Thinking about CHILD, in your opinion does [HE/SHE] regularly do any of the following : Is difficult to get into an eating routine? | EAH6_M23CM | 1 | Always | Raw | | 100 | 1.5% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Never | | | . | |
| | | | | | | 88 | Not Applicable | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------------------------|---------------------------|----------------------|---|---------------|-----------------------|---------------------------|--------------------|---|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 39 | | | C9 | Overall, how happy would you say you are with CHILD's eating behaviour? | EAH7_M23CM | 1 | Very Happy | Raw | | 100 | 1.5% |
| | | | | | | 2 | Happy | | | . | |
| | | | | | | 3 | Neither Happy Nor Unhappy | | | . | |
| | | | | | | 4 | Unhappy | | | . | |
| | | | | | | 5 | Very Unhappy | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 40 | | | C10 | At our last phone call, we asked you to name two of CHILD's favourite foods. Now that CHILD is nearly two, we're wondering what [HIS/HER] favourite foods are now: Food 1 | | | | | Free Text | . | |
| 41 | | | | At our last phone call, we asked you to name two of CHILD's favourite foods. Now that CHILD is nearly two, we're wondering what [HIS/HER] favourite foods are now: Food 2 | | | | | Free Text | . | |
| 42 | | | | Mother ID (Linkable to other datasets) | IDN_Y2CM | | | Identification key | Randomly generated mother ID at 24 month interview. Allows linking to other datasets | 329 | 4.95% |
| 43 | | | | Interview date | AGE_Y2CM | | | Derived | Values derived from interview date (Interview_Date_Y2CM) and date of birth (CDOB_PDL) and converted to months | 329 | 4.95% |
| 44 | Psychological & Cognitive development | Parent-child relationship | C7 | During the PAST FOUR WEEKS how often did you: let [him/her] know you really care about [him/her]? | CWH1_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 45 | | | C8 | During the PAST FOUR WEEKS how often did you: get angry at [him/her]? | CWH2_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|-----------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 46 | | | C9 | During the PAST FOUR WEEKS how often did you: criticise [his/her] ideas? | CWH3_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 47 | | | C10 | During the PAST FOUR WEEKS how often did you: shout at [him/her] because you were upset with [him/her]? | CWH4_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 48 | | | C11 | During the PAST FOUR WEEKS how often did you: act lovingly and affectionately towards [him/her]? | CWH5_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|-----------------|---------------|-------|-----------|-------------|
| 49 | | | C12 | During the PAST FOUR WEEKS how often did you: let [him/her] know that you appreciate the things [he/she] does? | CWH6_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 50 | | | C13 | During the PAST FOUR WEEKS how often did you: help [him/her] do something that was important to [her/him]? | CWH7_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 51 | | | C14 | During the PAST FOUR WEEKS how often did you: argue with [him/her] when you disagree about something? | CWH8_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 52 | | | C15 | During the PAST FOUR WEEKS how often did you: act supportively and understandingly towards [him/her]? | CWH9_Y2CM | 1 | Never | Raw | | 331 | 4.98% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|--------------------|---------------------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 53 | Culture & Identity | Toddler's behaviour | C17 | On the basis of the child's behaviour over the last six months: considerate of other people's feelings? | SDQ1_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 54 | | | C18 | On the basis of the child's behaviour over the last six months: restless, overactive, cannot stay still for long? | SDQ2_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 55 | | | C19 | On the basis of the child's behaviour over the last six months: often complains of headaches, stomach-aches, or sickness? | SDQ3_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 56 | | | C20 | On the basis of the child's behaviour over the last six months: shares readily with other children (treats, toys, pencils, etc.)? | SDQ4_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 57 | | | C21 | On the basis of the child's behaviour over the last six months: often has temper tantrums or hot tempers? | SDQ5_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 58 | | | C22 | On the basis of the child's behaviour over the last six months: rather solitary, tends to play alone? | SDQ6_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 59 | | | C23 | On the basis of the child's behaviour over the last six months: generally obedient, usually does what adults request? | SDQ7_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 60 | | | C24 | On the basis of the child's behaviour over the last six months: many worries, often seems worried? | SDQ8_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 61 | | | C25 | On the basis of the child's behaviour over the last six months: helpful if someone is hurt, upset or feeling ill? | SDQ9_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 62 | | | C26 | On the basis of the child's behaviour over the last six months: constantly fidgeting or squirming? | SDQ10_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 63 | | | C27 | On the basis of the child's behaviour over the last six months: has at least one good friend? | SDQ11_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 64 | | | C28 | On the basis of the child's behaviour over the last six months: often fights with other children or bullies them? | SDQ12_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 65 | | | C29 | On the basis of the child's behaviour over the last six months: often unhappy, down-hearted or tearful? | SDQ13_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 66 | | | C30 | On the basis of the child's behaviour over the last six months: generally liked by other children? | SDQ14_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 67 | | | C31 | On the basis of the child's behaviour over the last six months: easily distracted, concentration wanders? | SDQ15_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 68 | | | C32 | On the basis of the child's behaviour over the last six months: nervous or clingy in new situations, easily loses confidence? | SDQ16_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 69 | | | C33 | On the basis of the child's behaviour over the last six months: kind to younger children? | SDQ17_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 70 | | | C34 | On the basis of the child's behaviour over the last six months: often argumentative with adults? | SDQ18_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 71 | | | C35 | On the basis of the child's behaviour over the last six months: picked on or bullied by other children? | SDQ19_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 72 | | | C36 | On the basis of the child's behaviour over the last six months: often volunteers to help others (parents, teachers, other children)? | SDQ20_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 73 | | | C37 | On the basis of the child's behaviour over the last six months: can stop and think things out before acting? | SDQ21_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 74 | | | C38 | On the basis of the child's behaviour over the last six months: can be spiteful to others? | SDQ22_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 75 | | | C39 | On the basis of the child's behaviour over the last six months: gets on better with adults than with other children? | SDQ23_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 76 | | | C40 | On the basis of the child's behaviour over the last six months: many fears, easily scared? | SDQ24_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------------------------|---|----------------------|---|---------------|-----------------------|----------------------------------|---------------|---|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 77 | | | C41 | On the basis of the child's behaviour over the last six months: sees tasks through to the end, good attention span? | SDQ25_Y2CM | 1 | Not True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 78 | Psychological & Cognitive development | Parent report on child's early self concept | C43 | Uses [HIS/HER] own name | SC1_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | For C43-C80, please refer to External Data Release 2017 Reference and Process User Guide. | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 79 | | | C44 | Uses the word 'I' | SC2_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 80 | | | C45 | Knows whether [he/she] is a girl or a boy | SC3_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 81 | | | C46 | Uses the word 'me' | SC4_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 82 | | | C47 | Uses the word 'mine' | SC5_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 83 | | | C48 | Tries to feed you or other people | SC6_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 84 | | | C49 | Uses spoons or cups as they are meant to be used | SC7_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 85 | | | C50 | Treats dolls as babies or children, or stuffed animals as real | SC8_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 86 | | | C51 | Copies what you do | SC9_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 87 | | | C52 | Copies what other [boys/girls] do | SC10_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 88 | | | C53 | Plays imaginary games | SC11_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 89 | | | C54 | Pretends to be a mummy or daddy or plays at being an adult | SC12_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 90 | | | C55 | Becomes stubborn, wilful or determined, when not allowed to do something alone | SC13_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 91 | | | C56 | Resists physical intervention (e.g. dressing, kissing, picking up) | SC14_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 92 | | | C57 | Refuses your help by pushing away your hand or saying 'No' | SC15_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 93 | | | C58 | Likes to show off when others are around | SC16_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 94 | | | C59 | Resists your help by saying 'Do it myself' or something similar | SC17_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 95 | | | C60 | Insists on doing things [his/her] own way when different from yours in order to get something done | SC18_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 96 | | | C61 | Likes to decide on things for [himself/herself] | SC19_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 97 | | | C62 | Insists on wearing certain clothing | SC20_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 98 | | | C63 | Is upset, ashamed or sorry when [he/she] shows you [he/she] has done something bad | SC21_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 99 | | | C64 | Is upset, ashamed or sorry when you find [him/her] doing something [he/she] should not | SC22_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 100 | | | C65 | Calls your attention to things [he/she] did that [he/she] was not supposed to do | SC23_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 101 | | | C66 | Stops [himself/herself] from doing something [he/she] wanted to do because you were watching | SC24_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 102 | | | C67 | Stops [himself/herself] from doing things you have said may hurt | SC25_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 103 | | | C68 | Tries to hide something [he/she] was not supposed to do | SC26_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 104 | | | C69 | Waits for things [he/she] has been told to wait for | SC27_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 105 | | | C70 | Communicates likes and dislikes verbally or nonverbally | SC28_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 106 | | | C71 | Recognises [himself/herself] in pictures | SC29_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 107 | | | C72 | Recognises [his/her] reflection when [he/she] walks by a window | SC30_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 108 | | | C73 | Recognises [himself/herself] in the mirror | SC31_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 109 | | | C74 | Calls attention to things about [himself/herself], like hair or clothing | SC32_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 110 | | | C75 | Says 'I can't' | SC33_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 111 | | | C76 | Gets upset when [he/she] doesn't do something you expected | SC34_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|---------------------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 112 | | | C77 | Is embarrassed when unable to complete something | SC35_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 113 | | | C78 | Uses general evaluative judging, assessing terms about [himself/herself] (e.g. 'I'm a good boy'; 'I'm pretty') | SC36_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 114 | | | C79 | Calls attention to something [he/she] did (e.g. 'look what I did') | SC37_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 115 | | | C80 | Appears proud when winning a game | SC38_Y2CM | 1 | 1 Not At All Typical Of My Child | Raw | | 331 | 4.98% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 116 | Family & Whanau | Parenting practices | C82 | How often do you try to protect child from life's difficulties? | OP1_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 117 | | | C83 | How often do you put child’s needs and wants before your own? | OP2_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 118 | | | C84 | How often does leaving child with other people upset you no matter how well you know them? | OP3_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 119 | | | C85 | How often do you let child take a risk if there is no major threat to [his/her] safety? | OP4_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 120 | | | C87 | How often do you do the following when Child is naughty: ignore [him/her]? | DSC1_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 121 | | | C88 | How often do you do the following when Child is naughty: smack [him/her]? | DSC2_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 122 | | | C89 | How often do you do the following when Child is naughty: shout at [him/her]? | DSC3_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 123 | | | C90 | How often do you do the following when Child is naughty: send [him/her] to time out etc.? | DSC4_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 124 | | | C91 | How often do you do the following when Child is naughty: take away treats? | DSC5_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 125 | | | C92 | How often do you do the following when Child is naughty: tell [him/her] off? | DSC6_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 126 | | | C93 | How often do you do the following when Child is naughty: bribe [him/her] (e.g. with sweets/treats)? | DSC7_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|------------------------|----------------------|---|-------------------------|-----------------------|----------------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 127 | Health & Well-being | Personal health status | C95 | In general how would you say child's current health is? | CH1_Y2CM | 1 | Excellent | Raw | | 330 | 4.96% |
| | | | | | | 2 | Very good | | | . | |
| | | | | | | 3 | Good | | | . | |
| | | | | | | 4 | Fair | | | . | |
| | | | | | | 5 | Poor | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 128 | | | C97 | Does child seems to be more healthy than other children I know? | CH42_Y2CM | 1 | Definitely True | Raw | | 329 | 4.95% |
| | | | | | | 2 | Mostly True | | | . | |
| | | | | | | 3 | Neutral | | | . | |
| | | | | | | 4 | Mostly False | | | . | |
| | | | | | | 5 | Definitely False | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 129 | | | C98 | Do you think child is (weight related) | CW1_Y2CM | 1 | Very Underweight | Raw | | 330 | 4.96% |
| | | | | | | 2 | Somewhat Underweight | | | . | |
| | | | | | | 3 | Normal Weight | | | . | |
| | | | | | | 4 | Somewhat Overweight | | | . | |
| | | | | | | 5 | Very Overweight | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 130 | Health & Well-being | Gp visits | C100 | In the past 12 months, how many times has child seen a GP or family doctor? | GP1_Y2CM | 1 | Number Of Visits | Raw | | 330 | 4.96% |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 131 | | | | Number of visits: child seen a GP or family doctor | GP1_NUMBEROFVISITS_Y2CM | | | Raw | | 373 | 5.61% |
| 132 | | | C101 | When child is sick and goes to the doctor, how often do you see [his/her] regular doctor? | GP2_Y2CM | 1 | Always | Raw | | 329 | 4.95% |
| | | | | | | 2 | Almost Always | | | . | |
| | | | | | | 3 | A Lot Of The Time | | | . | |
| | | | | | | 4 | Some Of The Time | | | . | |
| | | | | | | 5 | Almost Never | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|-------------------|---------------|-------|-----------|-------------|
| | | | | | | 6 | Never | | | . | |
| | | | | | | 7 | No Regular GP | | | . | |
| | | | | | | 88 | Not applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 133 | | | C102 | How long has it been since child last went to the GP or GP practice where you most often take [him/her]? | GP3_Y2CM | 1 | 3 Months Or Less | Raw | | 600 | 9.02% |
| | | | | | | 2 | 4–12 Months | | | . | |
| | | | | | | 3 | 12+ Months | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 134 | | | C103 | In the last 12 months, has there been any time when child needed to see a GP or family doctor about [his/her] health, but didn't get to see any doctor at all? | GP4_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 135 | | | C104 | How many times has this happened in the past 12 months? | GP5_Y2CM | 1 | 1 Time | Raw | | 6323 | 95.08% |
| | | | | | | 2 | 2 Times | | | . | |
| | | | | | | 3 | 3–5 Times | | | . | |
| | | | | | | 4 | More Than 5 Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 136 | | | C105 | What was the reason [he/she] wasn't able to see a GP: costs too much? | NGP6_1_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 137 | | | | What was the reason [he/she] wasn't able to see a GP: had no transport to get there? | NGP6_2_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 138 | | | | What was the reason [he/she] wasn't able to see a GP: lack of childcare? | NGP6_3_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 139 | | | | What was the reason [he/she] wasn't able to see a GP: couldn't get appointment soon enough/at a suitable time? | NGP6_4_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 140 | | | | What was the reason [he/she] wasn't able to see a GP: it was after hours? | NGP6_5_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 141 | | | | What was the reason [he/she] wasn't able to see a GP: couldn't get in touch with the doctor? | NGP6_6_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 142 | | | | What was the reason [he/she] wasn't able to see a GP: couldn't spare the time? | NGP6_7_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 143 | | | | What was the reason [he/she] wasn't able to see a GP: other? | NGP6_97_Y2CM | 0 | No | Raw | | 6323 | 95.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 144 | | Illnesses | C107 | Since child was nine months old, how many times has [he/she] had chest infections, bronchiolitis, bronchitis, pneumonia, or croup? | CH14_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 145 | | | C108 | How many of those times did child see a doctor because of chest infections, bronchiolitis, bronchitis, pneumonia, or croup? | CH16_Y2CM | 1 | Never | Raw | | 4155 | 62.48% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 146 | | | C109 | How many times since child was nine months old, has [he/she] been admitted to hospital because of a chest infection, bronchiolitis, bronchitis, pneumonia, or croup? | CH17_Y2CM | 1 | Number Of Admissions | Raw | | 4155 | 62.48% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 147 | | | | Number of admissions: to hospital because of a chest infection, bronchiolitis, bronchitis, pneumonia, or croup | CH17_NUMBEROFA DMISSIONS_Y2CM | | | Raw | | 4157 | 62.51% |
| 148 | | | C110 | Has child ever had a cough that has lasted for more than four weeks? | CGH1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 149 | | | C111 | Has child had a cough over the past month? | CGH2_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 150 | | | C112 | Is/was the cough present? | CGH3_Y2CM | 1 | Every Day | Raw | | 4350 | 65.41% |
| | | | | | | 2 | Several Days A Week | | | . | |
| | | | | | | 3 | Less Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 151 | | | C113 | Over the past month which of the following best describes [his/her] cough during the day? | CGH5_Y2CM | 1 | No Cough During the Day | Raw | | 4350 | 65.41% |
| | | | | | | 2 | Cough For One Or Two Short Periods Only | | | . | |
| | | | | | | 3 | Cough For More Than Two Short Periods | | | . | |
| | | | | | | 4 | Frequent Coughing But Does Not Interfere With Pre-School/Daycare Or Other Activities | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 5 | Frequent Coughing Which Interferes With Pre-School/Daycare Or Other Activities | | | . | |
| | | | | | | 6 | Cannot Perform Most Usual Activities Due To Severe Coughing | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 152 | | | C114 | Over the past month which of the following best describes [his/her] cough during the night? | CGH8_Y2CM | 1 | No Cough At Night | Raw | | 4350 | 65.41% |
| | | | | | | 2 | Cough On Waking Only | | | . | |
| | | | | | | 3 | Cough On Going To Sleep Only | | | . | |
| | | | | | | 4 | Awoken Once Or Awoken Early Due To Coughing | | | . | |
| | | | | | | 5 | Frequent Waking Due To Coughing | | | . | |
| | | | | | | 6 | Frequent Coughs Most Of The Night | | | . | |
| | | | | | | 7 | Distressing Cough | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 153 | | | C115 | Is/was [his/her] cough? | CGH7_Y2CM | 1 | A Dry Cough | Raw | | 4350 | 65.41% |
| | | | | | | 2 | A Wet Cough | | | . | |
| | | | | | | 3 | Sometimes A Dry Cough And Sometimes A Wet Cough | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 154 | | | C116 | Has child had wheezing in the chest since [he/she] was nine months old? | WZ1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 155 | | | C117 | How many attacks of wheezing in the chest did child have since [he/she] was nine months old? | WZ2_Y2CM | 1 | Less Than 3 Episodes | Raw | | 4689 | 70.51% |
| | | | | | | 2 | 3–6 Episodes | | | . | |
| | | | | | | 3 | 6+ Episodes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--|---------------|-------|-----------|-------------|
| 156 | | | C118 | Is child wheezing now? | WZ3_Y2CM | 1 | Yes | Raw | | 4689 | 70.51% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 157 | | | C119 | At what age did child first have an episode of wheezing in the chest? | WZ4_Y2CM | 1 | Age (Months) | Raw | | 4689 | 70.51% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 158 | | | | Age in months: child first have an episode of wheezing in the chest | WZ4_AGEMONTHS_Y2CM | | | Raw | | 4797 | 72.14% |
| 159 | | | C120 | Since child was nine months old, how many times have you woken up during the night because [he/she] had a wheezing chest? | WZ5_Y2CM | 1 | Never | Raw | | 4689 | 70.51% |
| | | | | | | 2 | Rarely (Less Than Once Per Month) | | | . | |
| | | | | | | 3 | Sometimes (Some Weeks Of Some Months) | | | . | |
| | | | | | | 4 | Frequently (2 Or More Nights Per Week, Almost Every Month) | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 160 | | | C121 | Since child was nine months old, has the wheezing in [his/her] chest caused you to seek emergency services, such as hospital, accident and medical centre, or a GP? | WZ6_Y2CM | 1 | Yes | Raw | | 4689 | 70.51% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 161 | | | C123 | Has your doctor ever told you child has asthma? | AST1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 162 | | | C124 | Which of these treatments has child had for [his/her] asthma: no treatment? | NAST2_1_Y2CM | 0 | No | Raw | | 5927 | 89.13% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 163 | | | | Which of these treatments has child had for [his/her] asthma: medicines, pills, or inhaler/ turbuhaler/ rotahaler/ diskhaler? | NAST2_2_Y2CM | 0 | No | Raw | | 5927 | 89.13% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 164 | | | | Which of these treatments has child had for [his/her] asthma: other? | NAST2_97_Y2CM | 0 | No | Raw | | 5927 | 89.13% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 165 | | | C125 | Which of these types of medicine has child had for [his/her] asthma: relievers or bronchodilators? | NAST3_1_Y2CM | 0 | No | Raw | | 5946 | 89.41% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 166 | | | | Which of these types of medicine has child had for [his/her] asthma: preventers or inhaled steroids? | NAST3_2_Y2CM | 0 | No | Raw | | 5946 | 89.41% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 167 | | | | Which of these types of medicine has child had for [his/her] asthma: oral prednisone/ prednisolone/ redipred? | NAST3_3_Y2CM | 0 | No | Raw | | 5946 | 89.41% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 168 | | | | Which of these types of medicine has child had for [his/her] asthma: other? | NAST3_97_Y2CM | 0 | No | Raw | | 5946 | 89.41% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 169 | | | C126 | Which of these relievers or bronchodilators has child had for [his/her] asthma: Salapin? | NAST4_1_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|------------------|---------------|-------|-----------|-------------|
| 170 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: Salbutamol or Ventolin syrup? | NAST4_2_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 171 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: Ventolin or Respogen or Salbutamol inhaler? | NAST4_3_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 172 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: Ventolin or Respogen or Salbutamol rotahaler? | NAST4_4_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 173 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: Ventolin or Asthalin nebulizer? | NAST4_5_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 174 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: other nebulizer? | NAST4_6_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 175 | | | | Which of these relievers or bronchodilators has child had for [his/her] asthma: other? | NAST4_97_Y2CM | 0 | No | Raw | | 6200 | 93.23% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 176 | | | C127 | How often does child use a spacer with [his/her] reliever or bronchodilator inhaler? | AST5_Y2CM | 1 | Always | Raw | | 6317 | 94.99% |
| | | | | | | 2 | Almost Always | | | . | |
| | | | | | | 3 | Most of the Time | | | . | |
| | | | | | | 4 | Some of the Time | | | . | |
| | | | | | | 5 | Almost Never | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---|---------------|-------|-----------|-------------|
| | | | | | | 6 | Never | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 177 | | | C128 | How often does child use relievers or bronchodilators? | AST6_Y2CM | 1 | Once Or More A Day | Raw | | 6206 | 93.32% |
| | | | | | | 2 | Once Or More A Week, But Less Than Once A Day | | | . | |
| | | | | | | 3 | Once Or More A Month, But Less Than Once A Week | | | . | |
| | | | | | | 4 | Less Than Once A Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 178 | | | C130 | Which of these preventers or inhaled steroids has child had for [his/her] asthma: Beclomethasone or Beclozone or Qvar inhaler? | NAST7_1_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 179 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: Budesonide or Entocort or Pulmicort inhaler? | NAST7_2_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 180 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: Budesonide or Entocort or Pulmicort turbuhaler? | NAST7_3_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 181 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: Flixotide inhaler? | NAST7_4_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 182 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: Flixotide diskhaler? | NAST7_5_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--|-----------------------|---|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 183 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: nebulizer? | NAST7_6_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 184 | | | | Which of these preventers or inhaled steroids has child had for [his/her] asthma: other? | NAST7_97_Y2CM | 0 | No | Raw | | 6287 | 94.54% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 185 | | | C131 | How often does child use a spacer with [his/her] preventer inhaler? | AST8_Y2CM | 1 | Always | Raw | | 6393 | 96.14% |
| | | | | | | 2 | Almost Always | | | . | |
| | | | | | | 3 | Most of the Time | | | . | |
| | | | | | | 4 | Some of the Time | | | . | |
| | | | | | | 5 | Almost Never | | | . | |
| | | | | | | 6 | Never | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 186 | | | C132 | How often does child use preventers/inhaled steroids? | AST9_Y2CM | 1 | Once Or More A Day | Raw | | 6292 | 94.62% |
| | | | | | | 2 | Once Or More A Week, But Less Than Once A Day | | | . | |
| | | | | | | 3 | Once Or More A Month, But Less Than Once A Week | | | . | |
| | | | | | | 4 | Less Than Once A Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 187 | | | C134 | How many courses of oral prednisone, prednisolone, or redipred has child had prescribed? | AST10_Y2CM | 1 | Number of Courses prescribed | Raw | | 6366 | 95.73% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 188 | | | | Number of courses prescribed: oral prednisone, prednisolone, or redipred | AST10_NOOFCOUR SESPRESCRIBED_Y 2CM | | | Raw | | 6376 | 95.88% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|----------------------------------|-----------------------|---|---------------|-------|-----------|-------------|
| 189 | | | C135 | On average, how many days has [this course/these courses] lasted for | AST10A_Y2CM | 1 | Number of Days Course Lasts | Raw | | 6366 | 95.73% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 190 | | | | Number of days course lasts | AST10A_NOOFDAY SCOURSELASTS_Y2CM | | | Raw | | 6379 | 95.92% |
| 191 | | | C137 | How often does child use this (other) medication? | AST11_Y2CM | 1 | Once Or More A Day | Raw | | 6638 | 99.82% |
| | | | | | | 2 | Once Or More A Week, But Less Than Once A Day | | | . | |
| | | | | | | 3 | Once Or More A Month, But Less Than Once A Week | | | . | |
| | | | | | | 4 | Less Than Once A Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 192 | | | C139 | Since child was nine months old, has [he/she] had an itchy rash which was coming and going for six months? | ECZ1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 193 | | | C140 | Has this itchy rash at any time affected any of the following places: the folds of the elbows, behind the knees, in front of the ankles, under the buttocks, or around the neck, ears, or eyes? | ECZ2_Y2CM | 1 | Yes | Raw | | 5248 | 78.92% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 194 | | | C141 | At what age did this itchy rash first occur? | ECZ3_Y2CM | 1 | 0-12 Months | Raw | | 5248 | 78.92% |
| | | | | | | 2 | 1 Year Or Older | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 195 | | | C142 | Has this rash cleared completely at any time since child was nine months old? | ECZ4_Y2CM | 1 | Yes | Raw | | 5248 | 78.92% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|------------------------------|---------------|-------|-----------|-------------|
| 196 | | | C143 | Since child was nine months old, how often, on average, has [he/she] been kept awake at night by this itchy rash? | ECZ5_Y2CM | 1 | Never | Raw | | 5248 | 78.92% |
| | | | | | | 2 | Less Than One Night Per Week | | | . | |
| | | | | | | 3 | One Or More Nights Per Week | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 197 | | | C144 | Since child was nine months old, has a doctor told you [he/she] has eczema? | ECZ6_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 198 | | | C145 | Which of these treatments has child had (for eczema): aqueous cream or moisturiser? | NECZ7_1_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 199 | | | | Which of these treatments has child had (for eczema): steroid cream? | NECZ7_2_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 200 | | | | Which of these treatments has child had (for eczema): steroid medicine? | NECZ7_3_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 201 | | | | Which of these treatments has child had (for eczema): non-steroid medicine? | NECZ7_4_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 202 | | | | Which of these treatments has child had (for eczema): oral antihistamine medication? | NECZ7_5_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------------|-----------------------|----------------------|---------------|-------|-----------|-------------|
| 203 | | | | Which of these treatments has child had (for eczema): natural, homoeopathic or herbal treatment? | NECZ7_6_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 204 | | | | Which of these treatments has child had (for eczema): other? | NECZ7_97_Y2CM | 0 | No | Raw | | 4999 | 75.17% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 205 | | | C147 | Since child was nine months old, how many times has [he/she] had an ear infection? | CH10_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 206 | | | C148 | How many of those times did child see a doctor because of this ear infection? | CH11_Y2CM | 1 | Never | Raw | | 3658 | 55.01% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 207 | | | C149 | How many times since child was nine months old has [he/she] been admitted to hospital because of an ear infection? | CH12_Y2CM | 1 | Number of Admissions | Raw | | 3658 | 55.01% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 208 | | | | Number of admissions: to hospital because of an ear infection | CH12_NUMBEROFA DMISSIONS_Y2CM | | | Raw | | 3658 | 55.01% |
| 209 | | | C150 | At what age did child have [his/her] first ear infection? | CH13_Y2CM | 1 | Months | Raw | | 3658 | 55.01% |
| | | | | | | 2 | Weeks | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------------|-----------------------|----------------------|---------------|-------|-----------|-------------|
| 210 | | | | Number of months: child have [his/her] first ear infection | CH13_MONTHS_Y2CM | | | Raw | | 3977 | 59.8% |
| 211 | | | | Number of weeks: child have [his/her] first ear infection | CH13_WEEKS_Y2CM | | | Raw | | 6629 | 99.68% |
| 212 | | | C151 | Has child ever had a grommets inserted? | CH45_Y2CM | 1 | Yes | Raw | | 3658 | 55.01% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 213 | | | C152 | How many times has [he/she] had a grommets inserted? | CH46_Y2CM | 1 | Once | Raw | | 6393 | 96.14% |
| | | | | | | 2 | More Than Once | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 214 | | | C153 | How many times since child was nine months old, has [he/she] had gastroenteritis? | CH22_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 215 | | | C154 | How many of those times did child see a doctor because of this gastroenteritis? | CH23_Y2CM | 1 | Never | Raw | | 3918 | 58.92% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 216 | | | C155 | How many times since child was nine months old, has [he/she] been admitted to hospital because of gastroenteritis? | CH24_Y2CM | 1 | Number Of Admissions | Raw | | 3918 | 58.92% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 217 | | | | Number of admissions: to hospital because of gastroenteritis | CH24_NUMBEROFA DMISSIONS_Y2CM | | | Raw | | 3919 | 58.93% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|----------------------------------|-----------------------|----------------------|---------------|-------|-----------|-------------|
| 218 | | | C156 | How many times since child was nine months old, has [he/she] had a skin infection? | CH25_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 219 | | | C157 | How many of those times did child see a doctor because of this skin infection? | CH26_Y2CM | 1 | Never | Raw | | 5784 | 86.98% |
| | | | | | | 2 | 1–3 Times | | | . | |
| | | | | | | 3 | 4–6 Times | | | . | |
| | | | | | | 4 | 7–9 Times | | | . | |
| | | | | | | 5 | 10+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 220 | | | C158 | Since child was nine months old, how many times has [he/she] been admitted to hospital because of a skin infection? | CH27_Y2CM | 1 | Number Of Admissions | Raw | | 5784 | 86.98% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 221 | | | | Number of admissions: to hospital because of a skin infection | CH27_NUMBEROFA DMISSIONS_Y2CM | | | Raw | | 5784 | 86.98% |
| 222 | | | C160 | Has child ever had: measles including german measles? | CH50_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 223 | | | C161 | Has child ever had: chickenpox? | CH51_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 224 | | | C162 | Has child ever had: mumps? | CH52_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 225 | | | C163 | Has child ever had: meningitis? | CH53_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 226 | | | C164 | Has child ever had: whooping cough or pertussis? | CH54_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 227 | | | C165 | Has child ever had: hepatitis B? | CH55_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 228 | | | C166 | Has your doctor ever told you child has an allergy lasting six months or more? | CH56_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 229 | | | C167 | Could you tell me what [child] is allergic to: dairy? | NCH57_1_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 230 | | | | Could you tell me what [child] is allergic to: soy? | NCH57_2_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 231 | | | | Could you tell me what [child] is allergic to: gluten? | NCH57_3_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 232 | | | | Could you tell me what [child] is allergic to: wheat (apart from gluten)? | NCH57_4_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 233 | | | | Could you tell me what [child] is allergic to: egg? | NCH57_5_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 234 | | | | Could you tell me what [child] is allergic to: peanuts? | NCH57_6_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 235 | | | | Could you tell me what [child] is allergic to: other nut (apart from peanuts)? | NCH57_7_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 236 | | | | Could you tell me what [child] is allergic to: house dust mite? | NCH57_8_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 237 | | | | Could you tell me what [child] is allergic to: cat? | NCH57_9_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 238 | | | | Could you tell me what [child] is allergic to: grass? | NCH57_10_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 239 | | | | Could you tell me what [child] is allergic to: fruits and vegetables? | NCH57_16_Y2CM | 0 | No | Raw | "Other specified" text responses have been translated into a new numeric variable | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 240 | | | | Could you tell me what [child] is allergic to: antibiotics? | NCH57_17_Y2CM | 0 | No | Raw | "Other specified" text responses have been translated into a new numeric variable | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 241 | | | | Could you tell me what [child] is allergic to: other 1? | NCH57_OTH1_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 242 | | | | Could you tell me what [child] is allergic to: other 2? | NCH57_OTH2_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 243 | | | | Could you tell me what [child] is allergic to: other 3? | NCH57_OTH3_Y2CM | 0 | No | Raw | | 5999 | 90.21% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 244 | | | C168 | Could you tell me how that allergy to 'dairy' is being treated: no treatment? | NCH57_1_1_Y2CM | 0 | No | Raw | | 6424 | 96.6% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 245 | | | | Could you tell me how that allergy to 'dairy' is being treated: medicines, pills, or inhaler? | NCH57_1_2_Y2CM | 0 | No | Raw | | 6424 | 96.6% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 246 | | | | Could you tell me how that allergy to 'dairy' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_1_3_Y2CM | 0 | No | Raw | | 6424 | 96.6% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 247 | | | | Could you tell me how that allergy to 'dairy' is being treated: other treatment? | NCH57_1_97_Y2CM | 0 | No | Raw | | 6424 | 96.6% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 248 | | | C169 | Could you tell me how that allergy to 'soy' is being treated: no treatment? | NCH57_2_1_Y2CM | 0 | No | Raw | | 6602 | 99.28% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 249 | | | | Could you tell me how that allergy to 'soy' is being treated: medicines, pills, or inhaler? | NCH57_2_2_Y2CM | 0 | No | Raw | | 6602 | 99.28% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 250 | | | | Could you tell me how that allergy to 'soy' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_2_3_Y2CM | 0 | No | Raw | | 6602 | 99.28% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 251 | | | | Could you tell me how that allergy to 'soy' is being treated: other treatment? | NCH57_2_97_Y2CM | 0 | No | Raw | | 6602 | 99.28% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 252 | | | C170 | Could you tell me how that allergy to 'gluten' is being treated: no treatment? | NCH57_3_1_Y2CM | 0 | No | Raw | | 6621 | 99.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 253 | | | | Could you tell me how that allergy to 'gluten' is being treated: medicines, pills, or inhaler? | NCH57_3_2_Y2CM | 0 | No | Raw | | 6621 | 99.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 254 | | | | Could you tell me how that allergy to 'gluten' is being treated: avoiding the thing/things [child]is allergic to? | NCH57_3_3_Y2CM | 0 | No | Raw | | 6621 | 99.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 255 | | | | Could you tell me how that allergy to 'gluten' is being treated: other treatment? | NCH57_3_97_Y2CM | 0 | No | Raw | | 6621 | 99.56% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 256 | | | C171 | Could you tell me how that allergy to 'wheat' is being treated: no treatment? | NCH57_4_1_Y2CM | 0 | No | Raw | | 6600 | 99.25% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 257 | | | | Could you tell me how that allergy to 'wheat' is being treated: medicines, pills, or inhaler? | NCH57_4_2_Y2CM | 0 | No | Raw | | 6600 | 99.25% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 258 | | | | Could you tell me how that allergy to 'wheat' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_4_3_Y2CM | 0 | No | Raw | | 6600 | 99.25% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 259 | | | | Could you tell me how that allergy to 'wheat' is being treated: other treatment? | NCH57_4_97_Y2CM | 0 | No | Raw | | 6600 | 99.25% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 260 | | | C172 | Could you tell me how that allergy to 'egg' is being treated: no treatment? | NCH57_5_1_Y2CM | 0 | No | Raw | | 6422 | 96.57% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 261 | | | | Could you tell me how that allergy to 'egg' is being treated: medicines, pills, or inhaler? | NCH57_5_2_Y2CM | 0 | No | Raw | | 6422 | 96.57% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 262 | | | | Could you tell me how that allergy to 'egg' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_5_3_Y2CM | 0 | No | Raw | | 6422 | 96.57% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 263 | | | | Could you tell me how that allergy to 'egg' is being treated: other treatment? | NCH57_5_97_Y2CM | 0 | No | Raw | | 6422 | 96.57% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 264 | | | C173 | Could you tell me how that allergy to 'peanuts' is being treated: no treatment? | NCH57_6_1_Y2CM | 0 | No | Raw | | 6490 | 97.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 265 | | | | Could you tell me how that allergy to 'peanuts' is being treated: medicines, pills, or inhaler? | NCH57_6_2_Y2CM | 0 | No | Raw | | 6490 | 97.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 266 | | | | Could you tell me how that allergy to 'peanuts' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_6_3_Y2CM | 0 | No | Raw | | 6490 | 97.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 267 | | | | Could you tell me how that allergy to 'peanuts' is being treated: other treatment? | NCH57_6_97_Y2CM | 0 | No | Raw | | 6490 | 97.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 268 | | | C174 | Could you tell me how that allergy to 'other nut' is being treated: no treatment? | NCH57_7_1_Y2CM | 0 | No | Raw | | 6571 | 98.81% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 269 | | | | Could you tell me how that allergy to 'other nut' is being treated: medicines, pills, or inhaler? | NCH57_7_2_Y2CM | 0 | No | Raw | | 6571 | 98.81% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 270 | | | | Could you tell me how that allergy to 'other nut' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_7_3_Y2CM | 0 | No | Raw | | 6571 | 98.81% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 271 | | | | Could you tell me how that allergy to 'other nut' is being treated: other treatment? | NCH57_7_97_Y2CM | 0 | No | Raw | | 6571 | 98.81% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 272 | | | C175 | Could you tell me how that allergy to 'house dust mite' is being treated: no treatment? | NCH57_8_1_Y2CM | 0 | No | Raw | | 6556 | 98.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 273 | | | | Could you tell me how that allergy to 'house dust mite' is being treated: medicines, pills, or inhaler? | NCH57_8_2_Y2CM | 0 | No | Raw | | 6556 | 98.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 274 | | | | Could you tell me how that allergy to 'house dust mite' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_8_3_Y2CM | 0 | No | Raw | | 6556 | 98.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 275 | | | | Could you tell me how that allergy to 'house dust mite' is being treated: other treatment? | NCH57_8_97_Y2CM | 0 | No | Raw | | 6556 | 98.59% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 276 | | | C176 | Could you tell me how that allergy to 'cat' is being treated: no treatment? | NCH57_9_1_Y2CM | 0 | No | Raw | | 6615 | 99.47% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 277 | | | | Could you tell me how that allergy to 'cat' is being treated: medicines, pills, or inhaler? | NCH57_9_2_Y2CM | 0 | No | Raw | | 6615 | 99.47% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 278 | | | | Could you tell me how that allergy to 'cat' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_9_3_Y2CM | 0 | No | Raw | | 6615 | 99.47% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 279 | | | | Could you tell me how that allergy to 'cat' is being treated: other treatment? | NCH57_9_97_Y2CM | 0 | No | Raw | | 6615 | 99.47% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 280 | | | C177 | Could you tell me how that allergy to 'grass' is being treated: no treatment? | NCH57_10_1_Y2CM | 0 | No | Raw | | 6613 | 99.44% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 281 | | | | Could you tell me how that allergy to 'grass' is being treated: medicines, pills, or inhaler? | NCH57_10_2_Y2CM | 0 | No | Raw | | 6613 | 99.44% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 282 | | | | Could you tell me how that allergy to 'grass' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_10_3_Y2CM | 0 | No | Raw | | 6613 | 99.44% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 283 | | | | Could you tell me how that allergy to 'grass' is being treated: other treatment? | NCH57_10_97_Y2CM | 0 | No | Raw | | 6613 | 99.44% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 284 | | | C178 | Could you tell me how that allergy to 'other allergies 1' is being treated: no treatment? | NCH57_11_1_Y2CM | 0 | No | Raw | | 6536 | 98.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 285 | | | | Could you tell me how that allergy to 'other allergies 1' is being treated: medicines, pills, or inhaler? | NCH57_11_2_Y2CM | 0 | No | Raw | | 6536 | 98.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 286 | | | | Could you tell me how that allergy to 'other allergies 1' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_11_3_Y2CM | 0 | No | Raw | | 6536 | 98.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 287 | | | | Could you tell me how that allergy to 'other allergies 1' is being treated: other treatment? | NCH57_11_97_Y2CM | 0 | No | Raw | | 6536 | 98.29% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 288 | | | C179 | Could you tell me how that allergy to 'other allergies 2' is being treated: no treatment? | NCH57_12_1_Y2CM | 0 | No | Raw | | 6630 | 99.7% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 289 | | | | Could you tell me how that allergy to 'other allergies 2' is being treated: medicines, pills, or inhaler? | NCH57_12_2_Y2CM | 0 | No | Raw | | 6630 | 99.7% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 290 | | | | Could you tell me how that allergy to 'other allergies 2' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_12_3_Y2CM | 0 | No | Raw | | 6630 | 99.7% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 291 | | | | Could you tell me how that allergy to 'other allergies 2' is being treated: other treatment? | NCH57_12_97_Y2CM | 0 | No | Raw | | 6630 | 99.7% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|------------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 292 | | | C180 | Could you tell me how that allergy to 'other allergies 3' is being treated: no treatment? | NCH57_13_1_Y2CM | 0 | No | Raw | | 6642 | 99.88% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 293 | | | | Could you tell me how that allergy to 'other allergies 3' is being treated: medicines, pills, or inhaler? | NCH57_13_2_Y2CM | 0 | No | Raw | | 6642 | 99.88% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 294 | | | | Could you tell me how that allergy to 'other allergies 3' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_13_3_Y2CM | 0 | No | Raw | | 6642 | 99.88% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 295 | | | | Could you tell me how that allergy to 'other allergies 3' is being treated: other treatment? | NCH57_13_97_Y2CM | 0 | No | Raw | | 6642 | 99.88% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 296 | | | C180A | Could you tell me how that allergy to 'fruits and vegetables' is being treated: no treatment? | NCH57_16_1_Y2CM | 0 | No | Raw | "Other specified" text responses have been translated into a new numeric variable. Refer to NCH57_16_Y2CM | 6576 | 98.89% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 297 | | | | Could you tell me how that allergy to 'fruits and vegetables' is being treated: medicines, pills, or inhaler? | NCH57_16_2_Y2CM | 0 | No | Raw | | 6576 | 98.89% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 298 | | | | Could you tell me how that allergy to 'fruits and vegetables' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_16_3_Y2CM | 0 | No | Raw | | 6576 | 98.89% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|------------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 299 | | | | Could you tell me how that allergy to 'fruits and vegetables' is being treated: other treatment? | NCH57_16_97_Y2CM | 0 | No | Raw | | 6576 | 98.89% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 300 | | | C180B | Could you tell me how that allergy to 'antibiotics' is being treated: no treatment? | NCH57_17_1_Y2CM | 0 | No | Raw | "Other specified" text responses have been translated into a new numeric variable. Refer to NCH57_17_Y2CM | 6601 | 99.26% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 301 | | | | Could you tell me how that allergy to 'antibiotics' is being treated: medicines, pills, or inhaler? | NCH57_17_2_Y2CM | 0 | No | Raw | | 6601 | 99.26% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 302 | | | | Could you tell me how that allergy to 'antibiotics' is being treated: avoiding the thing/things [child] is allergic to? | NCH57_17_3_Y2CM | 0 | No | Raw | | 6601 | 99.26% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 303 | | | | Could you tell me how that allergy to 'antibiotics' is being treated: other treatment? | NCH57_17_97_Y2CM | 0 | No | Raw | | 6601 | 99.26% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 304 | | | C181 | Has a doctor told you that child has condition: birth condition (e.g. spina bifida, congenital heart defect, intellectual disability, or any other birth condition)? | NCH58_1_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 305 | | | | Has a doctor told you that child has condition: epilepsy? | NCH58_2_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 306 | | | | Has a doctor told you that child has condition: permanent hearing problems? | NCH58_3_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 307 | | | | Has a doctor told you that child has condition: vision problems that cannot be corrected with glasses? | NCH58_4_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 308 | | | | Has a doctor told you that child has condition: none of these? | NCH58_5_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 309 | | | C182 | Which of these treatments has child had for the 'birth condition': no treatment? | NCH58_1_1_Y2CM | 0 | No | Raw | | 6503 | 97.79% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 310 | | | | Which of these treatments has child had for the 'birth condition': medicines or pills? | NCH58_1_2_Y2CM | 0 | No | Raw | | 6503 | 97.79% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 311 | | | | Which of these treatments has child had for the 'birth condition': surgery? | NCH58_1_3_Y2CM | 0 | No | Raw | | 6503 | 97.79% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 312 | | | | Which of these treatments has child had for the 'birth condition': other? | NCH58_1_97_Y2CM | 0 | No | Raw | | 6503 | 97.79% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 313 | | | C183 | Which of these treatments has child had for the 'epilepsy': no treatment? | NCH58_2_1_Y2CM | 0 | No | Raw | | 6645 | 99.92% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 314 | | | | Which of these treatments has child had for the 'epilepsy': medicines or pills? | NCH58_2_2_Y2CM | 0 | No | Raw | | 6645 | 99.92% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 315 | | | | Which of these treatments has child had for the 'epilepsy': surgery? | NCH58_2_3_Y2CM | 0 | No | Raw | | 6645 | 99.92% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 316 | | | | Which of these treatments has child had for the 'epilepsy': other? | NCH58_2_97_Y2CM | 0 | No | Raw | | 6645 | 99.92% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 317 | | | C184 | Which of these treatments has child had for the 'permanent hearing problems': no treatment? | NCH58_3_1_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 318 | | | | Which of these treatments has child had for the 'permanent hearing problems': medicines or pills? | NCH58_3_2_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 319 | | | | Which of these treatments has child had for the 'permanent hearing problems': surgery? | NCH58_3_3_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|-------------|----------------------|--|-----------------|-----------------------|-----------------------|---------------|-------|-----------|-------------|
| 320 | | | | Which of these treatments has child had for the 'permanent hearing problems': other? | NCH58_3_97_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 321 | | | C185 | Which of these treatments has child had for the 'vision problems that cannot be corrected with glasses': no treatment? | NCH58_4_1_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 322 | | | | Which of these treatments has child had for the 'vision problems that cannot be corrected with glasses': medicines or pills? | NCH58_4_2_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 323 | | | | Which of these treatments has child had for the 'vision problems that cannot be corrected with glasses': surgery? | NCH58_4_3_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 324 | | | | Which of these treatments has child had for the 'vision problems that cannot be corrected with glasses': other? | NCH58_4_97_Y2CM | 0 | No | Raw | | 6627 | 99.65% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 325 | Health & Well-being | Oral health | C187 | How often are child's teeth brushed? | HY7_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Less Than Once A Day | | | . | |
| | | | | | | 3 | Once A Day | | | . | |
| | | | | | | 4 | Twice A Day Or More | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 326 | | | C188 | Does someone help child to brush [his/her] teeth? | HY8_Y2CM | 1 | No | Raw | | 418 | 6.29% |
| | | | | | | 2 | Yes, Sometimes | | | . | |
| | | | | | | 3 | Yes, Most Of The Time | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|-----------------------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 327 | | | C189 | Does child use toothpaste that has fluoride in it? | HY9_Y2CM | 1 | Yes | Raw | | 417 | 6.27% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 3 | Does Not Use Toothpaste | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 328 | | | C190 | Does [he/she] use regular or adult toothpaste, or one just for kids? | HY10_Y2CM | 1 | Adult | Raw | | 484 | 7.28% |
| | | | | | | 2 | Kids | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 329 | | | C191 | Does child usually have a snack or a drink other than water just before going to bed? | HY11_Y2CM | 1 | Yes | Raw | | 417 | 6.27% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 330 | | | C192 | Are [his/her] teeth usually brushed after the snack, before [he/she] goes to sleep? | HY12_Y2CM | 1 | No | Raw | | 3093 | 46.51% |
| | | | | | | 2 | Yes, Sometimes | | | . | |
| | | | | | | 3 | Yes, Most Of The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 331 | | | C193 | How often within a day does your child drink something other than water from a sipper bottle, sipper cup, or similar? | HY13_Y2CM | 1 | Never | Raw | | 330 | 4.96% |
| | | | | | | 2 | Once A Day | | | . | |
| | | | | | | 3 | Twice A Day | | | . | |
| | | | | | | 4 | Three Times A Day | | | . | |
| | | | | | | 5 | More Than Three Times A Day | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 332 | | | C194 | Has your child ever been to see the school dental therapist or a dentist? | HY14_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|------------------|----------------------|--|-----------------|-----------------------|--------------------|---------------|-------|-----------|-------------|
| 333 | Health & Well-being | Hospitalisations | C196 | Since child was born, how many times has [HE/SHE] had to stay in a hospital overnight? Please include any hospital stays you may have mentioned in the last. | HOS1_Y2CM | 1 | Never | Raw | | 329 | 4.95% |
| | | | | | | 2 | Once | | | . | |
| | | | | | | 3 | 2-3 Times | | | . | |
| | | | | | | 4 | 4-5 Times | | | . | |
| | | | | | | 5 | 6-10 Times | | | . | |
| | | | | | | 6 | More Than 10 Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 334 | | | C197 | Month provided on child's most recent hospital stay | HOS2M_Y2CM | 1 | Month | Raw | | 5406 | 81.29% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 335 | | | | Year provided on child's most recent hospital stay | HOS2Y_Y2CM | 1 | Year | Raw | | 5406 | 81.29% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 336 | | | | Month: when child was hospitalised | HOS2_MONTH_Y2CM | 1 | Jan | Raw | | 5483 | 82.45% |
| | | | | | | 2 | Feb | | | . | |
| | | | | | | 3 | Mar | | | . | |
| | | | | | | 4 | Apr | | | . | |
| | | | | | | 5 | May | | | . | |
| | | | | | | 6 | Jun | | | . | |
| | | | | | | 7 | Jul | | | . | |
| | | | | | | 8 | Aug | | | . | |
| | | | | | | 9 | Sep | | | . | |
| | | | | | | 10 | Oct | | | . | |
| | | | | | | 11 | Nov | | | . | |
| | | | | | | 12 | Dec | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 337 | | | | Year: when child was hospitalised | HOS2_YEAR_Y2CM | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| | | | | | | 2009 | 2009 | Raw | | 5412 | 81.38% |
| | | | | | | 2010 | 2010 | | | . | |
| | | | | | | 2011 | 2011 | | | . | |
| | | | | | | 2012 | 2012 | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------------|-----------------------|--------------------------------|---------------|---|-----------|-------------|
| 338 | | | C198 | On this most recent hospital stay, what hospital was [he/she] admitted to? | NHOS3_Y2CM | 1 | Starship Children's Hospital | Raw | | 5406 | 81.29% |
| | | | | | | 2 | Kidz First Hospital | | | . | |
| | | | | | | 3 | Middlemore Hospital | | | . | |
| | | | | | | 4 | Waikato Hospital | | | . | |
| | | | | | | 5 | Waitakere Hospital | | | . | |
| | | | | | | 97 | Other | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 339 | | | C199 | On this most recent hospital stay, how many nights did [he/she] stay in hospital? | HOS4_Y2CM | 1 | Number of Nights | Raw | | 5406 | 81.29% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 340 | | | | Number of nights: [he/she] stay in hospital | HOS4_NUMBEROFNIGHTS_Y2CM | | | Raw | | 5408 | 81.32% |
| 341 | | | C200 | On this most recent hospital stay, what was the main reason [he/she] was admitted? | NHOS5_Y2CM | 1 | Bronchiolitis | Raw | Code frames updated, different to original questionnaire. Includes codes from 'Other Specify' category. | 5406 | 81.29% |
| | | | | | | 2 | Pneumonia | | | . | |
| | | | | | | 3 | Asthma | | | . | |
| | | | | | | 4 | Gastroenteritis | | | . | |
| | | | | | | 5 | Skin infection or cellulitis | | | . | |
| | | | | | | 6 | Urine infection | | | . | |
| | | | | | | 7 | Ear, nose or throat infection | | | . | |
| | | | | | | 8 | Other respiratory infection | | | . | |
| | | | | | | 9 | Fever | | | . | |
| | | | | | | 13 | Other infection | | | . | |
| | | | | | | 14 | Ingestion of foreign body | | | . | |
| | | | | | | 15 | Head injury | | | . | |
| | | | | | | 16 | Fracture | | | . | |
| | | | | | | 17 | Other injury/accident | | | . | |
| | | | | | | 18 | Jaundice | | | . | |
| | | | | | | 19 | Hernia | | | . | |
| | | | | | | 20 | Dehydration/failure to thrive | | | . | |
| | | | | | | 21 | Other gastrointestinal problem | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|------------------------|----------------------|---|-----------------------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| | | | | | | 22 | Cardiovascular & blood disorders | | | . | |
| | | | | | | 23 | Respiratory system disorders | | | . | |
| | | | | | | 24 | Nervous system disorders | | | . | |
| | | | | | | 25 | Congenital/genetic disorders | | | . | |
| | | | | | | 26 | Ear/eye disorders/surgery | | | . | |
| | | | | | | 27 | Allergy | | | . | |
| | | | | | | 97 | Other | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 342 | | Health insurance | C202 | Is child’s health covered by any health insurance? | INS1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 343 | Health & Well-being | Accidents and injuries | C203 | Has child ever had an accident or injury for which [he/she] was taken to the doctor, health centre, or hospital? | INJ1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 344 | | | C204 | How many accidents or injuries? | INJ2_Y2CM | 1 | Number Of Accidents | Raw | | 4879 | 73.37% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 345 | | | | Number of accidents or injuries | INJ2_NUMBEROFACCIDENTS_Y2CM | | | Raw | | 4881 | 73.4% |
| 346 | | | C205 | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: loss of consciousness/knocked out? | NINJ3_1_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 347 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: bang on the head/injury to head without being knocked out? | NINJ3_2_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|--|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 348 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: broken bone or fracture? | NINJ3_3_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 349 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: near drowning? | | | | | Combined low cell count responses of 'Drowning' with 'Other' (NINJ3_97_Y2CM) | . | |
| 350 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: swallowed household cleaner/other poison/pills? | NINJ3_5_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 351 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: swallowed object? | NINJ3_6_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 352 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: cut needing stitches or glue? | NINJ3_7_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 353 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: injury to mouth or tooth? | NINJ3_8_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 354 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: burn or scald? | NINJ3_9_Y2CM | 0 | No | Raw | | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| 355 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: cut not requiring stitches or glue? | NINJ3_13_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 356 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: Dislocation? | NINJ3_14_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 357 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: sprain? | NINJ3_15_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 358 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: crushing, fingers or toes? | NINJ3_16_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 359 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: other injury related to hand or arm? | NINJ3_17_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 360 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: other injury related to foot or leg? | NINJ3_18_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|---|---------------|---|-----------|-------------|
| 361 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: insertion of foreign body? | NINJ3_19_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 362 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: bite or scratch (animal, spider, other child)? | NINJ3_20_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 363 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: other injury to face or eye? | NINJ3_21_Y2CM | 0 | No | Re-classified | Other specified' text responses have been translated into a new numeric variable. | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 364 | | | | Thinking about the most severe (or only) accident or injury, what sort of accident or injury was it: other? | NINJ3_97_Y2CM | 0 | No | Re-classified | Combined low cell count responses of 'Drowning' (NINJ3_4_Y2CM) with 'Other' (NINJ3_97_Y2CM) | 4879 | 73.37% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 365 | | | C206 | How old was child when this accident happened? | INJ4_Y2CM | 1 | Age in Months | Raw | | 4879 | 73.37% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 366 | | | | Age in months: when this accident happened | INJ4_AGEINMONTHS_Y2CM | | | Raw | | 4890 | 73.53% |
| 367 | | | C207 | Was child admitted to hospital as a result of this accident or injury? | INJ5_Y2CM | 1 | Yes | Raw | | 4879 | 73.37% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 368 | | | C208 | Where did this accident or injury happen? | NINJ6_Y2CM | 1 | Own Home Including Swimming Pool And Yard At Home | Raw | | 4879 | 73.37% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|---------------------------------|----------------------|---|---------------|-----------------------|---|---------------|--------------------------------|-----------|-------------|
| | | | | | | 2 | Someone Else’s Home Including Swimming Pool And Yard At Someone Else’s Home | | | . | |
| | | | | | | 3 | Daycare, Kindergarten, Playcentre Or Playgroup | | | . | |
| | | | | | | 4 | Playground Or Park | | | . | |
| | | | | | | 5 | Public Swimming Pool/Beach/River/Etc | | | . | |
| | | | | | | 6 | Road—As A Pedestrian/In A Buggy/On A Trike/Etc | | | . | |
| | | | | | | 7 | Road—As A Passenger In A Vehicle | | | . | |
| | | | | | | 97 | Other | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 369 | | Health and development problems | C209 | Does child have any health, developmental or physical problems that we haven't already discussed in this interview? | DEV1_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 370 | | | C210 | ICD10 code for health and development problem 1 | NDEV2_1_Y2CM | 1 | Infectious and parasitic diseases | Re-classified | Reclassified to ICD10 chapters | 6172 | 92.81% |
| | | | | | | 2 | Infectious and parasitic diseases | | | . | |
| | | | | | | 3 | Malignant neoplasms | | | . | |
| | | | | | | 4 | In situ neoplasms | | | . | |
| | | | | | | 5 | Diseases of blood, blood-forming organs, immune mechanism | | | . | |
| | | | | | | 6 | Endocrine, nutritional, and metabolic disease | | | . | |
| | | | | | | 7 | Mental and behavioral disorders | | | . | |
| | | | | | | 8 | Diseases of the nervous system | | | . | |
| | | | | | | 9 | Diseases of the eye and adnexa | | | . | |
| | | | | | | 10 | Diseases of the ear and mastoid process | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--|---------------|--------------------------------|-----------|-------------|
| | | | | | | 11 | Diseases of the circulatory system | | | . | |
| | | | | | | 12 | Diseases of the respiratory system | | | . | |
| | | | | | | 13 | Diseases of the digestive system | | | . | |
| | | | | | | 14 | Diseases of skin and subcutaneous tissue | | | . | |
| | | | | | | 15 | Diseases of the musculoskeletal system and connective tissue | | | . | |
| | | | | | | 16 | Diseases of the genitourinary system | | | . | |
| | | | | | | 17 | Pregnancy, childbirth, and the puerperium | | | . | |
| | | | | | | 18 | Certain conditions originating in the perinatal period | | | . | |
| | | | | | | 19 | Congenital malformations, deformations, and chromosomal abnormalities | | | . | |
| | | | | | | 20 | Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified | | | . | |
| | | | | | | 21 | Injury, poisoning, and certain other consequences of external causes | | | . | |
| | | | | | | 22 | External causes of morbidity and mortality | | | . | |
| | | | | | | 23 | Factors influencing health status and contact with health services | | | . | |
| 371 | | | | ICD10 code for health and development problem 2 | NDEV2_2_Y2CM | 1 | Infectious and parasitic diseases | Re-classified | Reclassified to ICD10 chapters | 6586 | 99.04% |
| | | | | | | 2 | Infectious and parasitic diseases | | | . | |
| | | | | | | 3 | Malignant neoplasms | | | . | |
| | | | | | | 4 | In situ neoplasms | | | . | |
| | | | | | | 5 | Diseases of blood, blood-forming organs, immune mechanism | | | . | |
| | | | | | | 6 | Endocrine, nutritional, and metabolic disease | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--|---------------|--------------------------------|-----------|-------------|
| | | | | | | 7 | Mental and behavioral disorders | | | . | |
| | | | | | | 8 | Diseases of the nervous system | | | . | |
| | | | | | | 9 | Diseases of the eye and adnexa | | | . | |
| | | | | | | 10 | Diseases of the ear and mastoid process | | | . | |
| | | | | | | 11 | Diseases of the circulatory system | | | . | |
| | | | | | | 12 | Diseases of the respiratory system | | | . | |
| | | | | | | 13 | Diseases of the digestive system | | | . | |
| | | | | | | 14 | Diseases of skin and subcutaneous tissue | | | . | |
| | | | | | | 15 | Diseases of the musculoskeletal system and connective tissue | | | . | |
| | | | | | | 16 | Diseases of the genitourinary system | | | . | |
| | | | | | | 17 | Pregnancy, childbirth, and the puerperium | | | . | |
| | | | | | | 18 | Certain conditions originating in the perinatal period | | | . | |
| | | | | | | 19 | Congenital malformations, deformations, and chromosomal abnormalities | | | . | |
| | | | | | | 20 | Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified | | | . | |
| | | | | | | 21 | Injury, poisoning, and certain other consequences of external causes | | | . | |
| | | | | | | 22 | External causes of morbidity and mortality | | | . | |
| | | | | | | 23 | Factors influencing health status and contact with health services | | | . | |
| 372 | | | | ICD10 code for health and development problem 3 | NDEV2_3_Y2CM | 1 | Infectious and parasitic diseases | Re-classified | Reclassified to ICD10 chapters | 6639 | 99.83% |
| | | | | | | 2 | Infectious and parasitic diseases | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|----------|---------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 3 | Malignant neoplasms | | | . | |
| | | | | | | 4 | In situ neoplasms | | | . | |
| | | | | | | 5 | Diseases of blood, blood-forming organs, immune mechanism | | | . | |
| | | | | | | 6 | Endocrine, nutritional, and metabolic disease | | | . | |
| | | | | | | 7 | Mental and behavioral disorders | | | . | |
| | | | | | | 8 | Diseases of the nervous system | | | . | |
| | | | | | | 9 | Diseases of the eye and adnexa | | | . | |
| | | | | | | 10 | Diseases of the ear and mastoid process | | | . | |
| | | | | | | 11 | Diseases of the circulatory system | | | . | |
| | | | | | | 12 | Diseases of the respiratory system | | | . | |
| | | | | | | 13 | Diseases of the digestive system | | | . | |
| | | | | | | 14 | Diseases of skin and subcutaneous tissue | | | . | |
| | | | | | | 15 | Diseases of the musculoskeletal system and connective tissue | | | . | |
| | | | | | | 16 | Diseases of the genitourinary system | | | . | |
| | | | | | | 17 | Pregnancy, childbirth, and the puerperium | | | . | |
| | | | | | | 18 | Certain conditions originating in the perinatal period | | | . | |
| | | | | | | 19 | Congenital malformations, deformations, and chromosomal abnormalities | | | . | |
| | | | | | | 20 | Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified | | | . | |
| | | | | | | 21 | Injury, poisoning, and certain other consequences of external causes | | | . | |
| | | | | | | 22 | External causes of morbidity and mortality | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---|---------------|--------------------------------|-----------|-------------|
| | | | | | | 23 | Factors influencing health status and contact with health services | | | . | |
| 373 | | | | ICD10 code for health and development problem 4 | NDEV2_4_Y2CM | 1 | Infectious and parasitic diseases | Re-classified | Reclassified to ICD10 chapters | 6647 | 99.95% |
| | | | | | | 2 | Infectious and parasitic diseases | | | . | |
| | | | | | | 3 | Malignant neoplasms | | | . | |
| | | | | | | 4 | In situ neoplasms | | | . | |
| | | | | | | 5 | Diseases of blood, blood-forming organs, immune mechanism | | | . | |
| | | | | | | 6 | Endocrine, nutritional, and metabolic disease | | | . | |
| | | | | | | 7 | Mental and behavioral disorders | | | . | |
| | | | | | | 8 | Diseases of the nervous system | | | . | |
| | | | | | | 9 | Diseases of the eye and adnexa | | | . | |
| | | | | | | 10 | Diseases of the ear and mastoid process | | | . | |
| | | | | | | 11 | Diseases of the circulatory system | | | . | |
| | | | | | | 12 | Diseases of the respiratory system | | | . | |
| | | | | | | 13 | Diseases of the digestive system | | | . | |
| | | | | | | 14 | Diseases of skin and subcutaneous tissue | | | . | |
| | | | | | | 15 | Diseases of the musculoskeletal system and connective tissue | | | . | |
| | | | | | | 16 | Diseases of the genitourinary system | | | . | |
| | | | | | | 17 | Pregnancy, childbirth, and the puerperium | | | . | |
| | | | | | | 18 | Certain conditions originating in the perinatal period | | | . | |
| | | | | | | 19 | Congenital malformations, deformations, and chromosomal abnormalities | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|----------|---------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 20 | Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified | | | . | |
| | | | | | | 21 | Injury, poisoning, and certain other consequences of external causes | | | . | |
| | | | | | | 22 | External causes of morbidity and mortality | | | . | |
| | | | | | | 23 | Factors influencing health status and contact with health services | | | . | |

| | | | | | | | | | | | |
|-----|--|--|--|---|--------------|----|--|---------------|--------------------------------|------|--------|
| 374 | | | | ICD10 code for health and development problem 5 | NDEV2_5_Y2CM | 1 | Infectious and parasitic diseases | Re-classified | Reclassified to ICD10 chapters | 6649 | 99.98% |
| | | | | | | 2 | Infectious and parasitic diseases | | | . | |
| | | | | | | 3 | Malignant neoplasms | | | . | |
| | | | | | | 4 | In situ neoplasms | | | . | |
| | | | | | | 5 | Diseases of blood, blood-forming organs, immune mechanism | | | . | |
| | | | | | | 6 | Endocrine, nutritional, and metabolic disease | | | . | |
| | | | | | | 7 | Mental and behavioral disorders | | | . | |
| | | | | | | 8 | Diseases of the nervous system | | | . | |
| | | | | | | 9 | Diseases of the eye and adnexa | | | . | |
| | | | | | | 10 | Diseases of the ear and mastoid process | | | . | |
| | | | | | | 11 | Diseases of the circulatory system | | | . | |
| | | | | | | 12 | Diseases of the respiratory system | | | . | |
| | | | | | | 13 | Diseases of the digestive system | | | . | |
| | | | | | | 14 | Diseases of skin and subcutaneous tissue | | | . | |
| | | | | | | 15 | Diseases of the musculoskeletal system and connective tissue | | | . | |
| | | | | | | 16 | Diseases of the genitourinary system | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|------------------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 17 | Pregnancy, childbirth, and the puerperium | | | . | |
| | | | | | | 18 | Certain conditions originating in the perinatal period | | | . | |
| | | | | | | 19 | Congenital malformations, deformations, and chromosomal abnormalities | | | . | |
| | | | | | | 20 | Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified | | | . | |
| | | | | | | 21 | Injury, poisoning, and certain other consequences of external causes | | | . | |
| | | | | | | 22 | External causes of morbidity and mortality | | | . | |
| | | | | | | 23 | Factors influencing health status and contact with health services | | | . | |
| 375 | | | C211 | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: a doctor, midwife, or other medical professional? | NDEV3_1_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 376 | | | C212 | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: a friend or family member? | NDEV3_2_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 377 | | | C213 | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: a teacher or caregiver? | NDEV3_3_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 378 | | | C214 | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: someone I do not know? | NDEV3_4_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 379 | | | C215 | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: information from the internet, television, or book? | NDEV3_5_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 380 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: I find it out myself? | NDEV3_9_WHOTOL D1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 381 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 1: other? | NDEV3_97_WHOTO LD1_Y2CM | 0 | No | Raw | | 6173 | 92.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 382 | | | C211 | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: a doctor, midwife, or other medical professional? | NDEV3_1_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 383 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: a friend or family member? | NDEV3_2_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 384 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: a teacher or caregiver? | NDEV3_3_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 385 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: someone I do not know? | NDEV3_4_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 386 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: information from the internet, television, or book? | NDEV3_5_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 387 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: I find it out myself? | NDEV3_9_WHOTOL D2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 388 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 2: other? | NDEV3_97_WHOTO LD2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 389 | | | C212 | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: a doctor, midwife, or other medical professional? | NDEV3_1_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 390 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: a friend or family member? | NDEV3_2_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 391 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: a teacher or caregiver? | NDEV3_3_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 392 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: someone I do not know? | NDEV3_4_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 393 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: information from the internet, television, or book? | NDEV3_5_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 394 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: I find it out myself? | NDEV3_9_WHOTOL D3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 395 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 3: other? | NDEV3_97_WHOTO LD3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 396 | | | C213 | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: a doctor, midwife, or other medical professional? | NDEV3_1_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 397 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: a friend or family member? | NDEV3_2_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 398 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: a teacher or caregiver? | NDEV3_3_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 399 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: someone I do not know? | NDEV3_4_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 400 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: information from the internet, television, or book? | NDEV3_5_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 401 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: I find it out myself? | NDEV3_9_WHOTOL D4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 402 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 4: other? | NDEV3_97_WHOTO LD4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 403 | | | C214 | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: a doctor, midwife, or other medical professional? | NDEV3_1_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 404 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: a friend or family member? | NDEV3_2_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 405 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: a teacher or caregiver? | NDEV3_3_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 406 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: someone I do not know? | NDEV3_4_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 407 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: information from the internet, television, or book? | NDEV3_5_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 408 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: I find it out myself? | NDEV3_9_WHOTOL D5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 409 | | | | Could you please tell me who told you, or how you found out, that your child has health and development problem 5: other? | NDEV3_97_WHOTO LD5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 410 | | | C217 | Could you please tell me how child is being treated for health development problem 1: no treatment? | NDEV4_1_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 411 | | | | Could you please tell me how child is being treated for health development problem 1: medicines, pills, or inhaler? | NDEV4_2_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 412 | | | | Could you please tell me how child is being treated for health development problem 1: surgical procedure? | NDEV4_3_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 413 | | | | Could you please tell me how child is being treated for health development problem 1: physical, occupational, or speech therapy? | NDEV4_4_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 414 | | | | Could you please tell me how child is being treated for health development problem 1: I find it out myself? | NDEV4_9_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 415 | | | | Could you please tell me how child is being treated for health development problem 1: other medication? | NDEV4_96_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 416 | | | | Could you please tell me how child is being treated for health development problem 1: other? | NDEV4_97_TREATMENT1_Y2CM | 0 | No | Raw | | 6174 | 92.84% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 417 | | | | Could you please tell me how child is being treated for health development problem 2: no treatment? | NDEV4_1_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 418 | | | | Could you please tell me how child is being treated for health development problem 2: medicines, pills, or inhaler? | NDEV4_2_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 419 | | | | Could you please tell me how child is being treated for health development problem 2: surgical procedure? | NDEV4_3_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 420 | | | | Could you please tell me how child is being treated for health development problem 2: physical, occupational, or speech therapy? | NDEV4_4_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 421 | | | | Could you please tell me how child is being treated for health development problem 2: I find it out myself? | NDEV4_9_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 422 | | | | Could you please tell me how child is being treated for health development problem 2: other medication? | NDEV4_96_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 423 | | | | Could you please tell me how child is being treated for health development problem 2: other? | NDEV4_97_TREATMENT2_Y2CM | 0 | No | Raw | | 6593 | 99.14% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|------------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 424 | | | | Could you please tell me how child is being treated for health development problem 3: no treatment? | NDEV4_1_TREATME NT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 425 | | | | Could you please tell me how child is being treated for health development problem 3: medicines, pills, or inhaler? | NDEV4_2_TREATME NT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 426 | | | | Could you please tell me how child is being treated for health development problem 3: surgical procedure? | NDEV4_3_TREATME NT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 427 | | | | Could you please tell me how child is being treated for health development problem 3: physical, occupational, or speech therapy? | NDEV4_4_TREATME NT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 428 | | | | Could you please tell me how child is being treated for health development problem 3: I find it out myself? | NDEV4_9_TREATME NT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 429 | | | | Could you please tell me how child is being treated for health development problem 3: other medication? | NDEV4_96_TREATM ENT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 430 | | | | Could you please tell me how child is being treated for health development problem 3: other? | NDEV4_97_TREATM ENT3_Y2CM | 0 | No | Raw | | 6639 | 99.83% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 431 | | | | Could you please tell me how child is being treated for health development problem 4: no treatment? | NDEV4_1_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 432 | | | | Could you please tell me how child is being treated for health development problem 4: medicines, pills, or inhaler? | NDEV4_2_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 433 | | | | Could you please tell me how child is being treated for health development problem 4: surgical procedure? | NDEV4_3_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 434 | | | | Could you please tell me how child is being treated for health development problem 4: physical, occupational, or speech therapy? | NDEV4_4_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 435 | | | | Could you please tell me how child is being treated for health development problem 4: I find it out myself? | NDEV4_9_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 436 | | | | Could you please tell me how child is being treated for health development problem 4: other medication? | NDEV4_96_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 437 | | | | Could you please tell me how child is being treated for health development problem 4: other? | NDEV4_97_TREATMENT4_Y2CM | 0 | No | Raw | | 6647 | 99.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 438 | | | | Could you please tell me how child is being treated for health development problem 5: no treatment? | NDEV4_1_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 439 | | | | Could you please tell me how child is being treated for health development problem 5: medicines, pills, or inhaler? | NDEV4_2_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 440 | | | | Could you please tell me how child is being treated for health development problem 5: surgical procedure? | NDEV4_3_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 441 | | | | Could you please tell me how child is being treated for health development problem 5: physical, occupational, or speech therapy? | NDEV4_4_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 442 | | | | Could you please tell me how child is being treated for health development problem 5: I find it out myself? | NDEV4_9_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 443 | | | | Could you please tell me how child is being treated for health development problem 5: other medication? | NDEV4_96_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|---------------|----------------------|---|--------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 444 | | | | Could you please tell me how child is being treated for health development problem 5: other? | NDEV4_97_TREATMENT5_Y2CM | 0 | No | Raw | | 6649 | 99.98% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 445 | Health & Well-being | Medications | C219 | Number of times 'Pamol/Paracetamol/Panadol/Junior Parapaed/Paracare/Pamol infant drops' medications have been given to child since [he/she] was nine month old? | CH39_Y2CM | 1 | None | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–10 Times | | | . | |
| | | | | | | 3 | 11–20 Times | | | . | |
| | | | | | | 4 | 21–30 Times | | | . | |
| | | | | | | 5 | 31+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 446 | | | C220 | Number of times 'Brufen/Ibuprofen/Nurofen/Fenpaed' medications have been given to child since [he/she] was nine month old? | CH40_Y2CM | 1 | None | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–10 Times | | | . | |
| | | | | | | 3 | 11–20 Times | | | . | |
| | | | | | | 4 | 21–30 Times | | | . | |
| | | | | | | 5 | 31+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 447 | | | C221 | How many courses of antibiotics prescribed by a doctor has child had since [he/she] was nine month old? | CH41_Y2CM | 1 | None | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1–2 Courses | | | . | |
| | | | | | | 3 | 3–4 Courses | | | . | |
| | | | | | | 4 | 5–6 Courses | | | . | |
| | | | | | | 5 | 7+ Courses | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 448 | | Immunisations | C223 | Has your child received the immunisations due at age 15 months (this includes partial or full immunisations)? | CH61_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 449 | | | C224 | Did child receive all the immunisations due at 15 months, or just some of them? | CH62_Y2CM | 1 | Full | Raw | | 702 | 10.56% |
| | | | | | | 2 | Partial | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 450 | | | C225 | Could you please tell which immunisations your child did not have: Hib (haemophilus influenza)? | NCH63_1_Y2CM | 0 | No | Raw | | 6554 | 98.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 451 | | | | Could you please tell which immunisations your child did not have: MMR (mumps, measles, rubella)? | NCH63_2_Y2CM | 0 | No | Raw | | 6554 | 98.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 452 | | | | Could you please tell which immunisations your child did not have: pneumococcal? | NCH63_3_Y2CM | 0 | No | Raw | | 6554 | 98.56% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 453 | | | C226 | Which of the following were reasons for your child not having been (fully) immunised:: baby unwell when immunisations due? | NCH64_1_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 454 | | | | Which of the following were reasons for your child not having been (fully) immunised:: inconvenient clinic hours? | NCH64_2_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 455 | | | | Which of the following were reasons for your child not having been (fully) immunised:: unable to get appointment with GP practice? | NCH64_3_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 456 | | | | Which of the following were reasons for your child not having been (fully) immunised:: unable to afford visit to GP practice? | NCH64_4_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 457 | | | | Which of the following were reasons for your child not having been (fully) immunised:: lack of transport to GP practice? | NCH64_5_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 458 | | | | Which of the following were reasons for your child not having been (fully) immunised:: nurse advised immunisation be delayed or not given? | NCH64_6_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 459 | | | | Which of the following were reasons for your child not having been (fully) immunised:: doctor advised immunisation be delayed or not given? | NCH64_7_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 460 | | | | Which of the following were reasons for your child not having been (fully) immunised:: concerns about the risk of side-effects and complications from immunisations? | NCH64_8_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 461 | | | | Which of the following were reasons for your child not having been (fully) immunised:: concerns regarding children’s immune system? | NCH64_9_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 462 | | | | Which of the following were reasons for your child not having been (fully) immunised:: diseases not severe enough to justify immunisation? | NCH64_10_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 463 | | | | Which of the following were reasons for your child not having been (fully) immunised:: concerns about the effectiveness of vaccines? | NCH64_11_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 464 | | | | Which of the following were reasons for your child not having been (fully) immunised:: having or knowing a child thought to have suffered an adverse effect from an immunisation? | NCH64_12_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 465 | | | | Which of the following were reasons for your child not having been (fully) immunised:: work commitments? | NCH64_13_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 466 | | | | Which of the following were reasons for your child not having been (fully) immunised:: difficult to organise care for my other children? | NCH64_14_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 467 | | | | Which of the following were reasons for your child not having been (fully) immunised:: mother or father choose not to (no reason given)? | NCH64_18_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 468 | | | | Which of the following were reasons for your child not having been (fully) immunised:: choose not to (based on research)? | NCH64_19_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| 469 | | | | Which of the following were reasons for your child not having been (fully) immunised:: other? | NCH64_97_Y2CM | 0 | No | Raw | | 6189 | 93.07% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 470 | | | C227 | Has child received any additional immunisation for things such as: flu? | NCH65_1_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 471 | | | | Has child received any additional immunisation for things such as: chicken pox? | NCH65_2_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 472 | | | | Has child received any additional immunisation for things such as: rotavirus? | NCH65_3_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 473 | | | | Has child received any additional immunisation for things such as: no? | NCH65_5_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 474 | | | | Has child received any additional immunisation for things such as: BCG/Tb? | NCH65_8_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 475 | | | | Has child received any additional immunisation for things such as: hepatitis? | NCH65_9_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|------------------|----------------------|---|---------------|-----------------------|--|---------------|---|-----------|-------------|
| 476 | | | | Has child received any additional immunisation for things such as: meningitis? | NCH65_10_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 477 | | | | Has child received any additional immunisation for things such as: other? | NCH65_97_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 478 | Health & Well-being | Well child check | C229 | Do you still use child’s health and development record book, also known as the Well Child book? | CH70_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No, Because I Have Lost The Book | | | . | |
| | | | | | | 3 | No, Because I Did Not Find The Book Useful | | | . | |
| | | | | | | 4 | No, For Other Reasons | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 479 | | | C230 | Is there a 'Well Child' care provider that you take your child to? | CH71_Y2CM | 1 | Yes | Raw | | 329 | 4.95% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 480 | | | C231 | Which of the following 'Well Child' checks has child had: none? | NCH72_1_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 481 | | | | Which of the following 'Well Child' checks has child had: 8-10 months? | NCH72_2_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 482 | | | | Which of the following 'Well Child' checks has child had: 15 months? | NCH72_3_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 483 | | | | Which of the following 'Well Child' checks has child had: 21-24 months? | NCH72_4_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 484 | | | C232 | Who did your child's 'Well Child' checks at 8–10 months: Plunket/Well Child nurse? | NCH73_1_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 485 | | | | Who did your child's 'Well Child' checks at 8–10 months: Public health nurse? | NCH73_2_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 486 | | | | Who did your child's 'Well Child' checks at 8–10 months: Maori health provider? | NCH73_3_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 487 | | | | Who did your child's 'Well Child' checks at 8–10 months: Pacific health provider? | NCH73_4_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 488 | | | | Who did your child's 'Well Child' checks at 8–10 months: GP practice? | NCH73_5_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 489 | | | | Who did your child's 'Well Child' checks at 8–10 months: Paediatrician/specialist? | NCH73_6_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 490 | | | | Who did your child's 'Well Child' checks at 8–10 months: Other? | NCH73_97_Y2CM | 0 | No | Raw | | 754 | 11.34% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 491 | | | C233 | Who did child's 'Well Child' checks at 15 months: Plunket/Well Child nurse? | NCH74_1_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 492 | | | | Who did child's 'Well Child' checks at 15 months: Public health nurse? | NCH74_2_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 493 | | | | Who did child's 'Well Child' checks at 15 months: Maori health provider? | NCH74_3_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 494 | | | | Who did child's 'Well Child' checks at 15 months: Pacific health provider? | NCH74_4_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 495 | | | | Who did child's 'Well Child' checks at 15 months: GP practice? | NCH74_5_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 496 | | | | Who did child's 'Well Child' checks at 15 months: Paediatrician/specialist? | NCH74_6_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 497 | | | | Who did child's 'Well Child' checks at 15 months: Other? | NCH74_97_Y2CM | 0 | No | Raw | | 973 | 14.63% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 498 | | | C234 | Who did child's 'Well Child' checks at 21–24 months: Plunket/Well Child nurse? | NCH75_1_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 499 | | | | Who did child's 'Well Child' checks at 21–24 months: Public health nurse? | NCH75_2_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 500 | | | | Who did child's 'Well Child' checks at 21–24 months: Maori health provider? | NCH75_3_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 501 | | | | Who did child's 'Well Child' checks at 21–24 months: Pacific health provider? | NCH75_4_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 502 | | | | Who did child's 'Well Child' checks at 21–24 months: GP practice? | NCH75_5_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 503 | | | | Who did child's 'Well Child' checks at 21–24 months: Paediatrician/specialist? | NCH75_6_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 504 | | | | Who did child's 'Well Child' checks at 21–24 months: Other? | NCH75_97_Y2CM | 0 | No | Raw | | 4671 | 70.24% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------|--------------------------|----------------------|---|---------------|-----------------------|-----------------------|---------------|-------|-----------|-------------|
| 505 | Health & Well-being | Effect of child's health | C236 | During the past 4 weeks, how much emotional worry or concern did child's physical health cause you? | EFF1_Y2CM | 1 | None At All | Raw | | 329 | 4.95% |
| | | | | | | 2 | A Little Bit | | | . | |
| | | | | | | 3 | Some | | | . | |
| | | | | | | 4 | Quite A Bit | | | . | |
| | | | | | | 5 | A Lot | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 506 | | | C237 | During the past 4 weeks, were you limited in the amount of time you had for your own needs because of child's health? | EFF2_Y2CM | 1 | Yes, Limited A Lot | Raw | | 329 | 4.95% |
| | | | | | | 2 | Yes, Limited Some | | | . | |
| | | | | | | 3 | Yes, Limited A Little | | | . | |
| | | | | | | 4 | No, Not Limited | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 507 | | | C238 | During the past 4 weeks, how often has child's health limited the types of activities you could do as a family? | EFF3_Y2CM | 1 | Very Often | Raw | | 329 | 4.95% |
| | | | | | | 2 | Fairly Often | | | . | |
| | | | | | | 3 | Sometimes | | | . | |
| | | | | | | 4 | Almost Never | | | . | |
| | | | | | | 5 | Never | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 508 | | | C239 | Has child's health had any impact on decisions you have made regarding your participation in paid employment? | EFF4_Y2CM | 1 | Yes, A Large Impact | Raw | | 329 | 4.95% |
| | | | | | | 2 | Yes, Some Impact | | | . | |
| | | | | | | 3 | Yes, A Little Impact | | | . | |
| | | | | | | 4 | No Impact | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 509 | | Outdoors | C241 | Thinking about the last four weeks, approximately how many hours has child spent outdoors on an average week day | HY5_Y2CM | 1 | Hours | Raw | | 329 | 4.95% |
| | | | | | | 88 | Less Than 1 Hour | | | . | |
| | | | | | | 89 | No Exposure At All | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|----------------|-----------------------|--------------------|---------------|---|-----------|-------------|
| 510 | | | | Number of hours: child spent outdoors-on an average week day | HY5_HOURS_Y2CM | | | Raw | | 811 | 12.2% |
| 511 | | | C242 | Thinking about the last four weeks, approximately how many hours has child spent outdoors on an average weekend day | HY6_Y2CM | 1 | Hours | Raw | | 329 | 4.95% |
| | | | | | | 88 | Less Than 1 Hour | | | . | |
| | | | | | | 89 | No Exposure At All | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 512 | | | | Number of hours: child spent outdoors-on an average weekend days | HY6_HOURS_Y2CM | | | Raw | | 601 | 9.04% |
| 513 | | | C243 | When child is outside in the summer do you put sunscreen with SPF 15 or stronger on [him/her]? | HY15_Y2CM | 1 | Always | Raw | | 329 | 4.95% |
| | | | | | | 2 | Mostly | | | . | |
| | | | | | | 3 | Sometimes | | | . | |
| | | | | | | 4 | Hardly Ever | | | . | |
| | | | | | | 5 | Never | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 514 | | | C244 | When child is outside in the summer, do you make sure [he/she] avoids direct sun exposure between 10 am and 4 pm. | HY17_Y2CM | 1 | Always | Raw | | 329 | 4.95% |
| | | | | | | 2 | Mostly | | | . | |
| | | | | | | 3 | Sometimes | | | . | |
| | | | | | | 4 | Hardly Ever | | | . | |
| | | | | | | 5 | Never | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 515 | | Sleep | C246 | On average, how much time does child spend asleep at night in total? | SLP1_1_Y2CM | 1 | Hours | Raw | For C246-C248, please refer to External Data Release 2017 Reference and Process User Guide. | 329 | 4.95% |
| | | | | | | 2 | Minutes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 516 | | | | On average, how much time does child spend asleep at night in total? | SLP1_2_Y2CM | 1 | Hours | Raw | | 6232 | 93.71% |
| | | | | | | 2 | Minutes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|------------------------------|----------------------|--|-------------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 517 | | | | Number of hours: child spend asleep at night in total | SLP1_HOURS_Y2CM | | | Raw | | 339 | 5.1% |
| 518 | | | | Number of minutes: child spend asleep at night in total | SLP1_MINUTES_Y2CM | | | Raw | | 6232 | 93.71% |
| 519 | | | C247 | On average, how much time does child spend asleep during the day? | SLP2_1_Y2CM | 1 | Hours | Raw | | 329 | 4.95% |
| | | | | | | 2 | Minutes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 520 | | | | On average, how much time does child spend asleep during the day? | SLP2_2_Y2CM | 1 | Hours | Raw | | 5376 | 80.84% |
| | | | | | | 2 | Minutes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 521 | | | | Number of hours: child spend asleep during the day | SLP2_HOURS_Y2CM | | | Raw | | 541 | 8.14% |
| 522 | | | | Number of minutes: child spend asleep during the day | SLP2_MINUTES_Y2CM | | | Raw | | 5196 | 78.14% |
| 523 | | | C248 | On average how many times does child wake at night? | SLP3_Y2CM | 1 | None | Raw | | 329 | 4.95% |
| | | | | | | 2 | 1 Time | | | . | |
| | | | | | | 3 | 2 Times | | | . | |
| | | | | | | 4 | 3+ Times | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 524 | | Food frequency questionnaire | C250 | How often has child eaten 'citrus fruits, such as oranges, lemons, grapefruit' over the last four weeks? | FFQ1_Y2CM | 0 | None | Raw | For C250-C314, please refer to External Data Release 2017 Reference and Process User Guide. | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 525 | | | C251 | How often has child eaten 'apples, pears' over the last four weeks? | FFQ2_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 526 | | | C252 | How often has child eaten 'bananas' over the last four weeks? | FFQ3_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 527 | | | C253 | How often has child eaten 'peaches, nectarines, melon, lychees, paw paw' over the last four weeks? | FFQ4_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 528 | | | C254 | How often has child eaten 'strawberries, raspberries, blueberries, mango, kiwi fruit' over the last four weeks? | FFQ5_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 529 | | | C255 | How often has child eaten 'plums, cherries, grapes' over the last four weeks? | FFQ6_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 530 | | | C256 | How often has child eaten 'dried fruit' over the last four weeks? | FFQ7_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 531 | | | | How many serving of 'citrus fruits, such as oranges, lemons, grapefruit' has child eaten over the past four weeks? | FFQ1_PORTION_Y2 CM | 1 | 1/4 Serving | Raw | | 1359 | 20.44% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 532 | | | | How many serving of 'apples, pears' has child eaten over the past four weeks? | FFQ2_PORTION_Y2 CM | 1 | 1/4 Serving | Raw | | 720 | 10.83% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 533 | | | | How many serving of 'bananas' has child eaten over the past four weeks? | FFQ3_PORTION_Y2 CM | 1 | 1/4 Serving | Raw | | 772 | 11.61% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 534 | | | | How many serving of 'peaches, nectarines, melon, lychees, paw paw' has child eaten over the past four weeks? | FFQ4_PORTION_Y2 CM | 1 | 1/4 Serving | Raw | | 3486 | 52.42% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 535 | | | | How many serving of 'strawberries, raspberries, blueberries, mango, kiwi fruit' has child eaten over the past four weeks? | FFQ5_PORTION_Y2 CM | 1 | 1/4 Serving | Raw | | 2134 | 32.09% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| 536 | | | | How many serving of 'plums, cherries, grapes' has child eaten over the past four weeks? | FFQ6_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2222 | 33.41% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 537 | | | | How many serving of 'dried fruit' has child eaten over the past four weeks? | FFQ7_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2102 | 31.61% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 538 | | | C258 | How often has child eaten 'green leafy vegetables' over the last four weeks? | FFQ9_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 539 | | | C259 | How often has child eaten 'peas, green beans, mushrooms. fresh, frozen or canned' over the last four weeks? | FFQ10_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 540 | | | C260 | How often has child eaten 'potatoes, kumara, pumpkin, yams, taro, sweet potatoes' over the last four weeks? | FFQ11_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 541 | | | C261 | How often has child eaten 'carrots' over the last four weeks? | FFQ12_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 542 | | | C262 | How often has child eaten 'broccoli, cauliflower' over the last four weeks? | FFQ13_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| 543 | | | C263 | How often has child eaten 'sweetcorn' over the last four weeks? | FFQ14_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 544 | | | C264 | How often has child eaten 'peppers, tomatoes' over the last four weeks? | FFQ15_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 545 | | | C265 | How often has child eaten 'hot chips, french fries, wedges, or kumara chips' over the last four weeks? | FFQ16_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 546 | | | | How many serving of 'green leafy vegetables' has child eaten over the past four weeks? | FFQ9_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2174 | 32.69% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 547 | | | | How many serving of 'peas, green beans, mushrooms. fresh, frozen or canned' has child eaten over the past four weeks? | FFQ10_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1387 | 20.86% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 548 | | | | How many serving of 'potatoes, kumara, pumpkin, yams, taro, sweet potatoes' has child eaten over the past four weeks? | FFQ11_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 673 | 10.12% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 549 | | | | How many serving of 'carrots' has child eaten over the past four weeks? | FFQ12_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1158 | 17.41% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 550 | | | | How many serving of 'broccoli, cauliflower' has child eaten over the past four weeks? | FFQ13_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2002 | 30.11% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 551 | | | | How many serving of 'sweetcorn' has child eaten over the past four weeks? | FFQ14_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2473 | 37.19% |
| | | | | | | 2 | 1/2 Serving | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 552 | | | | How many serving of 'peppers, tomatoes' has child eaten over the past four weeks? | FFQ15_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 3176 | 47.76% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 553 | | | | How many serving of 'hot chips, french fries, wedges, or kumara chips' has child eaten over the past four weeks? | FFQ16_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 923 | 13.88% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 554 | | | C267 | How often has child eaten 'whole or standard milk (dark blue or silver)' over the last four weeks? | FFQ17_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 555 | | | C268 | How often has child eaten 'infant formula, toddler milk' over the last four weeks? | FFQ18_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 556 | | | C269 | How often has child eaten 'reduced fat (light blue)' over the last four weeks? | FFQ19_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 557 | | | C270 | How often has child eaten 'skim or trim (green or yellow)' over the last four weeks? | FFQ20_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 558 | | | C271 | How often has child eaten 'soy milk' over the last four weeks? | FFQ21_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 559 | | | C272 | How often has child eaten 'other milk (such as rice, goats milk)' over the last four weeks? | FFQ22_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 560 | | | C273 | How often has child eaten 'cheese (including paneer, cottage cheese)' over the last four weeks? | FFQ23_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 561 | | | C274 | How often has child eaten 'yoghurt' over the last four weeks? | FFQ24_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 562 | | | C275 | How often has child eaten 'ice cream' over the last four weeks? | FFQ25_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 563 | | | | How many serving of 'whole or standard milk (dark blue or silver)' has child eaten over the past four weeks? | FFQ17_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1794 | 26.98% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 564 | | | | How many serving of 'infant formula, toddler milk' has child eaten over the past four weeks? | FFQ18_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5300 | 79.7% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 565 | | | | How many serving of 'reduced fat (light blue)' has child eaten over the past four weeks? | FFQ19_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5808 | 87.34% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 566 | | | | How many serving of 'skim or trim (green or yellow)' has child eaten over the past four weeks? | FFQ20_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 6448 | 96.96% |
| | | | | | | 2 | 1/2 Serving | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 567 | | | | How many serving of 'soy milk' has child eaten over the past four weeks? | FFQ21_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 6288 | 94.56% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 568 | | | | How many serving of 'other milk (such as rice, goats milk)' has child eaten over the past four weeks? | FFQ22_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5871 | 88.29% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 569 | | | | How many serving of 'cheese (including paneer, cottage cheese)' has child eaten over the past four weeks? | FFQ23_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1072 | 16.12% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 570 | | | | How many serving of 'yoghurt' has child eaten over the past four weeks? | FFQ24_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 922 | 13.86% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 571 | | | | How many serving of 'ice cream' has child eaten over the past four weeks? | FFQ25_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1467 | 22.06% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 572 | | | C277 | How often has child eaten 'white bread' over the last four weeks? | FFQ27_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 573 | | | C278 | How often has child eaten 'high fibre white bread' over the last four weeks? | FFQ28_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 574 | | | C279 | How often has child eaten 'brown bread, wholemeal or wholegrain bread' over the last four weeks? | FFQ29_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 575 | | | C280 | How often has child eaten 'roti, naan pitta' over the last four weeks? | FFQ30_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 576 | | | C281 | How often has child eaten 'other bread' over the last four weeks? | FFQ31_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 577 | | | C282 | How often has child eaten 'noodles or rice or pasta, rice porridge' over the last four weeks? | FFQ32_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|----------|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| | | | | | | | | | | | |
|-----|--|--|------|---|------------|----|---------------|-----|--|-----|-------|
| 578 | | | C283 | How often has child eaten 'semolina, tapioca, sago' over the last four weeks? | FFQ33_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| | | | | | | | | | | | |
|-----|--|--|------|---|------------|----|---------------|-----|--|-----|-------|
| 579 | | | C284 | How often has child eaten 'high fibre cereals, such as muesli, porridge, weetbix, branflakes etc' over the last four weeks? | FFQ34_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| 580 | | | C285 | How often has child eaten 'other cereals, such as cornflakes, ricies, puffed wheat, nutrigrain etc' over the last four weeks? | FFQ35_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 581 | | | C286 | How often has child eaten 'cakes or biscuits' over the last four weeks? | FFQ37_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 582 | | | C286a | How often has child eaten 'crackers' over the last four weeks? | FFQ37A_Y2CM | 0 | None | Raw | | 330 | 4.96% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4 per Day | | | . | |
| | | | | | | 5 | 5 per Day | | | . | |
| | | | | | | 6 | 6+ per Day | | | . | |
| | | | | | | 7 | 1-2 per Week | | | . | |
| | | | | | | 8 | 3-4 per Week | | | . | |
| | | | | | | 9 | 5-6 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 10 | 1 per Month | | | . | |
| | | | | | | 11 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 583 | | | | How many serving of 'white bread' has child eaten over the past four weeks? | FFQ27_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2768 | 41.62% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 584 | | | | How many serving of 'high fibre white bread' has child eaten over the past four weeks? | FFQ28_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5632 | 84.69% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 585 | | | | How many serving of 'brown bread, wholemeal or wholegrain bread' has child eaten over the past four weeks? | FFQ29_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2116 | 31.82% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 586 | | | | How many serving of 'roti, naan pitta' has child eaten over the past four weeks? | FFQ30_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4677 | 70.33% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 587 | | | | How many serving of 'other bread' has child eaten over the past four weeks? | FFQ31_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 3233 | 48.62% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 588 | | | | How many serving of 'noodles or rice or pasta, rice porridge' has child eaten over the past four weeks? | FFQ32_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 527 | 7.92% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 589 | | | | How many serving of 'semolina, tapioca, sago' has child eaten over the past four weeks? | FFQ33_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 6099 | 91.71% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 590 | | | | How many serving of 'high fibre cereals, such as muesli, porridge, weetbix, branflakes etc' has child eaten over the past four weeks? | FFQ34_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1309 | 19.68% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 591 | | | | How many serving of 'other cereals, such as cornflakes, ricies, puffed wheat, nutrigrain etc' has child eaten over the past four weeks? | FFQ35_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2585 | 38.87% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 592 | | | | How many serving of 'cakes or biscuits' has child eaten over the past four weeks? | FFQ37_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 664 | 9.98% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 593 | | | | How many serving of 'crackers' has child eaten over the past four weeks? | FFQ37A_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1129 | 16.98% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 594 | | | C288 | How often has child eaten 'butter (including semi soft)' over the last four weeks? | FFQ38_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 595 | | | C289 | How often has child eaten 'butter and margarine blend' over the last four weeks? | FFQ39_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 596 | | | C290 | How often has child eaten 'margarine (canola, sunflower, and olive oil and rice bran oil based)' over the last four weeks? | FFQ40_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 597 | | | C291 | How often has child eaten 'lite or reduced fat margarine (canola, sunflower, and olive oil and rice bran oil based)' over the last four weeks? | FFQ41_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 598 | | | C292 | How often has child eaten 'plant sterol margarine (such as proactive or logical)' over the last four weeks? | FFQ42_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 599 | | | C293 | How often has child eaten 'jam, honey, marmalade' over the last four weeks? | FFQ43_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 600 | | | C294 | How often has child eaten 'peanut butter, nutella' over the last four weeks? | FFQ44_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 601 | | | C295 | How often has child eaten 'vegemite, marmite' over the last four weeks? | FFQ45_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 602 | | | | How many serving of 'butter (including semi soft)' has child eaten over the past four weeks? | FFQ38_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4386 | 65.95% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 603 | | | | How many serving of 'butter and margarine blend' has child eaten over the past four weeks? | FFQ39_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5734 | 86.23% |
| | | | | | | 2 | 1/2 Serving | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 604 | | | | How many serving of 'margarine (canola, sunflower, and olive oil and rice bran oil based)' has child eaten over the past four weeks? | FFQ40_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4029 | 60.59% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 605 | | | | How many serving of 'lite or reduced fat margarine (canola, sunflower, and olive oil and rice bran oil based)' has child eaten over the past four weeks? | FFQ41_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5501 | 82.72% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 606 | | | | How many serving of 'plant sterol margarine (such as proactive or logical)' has child eaten over the past four weeks? | FFQ42_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 6535 | 98.27% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 607 | | | | How many serving of 'jam, honey, marmalade' has child eaten over the past four weeks? | FFQ43_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2113 | 31.77% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 608 | | | | How many serving of 'peanut butter, nutella' has child eaten over the past four weeks? | FFQ44_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2663 | 40.05% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 609 | | | | How many serving of 'vegemite, marmite' has child eaten over the past four weeks? | FFQ45_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2635 | 39.62% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 610 | | | C297 | How often has child eaten 'red meat or dishes containing red meat such as beef, pork, mutton, lamb and goat' over the last four weeks? | FFQ47_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 611 | | | C298 | How often has child eaten 'chicken or dishes containing chicken' over the last four weeks? | FFQ48_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 612 | | | C299 | How often has child eaten 'toddler pre-prepared meals' over the last four weeks? | FFQ49_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 613 | | | C300 | How often has child eaten 'processed meats such as ham, bacon, pastrami, salami, sausages, luncheon, canned corned beef' over the last four weeks? | FFQ50_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 614 | | | C301 | How often has child eaten 'seafood such as fish or shellfish, fresh or frozen.' over the last four weeks? | FFQ51_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 615 | | | C302 | How often has child eaten 'battered or fried fish or seafood.' over the last four weeks? | FFQ52_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 616 | | | C303 | How often has child eaten 'processed such as tinned fish or fish sachets' over the last four weeks? | FFQ53_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 617 | | | C304 | How often has child eaten 'takeaways from places like mcdonalds, kfc, burger king, pizza shops or fast food outlets' over the last four weeks? | FFQ54_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 618 | | | C305 | How often has child eaten 'alternative protein such as legumes, nuts (used in a meal), tofu, textured vegetable protein, vegetarian sausages or patties' over the last four weeks? | FFQ55_Y2CM | 0 | None | Raw | | 329 | 4.95% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 619 | | | C306 | How often has child eaten 'eggs' over the last four weeks? | FFQ56_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 620 | | | | How many serving of 'red meat or dishes containing red meat such as beef, pork, mutton, lamb and goat' has child eaten over the past four weeks? | FFQ47_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 822 | 12.36% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 621 | | | | How many serving of 'chicken or dishes containing chicken' has child eaten over the past four weeks? | FFQ48_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 685 | 10.3% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 622 | | | | How many serving of 'toddler pre-prepared meals' has child eaten over the past four weeks? | FFQ49_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 5898 | 88.69% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 623 | | | | How many serving of 'processed meats such as ham, bacon, pastrami, salami, sausages, luncheon, canned corned beef' has child eaten over the past four weeks? | FFQ50_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1203 | 18.09% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 624 | | | | How many serving of 'seafood such as fish or shellfish, fresh or frozen.' has child eaten over the past four weeks? | FFQ51_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 2620 | 39.4% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 625 | | | | How many serving of 'battered or fried fish or seafood.' has child eaten over the past four weeks? | FFQ52_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 3770 | 56.69% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 626 | | | | How many serving of 'processed such as tinned fish or fish sachets' has child eaten over the past four weeks? | FFQ53_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4285 | 64.44% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| 627 | | | | How many serving of 'takeaways from places like mcdonalds, kfc, burger king, pizza shops or fast food outlets' has child eaten over the past four weeks? | FFQ54_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1914 | 28.78% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 628 | | | | How many serving of 'alternative protein such as legumes, nuts (used in a meal), tofu, textured vegetable protein, vegetarian sausages or patties' has child eaten over the past four weeks? | FFQ55_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4961 | 74.6% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 629 | | | | How many serving of 'eggs' has child eaten over the past four weeks? | FFQ56_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1373 | 20.65% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 630 | | | C308 | How often has child drunk 'soft drinks & energy drinks' over the last four weeks? | FFQ58_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 631 | | | C309 | How often has child drunk 'fruit juices & drinks' over the last four weeks? | FFQ59_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 632 | | | C310 | How often has child drunk 'soft drinks that don't contain sugar-this includes diet varieties' over the last four weeks? | FFQ60_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 633 | | | C311 | How often has child eaten 'confectionary, lollies, sweets and chocolate' over the last four weeks? | FFQ61_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 634 | | | C312 | How often has child eaten 'snackscrisps, nuts (as a snack)' over the last four weeks? | FFQ62_Y2CM | 0 | None | Raw | | 329 | 4.95% |
| | | | | | | 1 | 1 per Day | | | . | |
| | | | | | | 2 | 2 per Day | | | . | |
| | | | | | | 3 | 3 per Day | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 4 | 4+ per Day | | | . | |
| | | | | | | 5 | 1-2 per Week | | | . | |
| | | | | | | 6 | 3-4 per Week | | | . | |
| | | | | | | 7 | 5-6 per Week | | | . | |
| | | | | | | 8 | 1 per Month | | | . | |
| | | | | | | 9 | 2-3 per Month | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 635 | | | | How many serving of 'soft drinks & energy drinks' has child drunk over the past four weeks? | FFQ58_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 4208 | 63.28% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 636 | | | | How many serving of 'fruit juices & drinks' has child drunk over the past four weeks? | FFQ59_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 1820 | 27.37% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 637 | | | | How many serving of 'soft drinks that don't contain sugar-this includes diet varieties' has child drunk over the past four weeks? | FFQ60_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 6201 | 93.25% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 638 | | | | How many serving of 'confectionary, lollies, sweets and chocolate' has child eaten over the past four weeks? | FFQ61_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 949 | 14.27% |
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 639 | | | | How many serving of 'snackscrisps, nuts (as a snack)' has child eaten over the past four weeks? | FFQ62_PORTION_Y2CM | 1 | 1/4 Serving | Raw | | 677 | 10.18% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|---------------------------------------|---------------------|----------------------|--|---------------|-----------------------|---|---------------|--|-----------|-------------|
| | | | | | | 2 | 1/2 Serving | | | . | |
| | | | | | | 3 | 1 Serving | | | . | |
| | | | | | | 4 | 2+ Serving | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 640 | | | C313 | When answering the questions about child usual eating patterns, how certain were you about what [he/she] had eaten in the last four weeks? | FFQ100_Y2CM | 1 | Very certain | Raw | | 329 | 4.95% |
| | | | | | | 2 | Certain | | | . | |
| | | | | | | 3 | Not very certain | | | . | |
| | | | | | | 4 | Not at all certain | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 641 | | | C314 | Can you tell me the main reason you are not certain about what child has eaten in the last four weeks? | NFFQ101_Y2CM | 1 | [HE/SHE] eats many of [HIS/HER] meals at childcare, e.g. daycare, kohanga reo, etc. | Raw | Code frames updated, different to original questionnaire. Includes codes from 'Other Specify' category | 6082 | 91.46% |
| | | | | | | 2 | Many of [HIS/HER] meals are provided by another caregiver, e.g. my partner, a grandparent, etc. | | | . | |
| | | | | | | 3 | Other (specify) | | | . | |
| | | | | | | 6 | Hard to remember | | | . | |
| | | | | | | 7 | Irregular eating habits/fussy eater | | | . | |
| | | | | | | 97 | Other | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 642 | Psychological & Cognitive development | Toddler's abilities | C316 | Can child walk across the room without help? | MTR10_Y2CM | 1 | Not Yet | Raw | | 330 | 4.96% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 643 | | | C317 | What age child was when [he/she] took their first few wobbly steps? | MTR10A_Y2CM | 1 | Age in Months | Raw | | 371 | 5.58% |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|----------------|-----------------------|----------------|---------------|--|-----------|-------------|
| 644 | | | | Age in months - when [he/she] took their first few wobbly steps | MTR10_AGE_Y2CM | | | Raw | | 429 | 6.45% |
| 645 | | | C318 | Can child pick a small object such as a raisin or coin off the table with fingers? | MTR12_Y2CM | 1 | Not Yet | Categorised | The questionnaire response items match the Data dictionary. However, we have combined 'Not Yet' and 'Sometimes' within the data due to low cell counts | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 646 | | | C319 | Can child use a small cup to drink water from without help? | MTR13_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 647 | | | C320 | Can child stack at least three blocks in a tower? | MTR14_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 648 | | | C321 | Can child scribble on a piece of paper with a pencil or crayon? | MTR15_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 649 | | | C322 | Can child walk down stairs if you hold onto one of [his/her] hands? | MTR16_Y2CM | 1 | Not Yet | Raw | | 330 | 4.96% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| 650 | | | C323 | Can child try to kick large ball by either moving [his/her] leg forward or by walking into it? | MTR17_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 651 | | | C324 | Can child walk either up or down at least two steps by [himself/herself], holding onto the wall or railing is ok? | MTR18_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 652 | | | C325 | Can child run fairly well, stopping [himself/herself] without bumping into things or falling? | MTR19_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 653 | | | C326 | Can child jump with both feet leaving the floor at the same time? | MTR20_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 654 | | | C327 | Can child kick a ball by swinging [his/her] leg forward without holding onto anything for support? | MTR21_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 97 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 655 | | Speech/language | C329 | What languages does your child understand: English? | NLAN5_1_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 656 | | | | What languages does your child understand: Maori? | NLAN5_2_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 657 | | | | What languages does your child understand: Samoan? | NLAN5_3_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 658 | | | | What languages does your child understand: Tongan? | NLAN5_4_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 659 | | | | What languages does your child understand: Fijian? | NLAN5_5_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 660 | | | | What languages does your child understand: Niuean? | NLAN5_6_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 661 | | | | What languages does your child understand: Cook Islands Maori? | NLAN5_7_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 662 | | | | What languages does your child understand: Cantonese? | NLAN5_8_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 663 | | | | What languages does your child understand: Mandarin? | NLAN5_9_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 664 | | | | What languages does your child understand: Korean? | NLAN5_10_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 665 | | | | What languages does your child understand: Japanese? | NLAN5_11_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 666 | | | | What languages does your child understand: Hindi? | NLAN5_12_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 667 | | | | What languages does your child understand: Arabic? | NLAN5_13_Y2CM | 0 | No | Raw | | 329 | 4.95% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|-----------------------------------|---------------|---|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| 668 | | | | What languages does your child understand: NZ sign language? | NLAN5_14_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 669 | | | | What languages does your child understand: Filipino? | NLAN5_15_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 670 | | | | What languages does your child understand: Gujarati? | NLAN5_16_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 671 | | | | What languages does your child understand: Punjabi? | NLAN5_17_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 672 | | | | What languages does your child understand: Spanish? | NLAN5_18_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| 673 | | | | What languages does your child understand: Other 1? | NLAN5S1_Y2CM | 01 | Germanic | Re-classified | Re-classified to Statistics New Zealand Level 1 classification of languages | 6125 | 92.11% |
| | | | | | | 02 | Romance | | | . | |
| | | | | | | 03 | Greek | | | . | |
| | | | | | | 04 | Balto-Slavic | | | . | |
| | | | | | | 05 | Albanian | | | . | |
| | | | | | | 06 | Armenian | | | . | |
| | | | | | | 07 | Indo-Aryan | | | . | |
| | | | | | | 08 | Celtic | | | . | |
| | | | | | | 09 | Iranian | | | . | |
| | | | | | | 10 | Turko-Altaic | | | . | |
| | | | | | | 11 | Uralic | | | . | |
| | | | | | | 12 | Dravidian | | | . | |
| | | | | | | 13 | Sino-Tibeto-Burman | | | . | |
| | | | | | | 14 | Austroasiatic | | | . | |
| | | | | | | 15 | Tai-Kadai | | | . | |
| | | | | | | 16 | Central-Eastern Malayo-Polynesian | | | . | |
| | | | | | | 17 | Western Malayo-Polynesian | | | . | |
| | | | | | | 18 | Afro-Asiatic | | | . | |
| | | | | | | 19 | Niger-Congo (Congo-Kordafanian) | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------------------------------|---------------|---|-----------|-------------|
| | | | | | | 20 | Pidgins and Creoles | | | . | |
| | | | | | | 21 | Language Isolates | | | . | |
| | | | | | | 22 | Miscellaneous Language Groupings | | | . | |
| | | | | | | 23 | Artificial Languages | | | . | |
| | | | | | | 24 | Sign Language | | | . | |
| | | | | | | 44 | Don't Know | | | . | |
| | | | | | | 55 | Refused To Answer | | | . | |
| | | | | | | 66 | None (eg too young to talk) | | | . | |
| | | | | | | 77 | Response Unidentifiable | | | . | |
| | | | | | | 88 | Response Outside Scope | | | . | |
| | | | | | | 99 | Not Stated | | | . | |
| 674 | | | | What languages does your child understand: Other 2? | NLAN5S2_Y2CM | 01 | Germanic | Re-classified | Re-classified to Statistics New Zealand Level 1 classification of languages | 6628 | 99.67% |
| | | | | | | 02 | Romance | | | . | |
| | | | | | | 03 | Greek | | | . | |
| | | | | | | 04 | Balto-Slavic | | | . | |
| | | | | | | 05 | Albanian | | | . | |
| | | | | | | 06 | Armenian | | | . | |
| | | | | | | 07 | Indo-Aryan | | | . | |
| | | | | | | 08 | Celtic | | | . | |
| | | | | | | 09 | Iranian | | | . | |
| | | | | | | 10 | Turko-Altaic | | | . | |
| | | | | | | 11 | Uralic | | | . | |
| | | | | | | 12 | Dravidian | | | . | |
| | | | | | | 13 | Sino-Tibeto-Burman | | | . | |
| | | | | | | 14 | Austroasiatic | | | . | |
| | | | | | | 15 | Tai-Kadai | | | . | |
| | | | | | | 16 | Central-Eastern Malayo-Polynesian | | | . | |
| | | | | | | 17 | Western Malayo-Polynesian | | | . | |
| | | | | | | 18 | Afro-Asiatic | | | . | |
| | | | | | | 19 | Niger-Congo (Congo-Kordafanian) | | | . | |
| | | | | | | 20 | Pidgins and Creoles | | | . | |
| | | | | | | 21 | Language Isolates | | | . | |
| | | | | | | 22 | Miscellaneous Language Groupings | | | . | |
| | | | | | | 23 | Artificial Languages | | | . | |
| | | | | | | 24 | Sign Language | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|----------------------|----------------------|--|------------------|-----------------------|---|---------------|-------|-----------|-------------|
| | | | | | | 44 | Don't Know | | | . | |
| | | | | | | 55 | Refused To Answer | | | . | |
| | | | | | | 66 | None (eg too young to talk) | | | . | |
| | | | | | | 77 | Response Unidentifiable | | | . | |
| | | | | | | 88 | Response Outside Scope | | | . | |
| | | | | | | 99 | Not Stated | | | . | |
| 675 | Education | Language development | C332 | Can the language development list (vocabulary checklist) be administered in English? | LD1_ENGLISH_Y2CM | 1 | Yes, with mother reading the list | Raw | | 568 | 8.54% |
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 676 | | | | Can the language development list (vocabulary checklist) be administered in Maori? | LD1_MAORI_Y2CM | 1 | Yes, with mother reading the list | Raw | | 5899 | 88.71% |
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 677 | | | | Can the language development list (vocabulary checklist) be administered in Samoan? | LD1_SAMOAN_Y2CM | 1 | Yes, with mother reading the list | Raw | | 6189 | 93.07% |
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|---|---------------|-------|-----------|-------------|
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 678 | | | | Can the language development list (vocabulary checklist) be administered in Tongan? | LD1_TONGAN_Y2CM | 1 | Yes, with mother reading the list | Raw | | 6349 | 95.47% |
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 679 | | | | Can the language development list (vocabulary checklist) be administered in Cantonese? | LD1_CANTONESE_Y2CM | 1 | Yes, with mother reading the list | Raw | | 6580 | 98.95% |
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 680 | | | | Can the language development list (vocabulary checklist) be administered in Mandarin? | LD1_MANDARIN_Y2CM | 1 | Yes, with mother reading the list | Raw | | 6454 | 97.05% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|---|---------------|---|-----------|-------------|
| | | | | | | 2 | Yes, with the interviewer reading the list | | | . | |
| | | | | | | 3 | Yes, with an interpreter reading the list | | | . | |
| | | | | | | 4 | No, the mother cannot speak the language | | | . | |
| | | | | | | 8 | No, neither the mother nor the interviewer can read the language, and there is no interpreter who can read the language | | | . | |
| 681 | | | C334 | Child can say baa baa in 'English' language | LD2_1_ENGLISH_Y2 CM | 0 | No | Raw | For C334-C434, please refer to External Data Release 2017 Reference and Process User Guide. | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 682 | | | C335 | Child can say meow in 'English' language | LD2_2_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 683 | | | C336 | Child can say ouch in 'English' language | LD2_3_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 684 | | | C337 | Child can say uh oh in 'English' language | LD2_4_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 685 | | | C338 | Child can say woof woof in 'English' language | LD2_5_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 686 | | | C339 | Child can say bear in 'English' language | LD2_6_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 687 | | | C340 | Child can say bird in 'English' language | LD2_7_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 688 | | | C341 | Child can say cat in 'English' language | LD2_8_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 689 | | | C342 | Child can say dog in 'English' language | LD2_9_ENGLISH_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 690 | | | C343 | Child can say duck in 'English' language | LD2_10_ENGLISH_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 691 | | | C344 | Child can say horse in 'English' language | LD2_11_ENGLISH_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 692 | | | C345 | Child can say aeroplane in 'English' language | LD2_12_ENGLISH_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 693 | | | C346 | Child can say boat in 'English' language | LD2_13_ENGLISH_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 694 | | | C347 | Child can say car in 'English' language | LD2_14_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 695 | | | C348 | Child can say ball in 'English' language | LD2_15_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 696 | | | C349 | Child can say book in 'English' language | LD2_16_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 697 | | | C350 | Child can say game in 'English' language | LD2_17_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 698 | | | C351 | Child can say cracker in 'English' language | LD2_18_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 699 | | | C352 | Child can say fizzy drink in 'English' language | LD2_19_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 700 | | | C353 | Child can say juice in 'English' language | LD2_20_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 701 | | | C354 | Child can say lollies in 'English' language | LD2_21_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 702 | | | C355 | Child can say meat in 'English' language | LD2_22_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 703 | | | C356 | Child can say milk in 'English' language | LD2_23_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 704 | | | C357 | Child can say peas in 'English' language | LD2_24_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 705 | | | C358 | Child can say tomato sauce in 'English' language | LD2_25_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 706 | | | C359 | Child can say hat in 'English' language | LD2_26_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 707 | | | C360 | Child can say necklace in 'English' language | LD2_27_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 708 | | | C361 | Child can say shoe in 'English' language | LD2_28_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 709 | | | C362 | Child can say sock in 'English' language | LD2_29_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 710 | | | C363 | Child can say chin in 'English' language | LD2_30_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 711 | | | C364 | Child can say ear in 'English' language | LD2_31_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 712 | | | C365 | Child can say hand in 'English' language | LD2_32_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 713 | | | C366 | Child can say leg in 'English' language | LD2_33_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 714 | | | C367 | Child can say broom in 'English' language | LD2_34_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 715 | | | C368 | Child can say comb in 'English' language | LD2_35_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 716 | | | C369 | Child can say mop in 'English' language | LD2_36_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 717 | | | C370 | Child can say plate in 'English' language | LD2_37_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 718 | | | C371 | Child can say rubbish in 'English' language | LD2_38_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 719 | | | C372 | Child can say tray in 'English' language | LD2_39_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 720 | | | C373 | Child can say towel in 'English' language | LD2_40_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 721 | | | C374 | Child can say bed in 'English' language | LD2_41_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 722 | | | C375 | Child can say bedroom in 'English' language | LD2_42_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 723 | | | C376 | Child can say bench in 'English' language | LD2_43_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 724 | | | C377 | Child can say oven in 'English' language | LD2_44_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 725 | | | C378 | Child can say stairs in 'English' language | LD2_45_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 726 | | | C379 | Child can say flag in 'English' language | LD2_46_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 727 | | | C380 | Child can say rain in 'English' language | LD2_47_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 728 | | | C381 | Child can say star in 'English' language | LD2_48_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 729 | | | C382 | Child can say swing in 'English' language | LD2_49_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 730 | | | C383 | Child can say school in 'English' language | LD2_50_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 731 | | | C384 | Child can say sky in 'English' language | LD2_51_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 732 | | | C385 | Child can say party in 'English' language | LD2_52_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 733 | | | C386 | Child can say friend in 'English' language | LD2_53_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 734 | | | C387 | Child can say mum in 'English' language | LD2_54_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 735 | | | C388 | Child can say person in 'English' language | LD2_55_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 736 | | | C389 | Child can say bye in 'English' language | LD2_56_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 737 | | | C390 | Child can say hi in 'English' language | LD2_57_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 738 | | | C391 | Child can say no in 'English' language | LD2_58_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 739 | | | C392 | Child can say shopping in 'English' language | LD2_59_ENGLISH_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 740 | | | C393 | Child can say thank you in 'English' language | LD2_60_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 741 | | | C394 | Child can say carry in 'English' language | LD2_61_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 742 | | | C395 | Child can say chase in 'English' language | LD2_62_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 743 | | | C396 | Child can say dump in 'English' language | LD2_63_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 744 | | | C397 | Child can say finish in 'English' language | LD2_64_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 745 | | | C398 | Child can say fit in 'English' language | LD2_65_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 746 | | | C399 | Child can say hug in 'English' language | LD2_66_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 747 | | | C400 | Child can say listen in 'English' language | LD2_67_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 748 | | | C401 | Child can say like in 'English' language | LD2_68_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 749 | | | C402 | Child can say pretend in 'English' language | LD2_69_ENGLISH_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 750 | | | C403 | Child can say rip in 'English' language | LD2_70_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 751 | | | C404 | Child can say shake in 'English' language | LD2_71_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 752 | | | C405 | Child can say taste in 'English' language | LD2_72_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 753 | | | C406 | Child can say gentle in 'English' language | LD2_73_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 754 | | | C407 | Child can say think in 'English' language | LD2_74_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 755 | | | C408 | Child can say wish in 'English' language | LD2_75_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 756 | | | C409 | Child can say all gone in 'English' language | LD2_76_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 757 | | | C410 | Child can say cold in 'English' language | LD2_77_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 758 | | | C411 | Child can say fast in 'English' language | LD2_78_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 759 | | | C412 | Child can say happy in 'English' language | LD2_79_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 760 | | | C413 | Child can say hot in 'English' language | LD2_80_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 761 | | | C414 | Child can say last in 'English' language | LD2_81_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 762 | | | C415 | Child can say tiny in 'English' language | LD2_82_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 763 | | | C416 | Child can say wet in 'English' language | LD2_83_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 764 | | | C417 | Child can say after in 'English' language | LD2_84_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 765 | | | C418 | Child can say day in 'English' language | LD2_85_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 766 | | | C419 | Child can say tonight in 'English' language | LD2_86_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 767 | | | C420 | Child can say our in 'English' language | LD2_87_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 768 | | | C421 | Child can say them in 'English' language | LD2_88_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 769 | | | C422 | Child can say this in 'English' language | LD2_89_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 770 | | | C423 | Child can say us in 'English' language | LD2_90_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 771 | | | C424 | Child can say where in 'English' language | LD2_91_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 772 | | | C425 | Child can say beside in 'English' language | LD2_92_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 773 | | | C426 | Child can say down in 'English' language | LD2_93_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 774 | | | C427 | Child can say under in 'English' language | LD2_94_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 775 | | | C428 | Child can say all in 'English' language | LD2_95_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 776 | | | C429 | Child can say much in 'English' language | LD2_96_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 777 | | | C430 | Child can say could in 'English' language | LD2_97_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 778 | | | C431 | Child can say need in 'English' language | LD2_98_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 779 | | | C432 | Child can say would in 'English' language | LD2_99_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 780 | | | C433 | Child can say if in 'English' language | LD2_100_ENGLISH_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 781 | | | C334 | Child can say baa baa in 'Maori' language | LD2_1_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 782 | | | C335 | Child can say meow in 'Maori' language | LD2_2_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 783 | | | C336 | Child can say ouch in 'Maori' language | LD2_3_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 784 | | | C337 | Child can say uh oh in 'Maori' language | LD2_4_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 785 | | | C338 | Child can say woof woof in 'Maori' language | LD2_5_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 786 | | | C339 | Child can say bear in 'Maori' language | LD2_6_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 787 | | | C340 | Child can say bird in 'Maori' language | LD2_7_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 788 | | | C341 | Child can say cat in 'Maori' language | LD2_8_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 789 | | | C342 | Child can say dog in 'Maori' language | LD2_9_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 790 | | | C343 | Child can say duck in 'Maori' language | LD2_10_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 791 | | | C344 | Child can say horse in 'Maori' language | LD2_11_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 792 | | | C345 | Child can say aeroplane in 'Maori' language | LD2_12_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 793 | | | C346 | Child can say boat in 'Maori' language | LD2_13_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 794 | | | C347 | Child can say car in 'Maori' language | LD2_14_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 795 | | | C348 | Child can say ball in 'Maori' language | LD2_15_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 796 | | | C349 | Child can say book in 'Maori' language | LD2_16_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 797 | | | C350 | Child can say game in 'Maori' language | LD2_17_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 798 | | | C351 | Child can say cracker in 'Maori' language | LD2_18_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 799 | | | C352 | Child can say fizzy drink in 'Maori' language | LD2_19_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 800 | | | C353 | Child can say juice in 'Maori' language | LD2_20_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 801 | | | C354 | Child can say lollies in 'Maori' language | LD2_21_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 802 | | | C355 | Child can say meat in 'Maori' language | LD2_22_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 803 | | | C356 | Child can say milk in 'Maori' language | LD2_23_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 804 | | | C357 | Child can say peas in 'Maori' language | LD2_24_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 805 | | | C358 | Child can say tomato sauce in 'Maori' language | LD2_25_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 806 | | | C359 | Child can say hat in 'Maori' language | LD2_26_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 807 | | | C360 | Child can say necklace in 'Maori' language | LD2_27_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 808 | | | C361 | Child can say shoe in 'Maori' language | LD2_28_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 809 | | | C362 | Child can say sock in 'Maori' language | LD2_29_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 810 | | | C363 | Child can say chin in 'Maori' language | LD2_30_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 811 | | | C364 | Child can say ear in 'Maori' language | LD2_31_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 812 | | | C365 | Child can say hand in 'Maori' language | LD2_32_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 813 | | | C366 | Child can say leg in 'Maori' language | LD2_33_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 814 | | | C367 | Child can say broom in 'Maori' language | LD2_34_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 815 | | | C368 | Child can say comb in 'Maori' language | LD2_35_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 816 | | | C369 | Child can say mop in 'Maori' language | LD2_36_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 817 | | | C370 | Child can say plate in 'Maori' language | LD2_37_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 818 | | | C371 | Child can say rubbish in 'Maori' language | LD2_38_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 819 | | | C372 | Child can say tray in 'Maori' language | LD2_39_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 820 | | | C373 | Child can say towel in 'Maori' language | LD2_40_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 821 | | | C374 | Child can say bed in 'Maori' language | LD2_41_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 822 | | | C375 | Child can say bedroom in 'Maori' language | LD2_42_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 823 | | | C376 | Child can say bench in 'Maori' language | LD2_43_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 824 | | | C377 | Child can say oven in 'Maori' language | LD2_44_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 825 | | | C378 | Child can say stairs in 'Maori' language | LD2_45_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 826 | | | C379 | Child can say flag in 'Maori' language | LD2_46_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 827 | | | C380 | Child can say rain in 'Maori' language | LD2_47_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 828 | | | C381 | Child can say star in 'Maori' language | LD2_48_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 829 | | | C382 | Child can say swing in 'Maori' language | LD2_49_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 830 | | | C383 | Child can say school in 'Maori' language | LD2_50_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 831 | | | C384 | Child can say sky in 'Maori' language | LD2_51_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 832 | | | C385 | Child can say party in 'Maori' language | LD2_52_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 833 | | | C386 | Child can say friend in 'Maori' language | LD2_53_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 834 | | | C387 | Child can say mum in 'Maori' language | LD2_54_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 835 | | | C388 | Child can say person in 'Maori' language | LD2_55_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 836 | | | C389 | Child can say bye in 'Maori' language | LD2_56_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 837 | | | C390 | Child can say hi in 'Maori' language | LD2_57_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 838 | | | C391 | Child can say no in 'Maori' language | LD2_58_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 839 | | | C392 | Child can say shopping in 'Maori' language | LD2_59_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 840 | | | C393 | Child can say thank you in 'Maori' language | LD2_60_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 841 | | | C394 | Child can say carry in 'Maori' language | LD2_61_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 842 | | | C395 | Child can say chase in 'Maori' language | LD2_62_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 843 | | | C396 | Child can say dump in 'Maori' language | LD2_63_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 844 | | | C397 | Child can say finish in 'Maori' language | LD2_64_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 845 | | | C398 | Child can say fit in 'Maori' language | LD2_65_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 846 | | | C399 | Child can say hug in 'Maori' language | LD2_66_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 847 | | | C400 | Child can say listen in 'Maori' language | LD2_67_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 848 | | | C401 | Child can say like in 'Maori' language | LD2_68_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 849 | | | C402 | Child can say pretend in 'Maori' language | LD2_69_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 850 | | | C403 | Child can say rip in 'Maori' language | LD2_70_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 851 | | | C404 | Child can say shake in 'Maori' language | LD2_71_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 852 | | | C405 | Child can say taste in 'Maori' language | LD2_72_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 853 | | | C406 | Child can say gentle in 'Maori' language | LD2_73_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 854 | | | C407 | Child can say think in 'Maori' language | LD2_74_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 855 | | | C408 | Child can say wish in 'Maori' language | LD2_75_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 856 | | | C409 | Child can say all gone in 'Maori' language | LD2_76_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 857 | | | C410 | Child can say cold in 'Maori' language | LD2_77_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 858 | | | C411 | Child can say fast in 'Maori' language | LD2_78_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 859 | | | C412 | Child can say happy in 'Maori' language | LD2_79_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 860 | | | C413 | Child can say hot in 'Maori' language | LD2_80_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 861 | | | C414 | Child can say last in 'Maori' language | LD2_81_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 862 | | | C415 | Child can say tiny in 'Maori' language | LD2_82_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 863 | | | C416 | Child can say wet in 'Maori' language | LD2_83_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 864 | | | C417 | Child can say after in 'Maori' language | LD2_84_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 865 | | | C418 | Child can say day in 'Maori' language | LD2_85_MAORI_Y2C M | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|-------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 866 | | | C419 | Child can say tonight in 'Maori' language | LD2_86_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 867 | | | C420 | Child can say our in 'Maori' language | LD2_87_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 868 | | | C421 | Child can say them in 'Maori' language | LD2_88_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 869 | | | C422 | Child can say this in 'Maori' language | LD2_89_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 870 | | | C423 | Child can say us in 'Maori' language | LD2_90_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 871 | | | C424 | Child can say where in 'Maori' language | LD2_91_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 872 | | | C425 | Child can say beside in 'Maori' language | LD2_92_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 873 | | | C426 | Child can say down in 'Maori' language | LD2_93_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 874 | | | C427 | Child can say under in 'Maori' language | LD2_94_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 875 | | | C428 | Child can say all in 'Maori' language | LD2_95_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 876 | | | C429 | Child can say much in 'Maori' language | LD2_96_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 877 | | | C430 | Child can say could in 'Maori' language | LD2_97_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 878 | | | C431 | Child can say need in 'Maori' language | LD2_98_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 879 | | | C432 | Child can say would in 'Maori' language | LD2_99_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 880 | | | C433 | Child can say if in 'Maori' language | LD2_100_MAORI_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|-----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 881 | | | C334 | Child can say baa baa in 'Samoan' language | LD2_1_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 882 | | | C335 | Child can say meow in 'Samoan' language | LD2_2_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 883 | | | C336 | Child can say ouch in 'Samoan' language | LD2_3_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 884 | | | C337 | Child can say uh oh in 'Samoan' language | LD2_4_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 885 | | | C338 | Child can say woof woof in 'Samoan' language | LD2_5_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 886 | | | C339 | Child can say bear in 'Samoan' language | LD2_6_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 887 | | | C340 | Child can say bird in 'Samoan' language | LD2_7_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 888 | | | C341 | Child can say cat in 'Samoan' language | LD2_8_SAMOAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 889 | | | C342 | Child can say dog in 'Samoan' language | LD2_9_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 890 | | | C343 | Child can say duck in 'Samoan' language | LD2_10_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 891 | | | C344 | Child can say horse in 'Samoan' language | LD2_11_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 892 | | | C345 | Child can say aeroplane in 'Samoan' language | LD2_12_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 893 | | | C346 | Child can say boat in 'Samoan' language | LD2_13_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 894 | | | C347 | Child can say car in 'Samoan' language | LD2_14_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 895 | | | C348 | Child can say ball in 'Samoan' language | LD2_15_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 896 | | | C349 | Child can say book in 'Samoan' language | LD2_16_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 897 | | | C350 | Child can say game in 'Samoan' language | LD2_17_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 898 | | | C351 | Child can say cracker in 'Samoan' language | LD2_18_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 899 | | | C352 | Child can say fizzy drink in 'Samoan' language | LD2_19_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 900 | | | C353 | Child can say juice in 'Samoan' language | LD2_20_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 901 | | | C354 | Child can say lollies in 'Samoan' language | LD2_21_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 902 | | | C355 | Child can say meat in 'Samoan' language | LD2_22_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 903 | | | C356 | Child can say milk in 'Samoan' language | LD2_23_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 904 | | | C357 | Child can say peas in 'Samoan' language | LD2_24_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 905 | | | C358 | Child can say tomato sauce in 'Samoan' language | LD2_25_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 906 | | | C359 | Child can say hat in 'Samoan' language | LD2_26_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 907 | | | C360 | Child can say necklace in 'Samoan' language | LD2_27_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 908 | | | C361 | Child can say shoe in 'Samoan' language | LD2_28_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 909 | | | C362 | Child can say sock in 'Samoan' language | LD2_29_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 910 | | | C363 | Child can say chin in 'Samoan' language | LD2_30_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 911 | | | C364 | Child can say ear in 'Samoan' language | LD2_31_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 912 | | | C365 | Child can say hand in 'Samoan' language | LD2_32_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 913 | | | C366 | Child can say leg in 'Samoan' language | LD2_33_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 914 | | | C367 | Child can say broom in 'Samoan' language | LD2_34_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 915 | | | C368 | Child can say comb in 'Samoan' language | LD2_35_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 916 | | | C369 | Child can say mop in 'Samoan' language | LD2_36_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 917 | | | C370 | Child can say plate in 'Samoan' language | LD2_37_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 918 | | | C371 | Child can say rubbish in 'Samoan' language | LD2_38_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 919 | | | C372 | Child can say tray in 'Samoan' language | LD2_39_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 920 | | | C373 | Child can say towel in 'Samoan' language | LD2_40_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 921 | | | C374 | Child can say bed in 'Samoan' language | LD2_41_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 922 | | | C375 | Child can say bedroom in 'Samoan' language | LD2_42_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 923 | | | C376 | Child can say bench in 'Samoan' language | LD2_43_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 924 | | | C377 | Child can say oven in 'Samoan' language | LD2_44_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 925 | | | C378 | Child can say stairs in 'Samoan' language | LD2_45_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 926 | | | C379 | Child can say flag in 'Samoan' language | LD2_46_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 927 | | | C380 | Child can say rain in 'Samoan' language | LD2_47_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 928 | | | C381 | Child can say star in 'Samoan' language | LD2_48_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 929 | | | C382 | Child can say swing in 'Samoan' language | LD2_49_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 930 | | | C383 | Child can say school in 'Samoan' language | LD2_50_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 931 | | | C384 | Child can say sky in 'Samoan' language | LD2_51_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 932 | | | C385 | Child can say party in 'Samoan' language | LD2_52_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 933 | | | C386 | Child can say friend in 'Samoan' language | LD2_53_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 934 | | | C387 | Child can say mum in 'Samoan' language | LD2_54_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 935 | | | C388 | Child can say person in 'Samoan' language | LD2_55_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 936 | | | C389 | Child can say bye in 'Samoan' language | LD2_56_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 937 | | | C390 | Child can say hi in 'Samoan' language | LD2_57_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 938 | | | C391 | Child can say no in 'Samoan' language | LD2_58_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 939 | | | C392 | Child can say shopping in 'Samoan' language | LD2_59_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 940 | | | C393 | Child can say thank you in 'Samoan' language | LD2_60_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 941 | | | C394 | Child can say carry in 'Samoan' language | LD2_61_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 942 | | | C395 | Child can say chase in 'Samoan' language | LD2_62_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 943 | | | C396 | Child can say dump in 'Samoan' language | LD2_63_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 944 | | | C397 | Child can say finish in 'Samoan' language | LD2_64_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 945 | | | C398 | Child can say fit in 'Samoan' language | LD2_65_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 946 | | | C399 | Child can say hug in 'Samoan' language | LD2_66_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 947 | | | C400 | Child can say listen in 'Samoan' language | LD2_67_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 948 | | | C401 | Child can say like in 'Samoan' language | LD2_68_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 949 | | | C402 | Child can say pretend in 'Samoan' language | LD2_69_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 950 | | | C403 | Child can say rip in 'Samoan' language | LD2_70_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 951 | | | C404 | Child can say shake in 'Samoan' language | LD2_71_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 952 | | | C405 | Child can say taste in 'Samoan' language | LD2_72_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 953 | | | C406 | Child can say gentle in 'Samoan' language | LD2_73_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 954 | | | C407 | Child can say think in 'Samoan' language | LD2_74_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 955 | | | C408 | Child can say wish in 'Samoan' language | LD2_75_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 956 | | | C409 | Child can say all gone in 'Samoan' language | LD2_76_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 957 | | | C410 | Child can say cold in 'Samoan' language | LD2_77_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 958 | | | C411 | Child can say fast in 'Samoan' language | LD2_78_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 959 | | | C412 | Child can say happy in 'Samoan' language | LD2_79_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 960 | | | C413 | Child can say hot in 'Samoan' language | LD2_80_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 961 | | | C414 | Child can say last in 'Samoan' language | LD2_81_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 962 | | | C415 | Child can say tiny in 'Samoan' language | LD2_82_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 963 | | | C416 | Child can say wet in 'Samoan' language | LD2_83_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 964 | | | C417 | Child can say after in 'Samoan' language | LD2_84_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 965 | | | C418 | Child can say day in 'Samoan' language | LD2_85_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 966 | | | C419 | Child can say tonight in 'Samoan' language | LD2_86_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 967 | | | C420 | Child can say our in 'Samoan' language | LD2_87_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 968 | | | C421 | Child can say them in 'Samoan' language | LD2_88_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 969 | | | C422 | Child can say this in 'Samoan' language | LD2_89_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 970 | | | C423 | Child can say us in 'Samoan' language | LD2_90_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 971 | | | C424 | Child can say where in 'Samoan' language | LD2_91_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 972 | | | C425 | Child can say beside in 'Samoan' language | LD2_92_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 973 | | | C426 | Child can say down in 'Samoan' language | LD2_93_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 974 | | | C427 | Child can say under in 'Samoan' language | LD2_94_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 975 | | | C428 | Child can say all in 'Samoan' language | LD2_95_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 976 | | | C429 | Child can say much in 'Samoan' language | LD2_96_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 977 | | | C430 | Child can say could in 'Samoan' language | LD2_97_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 978 | | | C431 | Child can say need in 'Samoan' language | LD2_98_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 979 | | | C432 | Child can say would in 'Samoan' language | LD2_99_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 980 | | | C433 | Child can say if in 'Samoan' language | LD2_100_SAMOAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 981 | | | C334 | Child can say baa baa in 'Tongan' language | LD2_1_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 982 | | | C335 | Child can say meow in 'Tongan' language | LD2_2_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 983 | | | C336 | Child can say ouch in 'Tongan' language | LD2_3_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 984 | | | C337 | Child can say uh oh in 'Tongan' language | LD2_4_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 985 | | | C338 | Child can say woof woof in 'Tongan' language | LD2_5_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|--|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 986 | | | C339 | Child can say bear in 'Tongan' language | LD2_6_TONGAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 987 | | | C340 | Child can say bird in 'Tongan' language | LD2_7_TONGAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 988 | | | C341 | Child can say cat in 'Tongan' language | LD2_8_TONGAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 989 | | | C342 | Child can say dog in 'Tongan' language | LD2_9_TONGAN_Y2 CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 990 | | | C343 | Child can say duck in 'Tongan' language | LD2_10_TONGAN_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 991 | | | C344 | Child can say horse in 'Tongan' language | LD2_11_TONGAN_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 992 | | | C345 | Child can say aeroplane in 'Tongan' language | LD2_12_TONGAN_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 993 | | | C346 | Child can say boat in 'Tongan' language | LD2_13_TONGAN_Y 2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 994 | | | C347 | Child can say car in 'Tongan' language | LD2_14_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 995 | | | C348 | Child can say ball in 'Tongan' language | LD2_15_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 996 | | | C349 | Child can say book in 'Tongan' language | LD2_16_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 997 | | | C350 | Child can say game in 'Tongan' language | LD2_17_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 998 | | | C351 | Child can say cracker in 'Tongan' language | LD2_18_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 999 | | | C352 | Child can say fizzy drink in 'Tongan' language | LD2_19_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1000 | | | C353 | Child can say juice in 'Tongan' language | LD2_20_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1001 | | | C354 | Child can say lollies in 'Tongan' language | LD2_21_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1002 | | | C355 | Child can say meat in 'Tongan' language | LD2_22_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1003 | | | C356 | Child can say milk in 'Tongan' language | LD2_23_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1004 | | | C357 | Child can say peas in 'Tongan' language | LD2_24_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1005 | | | C358 | Child can say tomato sauce in 'Tongan' language | LD2_25_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1006 | | | C359 | Child can say hat in 'Tongan' language | LD2_26_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1007 | | | C360 | Child can say necklace in 'Tongan' language | LD2_27_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1008 | | | C361 | Child can say shoe in 'Tongan' language | LD2_28_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1009 | | | C362 | Child can say sock in 'Tongan' language | LD2_29_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1010 | | | C363 | Child can say chin in 'Tongan' language | LD2_30_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1011 | | | C364 | Child can say ear in 'Tongan' language | LD2_31_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1012 | | | C365 | Child can say hand in 'Tongan' language | LD2_32_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1013 | | | C366 | Child can say leg in 'Tongan' language | LD2_33_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1014 | | | C367 | Child can say broom in 'Tongan' language | LD2_34_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1015 | | | C368 | Child can say comb in 'Tongan' language | LD2_35_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1016 | | | C369 | Child can say mop in 'Tongan' language | LD2_36_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1017 | | | C370 | Child can say plate in 'Tongan' language | LD2_37_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1018 | | | C371 | Child can say rubbish in 'Tongan' language | LD2_38_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1019 | | | C372 | Child can say tray in 'Tongan' language | LD2_39_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1020 | | | C373 | Child can say towel in 'Tongan' language | LD2_40_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1021 | | | C374 | Child can say bed in 'Tongan' language | LD2_41_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1022 | | | C375 | Child can say bedroom in 'Tongan' language | LD2_42_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1023 | | | C376 | Child can say bench in 'Tongan' language | LD2_43_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1024 | | | C377 | Child can say oven in 'Tongan' language | LD2_44_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1025 | | | C378 | Child can say stairs in 'Tongan' language | LD2_45_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1026 | | | C379 | Child can say flag in 'Tongan' language | LD2_46_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1027 | | | C380 | Child can say rain in 'Tongan' language | LD2_47_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1028 | | | C381 | Child can say star in 'Tongan' language | LD2_48_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1029 | | | C382 | Child can say swing in 'Tongan' language | LD2_49_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1030 | | | C383 | Child can say school in 'Tongan' language | LD2_50_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1031 | | | C384 | Child can say sky in 'Tongan' language | LD2_51_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1032 | | | C385 | Child can say party in 'Tongan' language | LD2_52_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1033 | | | C386 | Child can say friend in 'Tongan' language | LD2_53_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1034 | | | C387 | Child can say mum in 'Tongan' language | LD2_54_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1035 | | | C388 | Child can say person in 'Tongan' language | LD2_55_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1036 | | | C389 | Child can say bye in 'Tongan' language | LD2_56_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1037 | | | C390 | Child can say hi in 'Tongan' language | LD2_57_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1038 | | | C391 | Child can say no in 'Tongan' language | LD2_58_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1039 | | | C392 | Child can say shopping in 'Tongan' language | LD2_59_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1040 | | | C393 | Child can say thank you in 'Tongan' language | LD2_60_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1041 | | | C394 | Child can say carry in 'Tongan' language | LD2_61_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1042 | | | C395 | Child can say chase in 'Tongan' language | LD2_62_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1043 | | | C396 | Child can say dump in 'Tongan' language | LD2_63_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1044 | | | C397 | Child can say finish in 'Tongan' language | LD2_64_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1045 | | | C398 | Child can say fit in 'Tongan' language | LD2_65_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1046 | | | C399 | Child can say hug in 'Tongan' language | LD2_66_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1047 | | | C400 | Child can say listen in 'Tongan' language | LD2_67_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1048 | | | C401 | Child can say like in 'Tongan' language | LD2_68_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1049 | | | C402 | Child can say pretend in 'Tongan' language | LD2_69_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1050 | | | C403 | Child can say rip in 'Tongan' language | LD2_70_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1051 | | | C404 | Child can say shake in 'Tongan' language | LD2_71_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1052 | | | C405 | Child can say taste in 'Tongan' language | LD2_72_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1053 | | | C406 | Child can say gentle in 'Tongan' language | LD2_73_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1054 | | | C407 | Child can say think in 'Tongan' language | LD2_74_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1055 | | | C408 | Child can say wish in 'Tongan' language | LD2_75_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1056 | | | C409 | Child can say all gone in 'Tongan' language | LD2_76_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1057 | | | C410 | Child can say cold in 'Tongan' language | LD2_77_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1058 | | | C411 | Child can say fast in 'Tongan' language | LD2_78_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1059 | | | C412 | Child can say happy in 'Tongan' language | LD2_79_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1060 | | | C413 | Child can say hot in 'Tongan' language | LD2_80_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1061 | | | C414 | Child can say last in 'Tongan' language | LD2_81_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1062 | | | C415 | Child can say tiny in 'Tongan' language | LD2_82_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1063 | | | C416 | Child can say wet in 'Tongan' language | LD2_83_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1064 | | | C417 | Child can say after in 'Tongan' language | LD2_84_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1065 | | | C418 | Child can say day in 'Tongan' language | LD2_85_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1066 | | | C419 | Child can say tonight in 'Tongan' language | LD2_86_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1067 | | | C420 | Child can say our in 'Tongan' language | LD2_87_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1068 | | | C421 | Child can say them in 'Tongan' language | LD2_88_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|--------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1069 | | | C422 | Child can say this in 'Tongan' language | LD2_89_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1070 | | | C423 | Child can say us in 'Tongan' language | LD2_90_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1071 | | | C424 | Child can say where in 'Tongan' language | LD2_91_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1072 | | | C425 | Child can say beside in 'Tongan' language | LD2_92_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1073 | | | C426 | Child can say down in 'Tongan' language | LD2_93_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1074 | | | C427 | Child can say under in 'Tongan' language | LD2_94_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1075 | | | C428 | Child can say all in 'Tongan' language | LD2_95_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1076 | | | C429 | Child can say much in 'Tongan' language | LD2_96_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1077 | | | C430 | Child can say could in 'Tongan' language | LD2_97_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1078 | | | C431 | Child can say need in 'Tongan' language | LD2_98_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1079 | | | C432 | Child can say would in 'Tongan' language | LD2_99_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1080 | | | C433 | Child can say if in 'Tongan' language | LD2_100_TONGAN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1081 | | | C334 | Child can say baa baa in 'Cantonese' language | LD2_1_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1082 | | | C335 | Child can say meow in 'Cantonese' language | LD2_2_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1083 | | | C336 | Child can say ouch in 'Cantonese' language | LD2_3_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1084 | | | C337 | Child can say uh oh in 'Cantonese' language | LD2_4_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1085 | | | C338 | Child can say woof woof in 'Cantonese' language | LD2_5_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1086 | | | C339 | Child can say bear in 'Cantonese' language | LD2_6_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1087 | | | C340 | Child can say bird in 'Cantonese' language | LD2_7_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1088 | | | C341 | Child can say cat in 'Cantonese' language | LD2_8_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1089 | | | C342 | Child can say dog in 'Cantonese' language | LD2_9_CANTONESE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1090 | | | C343 | Child can say duck in 'Cantonese' language | LD2_10_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1091 | | | C344 | Child can say horse in 'Cantonese' language | LD2_11_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1092 | | | C345 | Child can say aeroplane in 'Cantonese' language | LD2_12_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1093 | | | C346 | Child can say boat in 'Cantonese' language | LD2_13_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1094 | | | C347 | Child can say car in 'Cantonese' language | LD2_14_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1095 | | | C348 | Child can say ball in 'Cantonese' language | LD2_15_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1096 | | | C349 | Child can say book in 'Cantonese' language | LD2_16_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1097 | | | C350 | Child can say game in 'Cantonese' language | LD2_17_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1098 | | | C351 | Child can say cracker in 'Cantonese' language | LD2_18_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1099 | | | C352 | Child can say fizzy drink in 'Cantonese' language | LD2_19_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1100 | | | C353 | Child can say juice in 'Cantonese' language | LD2_20_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1101 | | | C354 | Child can say lollies in 'Cantonese' language | LD2_21_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1102 | | | C355 | Child can say meat in 'Cantonese' language | LD2_22_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1103 | | | C356 | Child can say milk in 'Cantonese' language | LD2_23_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1104 | | | C357 | Child can say peas in 'Cantonese' language | LD2_24_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1105 | | | C358 | Child can say tomato sauce in 'Cantonese' language | LD2_25_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1106 | | | C359 | Child can say hat in 'Cantonese' language | LD2_26_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1107 | | | C360 | Child can say necklace in 'Cantonese' language | LD2_27_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1108 | | | C361 | Child can say shoe in 'Cantonese' language | LD2_28_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1109 | | | C362 | Child can say sock in 'Cantonese' language | LD2_29_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1110 | | | C363 | Child can say chin in 'Cantonese' language | LD2_30_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1111 | | | C364 | Child can say ear in 'Cantonese' language | LD2_31_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1112 | | | C365 | Child can say hand in 'Cantonese' language | LD2_32_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1113 | | | C366 | Child can say leg in 'Cantonese' language | LD2_33_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1114 | | | C367 | Child can say broom in 'Cantonese' language | LD2_34_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1115 | | | C368 | Child can say comb in 'Cantonese' language | LD2_35_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1116 | | | C369 | Child can say mop in 'Cantonese' language | LD2_36_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1117 | | | C370 | Child can say plate in 'Cantonese' language | LD2_37_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1118 | | | C371 | Child can say rubbish in 'Cantonese' language | LD2_38_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1119 | | | C372 | Child can say tray in 'Cantonese' language | LD2_39_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1120 | | | C373 | Child can say towel in 'Cantonese' language | LD2_40_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1121 | | | C374 | Child can say bed in 'Cantonese' language | LD2_41_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1122 | | | C375 | Child can say bedroom in 'Cantonese' language | LD2_42_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1123 | | | C376 | Child can say bench in 'Cantonese' language | LD2_43_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1124 | | | C377 | Child can say oven in 'Cantonese' language | LD2_44_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1125 | | | C378 | Child can say stairs in 'Cantonese' language | LD2_45_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1126 | | | C379 | Child can say flag in 'Cantonese' language | LD2_46_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1127 | | | C380 | Child can say rain in 'Cantonese' language | LD2_47_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1128 | | | C381 | Child can say star in 'Cantonese' language | LD2_48_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1129 | | | C382 | Child can say swing in 'Cantonese' language | LD2_49_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1130 | | | C383 | Child can say school in 'Cantonese' language | LD2_50_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1131 | | | C384 | Child can say sky in 'Cantonese' language | LD2_51_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1132 | | | C385 | Child can say party in 'Cantonese' language | LD2_52_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1133 | | | C386 | Child can say friend in 'Cantonese' language | LD2_53_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1134 | | | C387 | Child can say mum in 'Cantonese' language | LD2_54_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1135 | | | C388 | Child can say person in 'Cantonese' language | LD2_55_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1136 | | | C389 | Child can say bye in 'Cantonese' language | LD2_56_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1137 | | | C390 | Child can say hi in 'Cantonese' language | LD2_57_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1138 | | | C391 | Child can say no in 'Cantonese' language | LD2_58_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1139 | | | C392 | Child can say shopping in 'Cantonese' language | LD2_59_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1140 | | | C393 | Child can say thank you in 'Cantonese' language | LD2_60_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1141 | | | C394 | Child can say carry in 'Cantonese' language | LD2_61_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1142 | | | C395 | Child can say chase in 'Cantonese' language | LD2_62_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1143 | | | C396 | Child can say dump in 'Cantonese' language | LD2_63_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1144 | | | C397 | Child can say finish in 'Cantonese' language | LD2_64_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1145 | | | C398 | Child can say fit in 'Cantonese' language | LD2_65_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1146 | | | C399 | Child can say hug in 'Cantonese' language | LD2_66_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1147 | | | C400 | Child can say listen in 'Cantonese' language | LD2_67_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1148 | | | C401 | Child can say like in 'Cantonese' language | LD2_68_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1149 | | | C402 | Child can say pretend in 'Cantonese' language | LD2_69_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1150 | | | C403 | Child can say rip in 'Cantonese' language | LD2_70_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1151 | | | C404 | Child can say shake in 'Cantonese' language | LD2_71_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1152 | | | C405 | Child can say taste in 'Cantonese' language | LD2_72_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1153 | | | C406 | Child can say gentle in 'Cantonese' language | LD2_73_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1154 | | | C407 | Child can say think in 'Cantonese' language | LD2_74_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1155 | | | C408 | Child can say wish in 'Cantonese' language | LD2_75_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1156 | | | C409 | Child can say all gone in 'Cantonese' language | LD2_76_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1157 | | | C410 | Child can say cold in 'Cantonese' language | LD2_77_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1158 | | | C411 | Child can say fast in 'Cantonese' language | LD2_78_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1159 | | | C412 | Child can say happy in 'Cantonese' language | LD2_79_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1160 | | | C413 | Child can say hot in 'Cantonese' language | LD2_80_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1161 | | | C414 | Child can say last in 'Cantonese' language | LD2_81_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1162 | | | C415 | Child can say tiny in 'Cantonese' language | LD2_82_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1163 | | | C416 | Child can say wet in 'Cantonese' language | LD2_83_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1164 | | | C417 | Child can say after in 'Cantonese' language | LD2_84_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1165 | | | C418 | Child can say day in 'Cantonese' language | LD2_85_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1166 | | | C419 | Child can say tonight in 'Cantonese' language | LD2_86_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1167 | | | C420 | Child can say our in 'Cantonese' language | LD2_87_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1168 | | | C421 | Child can say them in 'Cantonese' language | LD2_88_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1169 | | | C422 | Child can say this in 'Cantonese' language | LD2_89_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1170 | | | C423 | Child can say us in 'Cantonese' language | LD2_90_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1171 | | | C424 | Child can say where in 'Cantonese' language | LD2_91_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1172 | | | C425 | Child can say beside in 'Cantonese' language | LD2_92_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1173 | | | C426 | Child can say down in 'Cantonese' language | LD2_93_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1174 | | | C427 | Child can say under in 'Cantonese' language | LD2_94_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1175 | | | C428 | Child can say all in 'Cantonese' language | LD2_95_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1176 | | | C429 | Child can say much in 'Cantonese' language | LD2_96_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1177 | | | C430 | Child can say could in 'Cantonese' language | LD2_97_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1178 | | | C431 | Child can say need in 'Cantonese' language | LD2_98_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1179 | | | C432 | Child can say would in 'Cantonese' language | LD2_99_CANTONES E_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1180 | | | C433 | Child can say If in 'Cantonese' language | LD2_100_CANTONE SE_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1181 | | | C334 | Child can say baa baa in 'Mandarin' language | LD2_1_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1182 | | | C335 | Child can say meow in 'Mandarin' language | LD2_2_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1183 | | | C336 | Child can say ouch in 'Mandarin' language | LD2_3_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1184 | | | C337 | Child can say uh oh in 'Mandarin' language | LD2_4_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1185 | | | C338 | Child can say woof woof in 'Mandarin' language | LD2_5_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1186 | | | C339 | Child can say bear in 'Mandarin' language | LD2_6_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1187 | | | C340 | Child can say bird in 'Mandarin' language | LD2_7_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1188 | | | C341 | Child can say cat in 'Mandarin' language | LD2_8_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1189 | | | C342 | Child can say dog in 'Mandarin' language | LD2_9_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1190 | | | C343 | Child can say duck in 'Mandarin' language | LD2_10_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1191 | | | C344 | Child can say horse in 'Mandarin' language | LD2_11_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1192 | | | C345 | Child can say aeroplane in 'Mandarin' language | LD2_12_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1193 | | | C346 | Child can say boat in 'Mandarin' language | LD2_13_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1194 | | | C347 | Child can say car in 'Mandarin' language | LD2_14_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1195 | | | C348 | Child can say ball in 'Mandarin' language | LD2_15_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1196 | | | C349 | Child can say book in 'Mandarin' language | LD2_16_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1197 | | | C350 | Child can say game in 'Mandarin' language | LD2_17_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1198 | | | C351 | Child can say cracker in 'Mandarin' language | LD2_18_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1199 | | | C352 | Child can say fizzy drink in 'Mandarin' language | LD2_19_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1200 | | | C353 | Child can say juice in 'Mandarin' language | LD2_20_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1201 | | | C354 | Child can say lollies in 'Mandarin' language | LD2_21_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1202 | | | C355 | Child can say meat in 'Mandarin' language | LD2_22_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1203 | | | C356 | Child can say milk in 'Mandarin' language | LD2_23_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1204 | | | C357 | Child can say peas in 'Mandarin' language | LD2_24_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1205 | | | C358 | Child can say tomato sauce in 'Mandarin' language | LD2_25_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1206 | | | C359 | Child can say hat in 'Mandarin' language | LD2_26_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1207 | | | C360 | Child can say necklace in 'Mandarin' language | LD2_27_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1208 | | | C361 | Child can say shoe in 'Mandarin' language | LD2_28_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1209 | | | C362 | Child can say sock in 'Mandarin' language | LD2_29_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1210 | | | C363 | Child can say chin in 'Mandarin' language | LD2_30_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1211 | | | C364 | Child can say ear in 'Mandarin' language | LD2_31_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1212 | | | C365 | Child can say hand in 'Mandarin' language | LD2_32_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1213 | | | C366 | Child can say leg in 'Mandarin' language | LD2_33_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1214 | | | C367 | Child can say broom in 'Mandarin' language | LD2_34_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1215 | | | C368 | Child can say comb in 'Mandarin' language | LD2_35_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1216 | | | C369 | Child can say mop in 'Mandarin' language | LD2_36_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1217 | | | C370 | Child can say plate in 'Mandarin' language | LD2_37_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1218 | | | C371 | Child can say rubbish in 'Mandarin' language | LD2_38_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1219 | | | C372 | Child can say tray in 'Mandarin' language | LD2_39_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1220 | | | C373 | Child can say towel in 'Mandarin' language | LD2_40_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1221 | | | C374 | Child can say bed in 'Mandarin' language | LD2_41_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1222 | | | C375 | Child can say bedroom in 'Mandarin' language | LD2_42_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1223 | | | C376 | Child can say bench in 'Mandarin' language | LD2_43_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1224 | | | C377 | Child can say oven in 'Mandarin' language | LD2_44_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1225 | | | C378 | Child can say stairs in 'Mandarin' language | LD2_45_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1226 | | | C379 | Child can say flag in 'Mandarin' language | LD2_46_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1227 | | | C380 | Child can say rain in 'Mandarin' language | LD2_47_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1228 | | | C381 | Child can say star in 'Mandarin' language | LD2_48_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1229 | | | C382 | Child can say swing in 'Mandarin' language | LD2_49_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1230 | | | C383 | Child can say school in 'Mandarin' language | LD2_50_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1231 | | | C384 | Child can say sky in 'Mandarin' language | LD2_51_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1232 | | | C385 | Child can say party in 'Mandarin' language | LD2_52_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1233 | | | C386 | Child can say friend in 'Mandarin' language | LD2_53_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1234 | | | C387 | Child can say mum in 'Mandarin' language | LD2_54_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1235 | | | C388 | Child can say person in 'Mandarin' language | LD2_55_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1236 | | | C389 | Child can say bye in 'Mandarin' language | LD2_56_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1237 | | | C390 | Child can say hi in 'Mandarin' language | LD2_57_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1238 | | | C391 | Child can say no in 'Mandarin' language | LD2_58_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1239 | | | C392 | Child can say shopping in 'Mandarin' language | LD2_59_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1240 | | | C393 | Child can say thank you in 'Mandarin' language | LD2_60_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1241 | | | C394 | Child can say carry in 'Mandarin' language | LD2_61_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1242 | | | C395 | Child can say chase in 'Mandarin' language | LD2_62_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1243 | | | C396 | Child can say dump in 'Mandarin' language | LD2_63_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1244 | | | C397 | Child can say finish in 'Mandarin' language | LD2_64_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1245 | | | C398 | Child can say fit in 'Mandarin' language | LD2_65_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1246 | | | C399 | Child can say hug in 'Mandarin' language | LD2_66_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1247 | | | C400 | Child can say listen in 'Mandarin' language | LD2_67_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1248 | | | C401 | Child can say like in 'Mandarin' language | LD2_68_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1249 | | | C402 | Child can say pretend in 'Mandarin' language | LD2_69_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1250 | | | C403 | Child can say rip in 'Mandarin' language | LD2_70_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1251 | | | C404 | Child can say shake in 'Mandarin' language | LD2_71_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1252 | | | C405 | Child can say taste in 'Mandarin' language | LD2_72_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1253 | | | C406 | Child can say gentle in 'Mandarin' language | LD2_73_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1254 | | | C407 | Child can say think in 'Mandarin' language | LD2_74_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1255 | | | C408 | Child can say wish in 'Mandarin' language | LD2_75_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1256 | | | C409 | Child can say all gone in 'Mandarin' language | LD2_76_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1257 | | | C410 | Child can say cold in 'Mandarin' language | LD2_77_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1258 | | | C411 | Child can say fast in 'Mandarin' language | LD2_78_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1259 | | | C412 | Child can say happy in 'Mandarin' language | LD2_79_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1260 | | | C413 | Child can say hot in 'Mandarin' language | LD2_80_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1261 | | | C414 | Child can say last in 'Mandarin' language | LD2_81_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1262 | | | C415 | Child can say tiny in 'Mandarin' language | LD2_82_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1263 | | | C416 | Child can say wet in 'Mandarin' language | LD2_83_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1264 | | | C417 | Child can say after in 'Mandarin' language | LD2_84_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1265 | | | C418 | Child can say day in 'Mandarin' language | LD2_85_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1266 | | | C419 | Child can say tonight in 'Mandarin' language | LD2_86_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1267 | | | C420 | Child can say our in 'Mandarin' language | LD2_87_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1268 | | | C421 | Child can say them in 'Mandarin' language | LD2_88_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1269 | | | C422 | Child can say this in 'Mandarin' language | LD2_89_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1270 | | | C423 | Child can say us in 'Mandarin' language | LD2_90_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1271 | | | C424 | Child can say where in 'Mandarin' language | LD2_91_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1272 | | | C425 | Child can say beside in 'Mandarin' language | LD2_92_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1273 | | | C426 | Child can say down in 'Mandarin' language | LD2_93_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1274 | | | C427 | Child can say under in 'Mandarin' language | LD2_94_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1275 | | | C428 | Child can say all in 'Mandarin' language | LD2_95_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1276 | | | C429 | Child can say much in 'Mandarin' language | LD2_96_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1277 | | | C430 | Child can say could in 'Mandarin' language | LD2_97_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1278 | | | C431 | Child can say need in 'Mandarin' language | LD2_98_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|---------------------|----------------------|--|-----------------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1279 | | | C432 | Child can say would in 'Mandarin' language | LD2_99_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1280 | | | C433 | Child can say if in 'Mandarin' language | LD2_100_MANDARIN_Y2CM | 0 | No | Raw | | 329 | 4.95% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1281 | | | C434 | Has your child begun to combine words yet, such as 'nother cookie' or 'doggie bite'? | LD9_Y2CM | 1 | Not Yet | Raw | | 329 | 4.95% |
| | | | | | | 2 | Sometimes | | | . | |
| | | | | | | 3 | Often | | | . | |
| | | | | | | 4 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1282 | Psychological & Cognitive development | Speech and language | C436 | Do you feel any concerns about that your child's speech or hearing, such as: no concerns? | NSL1_1_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1283 | | | | Do you feel any concerns about that your child's speech or hearing, such as: reluctant to speak? | NSL1_2_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1284 | | | | Do you feel any concerns about that your child's speech or hearing, such as: speech not clear to family? | NSL1_3_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1285 | | | | Do you feel any concerns about that your child's speech or hearing, such as: speech not clear to others? | NSL1_4_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|---------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1286 | | | | Do you feel any concerns about that your child's speech or hearing, such as: difficulty finding words? | NSL1_5_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1287 | | | | Do you feel any concerns about that your child's speech or hearing, such as: difficulty putting words together? | NSL1_6_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1288 | | | | Do you feel any concerns about that your child's speech or hearing, such as: doesn't understand you when you speak? | NSL1_7_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1289 | | | | Do you feel any concerns about that your child's speech or hearing, such as: doesn't understand others when they speak? | NSL1_8_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1290 | | | | Do you feel any concerns about that your child's speech or hearing, such as: voice sounds unusual? | NSL1_9_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1291 | | | | Do you feel any concerns about that your child's speech or hearing, such as: stutters, stammers or lisps? | NSL1_10_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|------------------|----------------|----------------------|---|----------------------|-----------------------|----------------------|---------------|-------|-----------|-------------|
| 1292 | | | | Do you feel any concerns about that your child's speech or hearing, such as: other? | NSL1_97_Y2CM | 0 | Not concerned | Raw | | 329 | 4.95% |
| | | | | | | 1 | Concerned | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1293 | | | C437 | How concerned are you about these issues? | SL2_Y2CM | 1 | Very Concerned | Raw | | 5624 | 84.57% |
| | | | | | | 2 | Somewhat Concerned | | | . | |
| | | | | | | 3 | A Little Concerned | | | . | |
| | | | | | | 4 | Not Concerned At All | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1294 | | | C438 | Have you sought or received any professional advice or treatment regarding your child's speech [and/or] understanding? | SL3_Y2CM | 1 | Yes | Raw | | 5624 | 84.57% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1295 | Societal context | Technology use | C440 | Thinking about the last weekday, how many hours did child spend at home watching TV, DVDs, or videos? | TU10_Y2CM | 1 | None | Raw | | 329 | 4.95% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1296 | | | | Total number of hours: child spend at home watching TV, DVDs, or videos | TU10_TOTALHOURS_Y2CM | | | Raw | | 1790 | 26.92% |
| 1297 | | | C441 | Of this time, how much was spent watching just children's television programming, including free-to-air and pay TV, and children's TV programmes on DVD, but not children's movies on DVD | TU11_Y2CM | 1 | None | Raw | | 1782 | 26.8% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1298 | | | | Total number of hours: spent on children's television programming, including free-to-air and pay TV, and children's TV programmes on DVD, but not children's movies on DVD | TU11_TOTALHOURS_Y2CM | | | Raw | | 2480 | 37.29% |
| 1299 | | | C442 | And how much of this time was spent watching children's movies on DVD or video, e.g. Toy Story? | TU12_Y2CM | 1 | None | Raw | | 1920 | 28.87% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1300 | | | | Total number of hours: spent watching children's movies on DVD or video, e.g. Toy Story | TU12_TOTALHOURS_Y2CM | | | Raw | | 5023 | 75.53% |
| 1301 | | | C443 | And how much of this time was spent watching 'grown-up' television programmes on free-to-air and pay TV? | TU13_Y2CM | 1 | None | Raw | | 1955 | 29.4% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1302 | | | | Total number of hours: spent watching 'grown-up' television programmes on free-to-air and pay TV | TU13_TOTALHOURS_Y2CM | | | Raw | | 5685 | 85.49% |
| 1303 | | | C444 | Again just thinking about the last weekday, i.e. [yesterday/last Friday], how much time did child spend using a computer or laptop, including children's computer systems such as Leapfrog? | TU14_Y2CM | 1 | None | Raw | | 330 | 4.96% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1304 | | | | Total number of hours: spend using a computer or laptop, including children's computer systems such as Leapfrog | TU14_TOTALHOURS_Y2CM | | | Raw | | 5419 | 81.49% |
| 1305 | | | C445 | And on that last weekday, how much time did child spend playing with an electronic gaming system? | TU15_Y2CM | 1 | None | Raw | | 330 | 4.96% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1306 | | | | Total number of hours: spend playing with an electronic gaming system | TU15_TOTALHOURS_Y2CM | | | Raw | | 6001 | 90.24% |
| 1307 | | | C446 | And again just thinking about that last weekday, how much time did child listen to music on cds, ipods, mp3 players, etc.? | TU16_Y2CM | 1 | None | Raw | | 331 | 4.98% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1308 | | | | Total number of hours: listen to music on cds, ipods, mp3 players, etc | TU16_TOTALHOURS_Y2CM | | | Raw | | 2298 | 34.56% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|------------------|------------------------|----------------------|---|----------------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1309 | | | C447 | And again just thinking about the last weekday, how much time was the TV on in the same room as child, whether or not [he/she] was watching it? | TU17_Y2CM | 1 | None | Raw | | 399 | 6% |
| | | | | | | 2 | Total Hours | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1310 | | | | Total number of hours: how much time was the TV on in the same room as child, whether or not [he/she] was watching it. | TU17_TOTALHOURS_Y2CM | | | Raw | | 1554 | 23.37% |
| 1311 | Societal context | Most viewed programmes | C449 | Could you name the three TV programmes child watches most: Spongebob Squarepants? | NTU8_1_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1312 | | | | Could you name the three TV programmes child watches most: Blues Clues? | NTU8_2_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1313 | | | | Could you name the three TV programmes child watches most: Bob the Builder? | NTU8_3_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1314 | | | | Could you name the three TV programmes child watches most: Chuggington? | NTU8_4_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1315 | | | | Could you name the three TV programmes child watches most: Disney Toons? | NTU8_5_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1316 | | | | Could you name the three TV programmes child watches most: Fireman Sam? | NTU8_6_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1317 | | | | Could you name the three TV programmes child watches most: The Go Show? | NTU8_7_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1318 | | | | Could you name the three TV programmes child watches most: Handy Manny? | NTU8_8_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1319 | | | | Could you name the three TV programmes child watches most: Hi-5? | NTU8_9_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1320 | | | | Could you name the three TV programmes child watches most: Little Einsteins? | NTU8_10_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1321 | | | | Could you name the three TV programmes child watches most: Mickey Mouse Clubhouse? | NTU8_11_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1322 | | | | Could you name the three TV programmes child watches most: In the Night Garden? | NTU8_12_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1323 | | | | Could you name the three TV programmes child watches most: Postman Pat? | NTU8_13_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| 1324 | | | | Could you name the three TV programmes child watches most: Roary the Racing Car? | NTU8_14_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1325 | | | | Could you name the three TV programmes child watches most: Thomas the Tank Engine? | NTU8_15_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1326 | | | | Could you name the three TV programmes child watches most: The Wiggles? | NTU8_16_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1327 | | | | Could you name the three TV programmes child watches most: The Wot Wots? | NTU8_17_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1328 | | | | Could you name the three TV programmes child watches most: Dora the Explorer/Dora & Diego? | NTU8_24_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1329 | | | | Could you name the three TV programmes child watches most: Barney? | NTU8_25_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1330 | | | | Could you name the three TV programmes child watches most: Sesame Street? | NTU8_26_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| 1331 | | | | Could you name the three TV programmes child watches most: Bubble Guppies? | NTU8_27_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1332 | | | | Could you name the three TV programmes child watches most: Tiki Tours? | NTU8_28_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1333 | | | | Could you name the three TV programmes child watches most: Wonder Pets? | NTU8_29_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1334 | | | | Could you name the three TV programmes child watches most: Not applicable | NTU8_88_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1335 | | | | Could you name the three TV programmes child watches most: other 1? | NTU8_95_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1336 | | | | Could you name the three TV programmes child watches most: other 2? | NTU8_96_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1337 | | | | Could you name the three TV programmes child watches most: other 3? | NTU8_97_Y2CM | 0 | No | Raw | | 1069 | 16.08% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|------------------|---|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1338 | Societal context | Activities and experiences for toddlers | C451 | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: library? | NEXP1_1_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1339 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: park? | NEXP1_2_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1340 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: beach? | NEXP1_3_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1341 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Santa parade? | NEXP1_4_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1342 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: cinema/movies? | NEXP1_5_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1343 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: church/temple/mosque? | NEXP1_6_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1344 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: art gallery? | NEXP1_7_Y2CM | 0 | No | Raw | | 330 | 4.96% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1345 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: swimming lessons? | NEXP1_8_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1346 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: music groups? | NEXP1_9_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1347 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: playgroup? | NEXP1_10_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1348 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: zoo? | NEXP1_11_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1349 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: aquarium? | NEXP1_12_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1350 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: museum? | NEXP1_13_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| 1351 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Diwali? | NEXP1_14_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1352 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Lantern festival? | NEXP1_15_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1353 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Matariki celebrations? | NEXP1_16_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1354 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: White Sunday? | NEXP1_17_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1355 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: flea markets? | NEXP1_18_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1356 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: farmers markets? | NEXP1_19_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1357 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Pasifika festival? | NEXP1_20_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1358 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: Polyfest? | NEXP1_21_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1359 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: marae event? | NEXP1_22_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1360 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: agricultural field days? | NEXP1_23_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1361 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: mustering? | NEXP1_24_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1362 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: nature/outdoor walks? | NEXP1_25_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1363 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: coffee groups? | NEXP1_26_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1364 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: organised physical activity? | NEXP1_27_Y2CM | 0 | No | Raw | | 330 | 4.96% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1365 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: picnics? | NEXP1_28_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1366 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: watching sports games? | NEXP1_29_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1367 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: community galas and fairs? | NEXP1_30_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1368 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: overseas travel? | NEXP1_36_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1369 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: transport experience? | NEXP1_37_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1370 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: aquatic/outdoor activities? | NEXP1_38_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|----------------------------|----------------------|--|---------------|-----------------------|-------------------------|---------------|---|-----------|-------------|
| 1371 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: concert/play/live show? | NEXP1_39_Y2CM | 0 | No | Re-classified | Other specified text responses have been translated into a new numeric variable | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1372 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: other 1? | NEXP1_95_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1373 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: other 2? | NEXP1_96_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1374 | | | | Which of the these activities [child] has done or places [child] has been at any time since [he/she] was born: other 3? | NEXP1_97_Y2CM | 0 | No | Raw | | 330 | 4.96% |
| | | | | | | 1 | Yes | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1375 | Psychological & Cognitive development | Non-completion of activity | | Did child undertake the stack and topple exercise at all? | ST0_Y2CM | 1 | Yes | Raw | | 332 | 4.99% |
| | | | | | | 2 | No | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1376 | | | C453 | When told 'no', how often did your child stop the forbidden activity? | ST1_Y2CM | 1 | Never | Raw | | 6032 | 90.71% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|-------------------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1377 | | | C454 | When asked to wait for a desirable item (such as ice cream), how often did your child wait patiently? | ST2_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1378 | | | C455 | When asked to do so, how often was your child able to be careful with something breakable? | ST3_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1379 | | | C456 | When engaged in play with [his/her] favourite toy, how often did your child continue to play while at the same time responding to your remarks or questions? | ST4_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|-------------------------|---------------|-------|-----------|-------------|
| 1380 | | | C457 | During everyday activities, how often did your child pay attention to you right away when you called to him/her? | ST5_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely/Never | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1381 | | | C458 | How often would your child enjoy playing with unfamiliar adults or children? | ST10_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1382 | | | C459 | If given an activity, how often would your child prefer to complete it by themselves as opposed to with an unfamiliar adult | ST11_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1383 | | | C460 | When pointing at a picture in a book you were reading to your child, how often did your child immediately look to see what you were pointing at | ST12_Y2CM | 1 | Never | Raw | | 6033 | 90.72% |
| | | | | | | 2 | Very rarely | | | . | |
| | | | | | | 3 | Less than half the time | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|---------------------------|----------------------|--|---------------|-----------------------|-------------------------|--------------------|---|-----------|-------------|
| | | | | | | 4 | About half the time | | | . | |
| | | | | | | 5 | More than half the time | | | . | |
| | | | | | | 6 | Almost always | | | . | |
| | | | | | | 7 | Always | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1384 | | | C461 | About how many blocks (indicate size using Stack and Topple task blocks) can your child stack on average | ST15_Y2CM | 1 | 1 | Raw | | 6032 | 90.71% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 | | | . | |
| | | | | | | 5 | 5 | | | . | |
| | | | | | | 6 | 6+ | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1385 | | | | Partner ID (Linkable to other datasets) | IDN_Y2CP | | | Identification key | Randomly generated partner ID at 24 month interview. Allows linking to other datasets | 2797 | 42.06% |
| 1386 | Psychological & Cognitive development | Parent-child relationship | C7 | During the PAST FOUR WEEKS how often did you: let [him/her] know you really care about [him/her] | CWH1_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1387 | | | C8 | During the PAST FOUR WEEKS how often did you: get angry at [him/her] | CWH2_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|-----------------|---------------|-------|-----------|-------------|
| 1388 | | | C9 | During the PAST FOUR WEEKS how often did you: criticise [his/her] ideas | CWH3_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1389 | | | C10 | During the PAST FOUR WEEKS how often did you: shout at [him/her] because you were upset with [him/her] | CWH4_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1390 | | | C11 | During the PAST FOUR WEEKS how often did you: act lovingly and affectionately towards [him/her] | CWH5_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1391 | | | C12 | During the PAST FOUR WEEKS how often did you: let [him/her] know that you appreciate the things [he/she] does | CWH6_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|--------------------|---------------------|----------------------|---|---------------|-----------------------|-----------------|---------------|---|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1392 | | | C13 | During the PAST FOUR WEEKS how often did you: help [him/her] do something that was important to [her/him] | CWH7_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1393 | | | C14 | During the PAST FOUR WEEKS how often did you: argue with [him/her] when you disagree about something | CWH8_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1394 | | | C15 | During the PAST FOUR WEEKS how often did you: act supportively and understandingly towards [him/her] | CWH9_Y2CP | 1 | Never | Raw | | 2799 | 42.09% |
| | | | | | | 2 | Almost Never | | | . | |
| | | | | | | 3 | Not Very Often | | | . | |
| | | | | | | 4 | Quite Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Extremely Often | | | . | |
| | | | | | | 7 | All The Time | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1395 | Culture & Identity | Toddler’s behaviour | C17 | On the basis of the child's behaviour over the last six months: considerate of other people's feelings | SDQ1_Y2CP | 1 | Not True | Raw | For C17-C41, please refer to External Data Release 2017 Reference and Process User Guide. | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1396 | | | C18 | On the basis of the child's behaviour over the last six months: restless, overactive, cannot stay still for long | SDQ2_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1397 | | | C19 | On the basis of the child's behaviour over the last six months: often complains of headaches, stomach-aches, or sickness | SDQ3_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1398 | | | C20 | On the basis of the child's behaviour over the last six months: shares readily with other children (treats, toys, pencils, etc.) | SDQ4_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1399 | | | C21 | On the basis of the child's behaviour over the last six months: often has temper tantrums or hot tempers | SDQ5_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1400 | | | C22 | On the basis of the child's behaviour over the last six months: rather solitary, tends to play alone | SDQ6_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1401 | | | C23 | On the basis of the child's behaviour over the last six months: generally obedient, usually does what adults request | SDQ7_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1402 | | | C24 | On the basis of the child's behaviour over the last six months: many worries, often seems worried | SDQ8_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1403 | | | C25 | On the basis of the child's behaviour over the last six months: helpful if someone is hurt, upset or feeling ill | SDQ9_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1404 | | | C26 | On the basis of the child's behaviour over the last six months: constantly fidgeting or squirming | SDQ10_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1405 | | | C27 | On the basis of the child's behaviour over the last six months: has at least one good friend | SDQ11_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1406 | | | C28 | On the basis of the child's behaviour over the last six months: often fights with other children or bullies them | SDQ12_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1407 | | | C29 | On the basis of the child's behaviour over the last six months: often unhappy, down-hearted or tearful | SDQ13_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1408 | | | C30 | On the basis of the child's behaviour over the last six months: generally liked by other children | SDQ14_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1409 | | | C31 | On the basis of the child's behaviour over the last six months: easily distracted, concentration wanders | SDQ15_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1410 | | | C32 | On the basis of the child's behaviour over the last six months: nervous or clingy in new situations, easily loses confidence | SDQ16_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1411 | | | C33 | On the basis of the child's behaviour over the last six months: kind to younger children | SDQ17_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1412 | | | C34 | On the basis of the child's behaviour over the last six months: often argumentative with adults | SDQ18_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1413 | | | C35 | On the basis of the child's behaviour over the last six months: picked on or bullied by other children | SDQ19_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------|---------------|-------|-----------|-------------|
| 1414 | | | C36 | On the basis of the child's behaviour over the last six months: often volunteers to help others (parents, teachers, other children) | SDQ20_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1415 | | | C37 | On the basis of the child's behaviour over the last six months: can stop and think things out before acting | SDQ21_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1416 | | | C38 | On the basis of the child's behaviour over the last six months: can be spiteful to others | SDQ22_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1417 | | | C39 | On the basis of the child's behaviour over the last six months: gets on better with adults than with other children | SDQ23_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1418 | | | C40 | On the basis of the child's behaviour over the last six months: many fears, easily scared | SDQ24_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1419 | | | C41 | On the basis of the child's behaviour over the last six months: sees tasks through to the end, good attention span | SDQ25_Y2CP | 1 | Not True | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Somewhat True | | | . | |
| | | | | | | 3 | Certainly True | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|---|----------------------|---|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1420 | Psychological & Cognitive development | Parent report on child's early self concept | C43 | Uses [HIS/HER] own name | SC1_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1421 | | | C44 | Uses the word 'I' | SC2_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1422 | | | C45 | Knows whether [he/she] is a girl or a boy | SC3_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1423 | | | C46 | Uses the word 'me' | SC4_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1424 | | | C47 | Uses the word 'mine' | SC5_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1425 | | | C48 | Tries to feed you or other people | SC6_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1426 | | | C49 | Uses spoons or cups as they are meant to be used | SC7_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1427 | | | C50 | Treats dolls as babies or children, or stuffed animals as real | SC8_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1428 | | | C51 | Copies what you do | SC9_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1429 | | | C52 | Copies what other [boys/girls] do | SC10_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1430 | | | C53 | Plays imaginary games | SC11_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1431 | | | C54 | Pretends to be a mummy or daddy or plays at being an adult | SC12_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1432 | | | C55 | Becomes stubborn, wilful or determined, when not allowed to do something alone | SC13_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1433 | | | C56 | Resists physical intervention (e.g. dressing, kissing, picking up) | SC14_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1434 | | | C57 | Refuses your help by pushing away your hand or saying 'No' | SC15_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1435 | | | C58 | Likes to show off when others are around | SC16_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1436 | | | C59 | Resists your help by saying 'Do it myself' or something similar | SC17_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1437 | | | C60 | Insists on doing things [his/her] own way when different from yours in order to get somethings done | SC18_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1438 | | | C61 | Likes to decide on things for [himself/herself] | SC19_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1439 | | | C62 | Insists on wearing certain clothing | SC20_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1440 | | | C63 | Is upset, ashamed or sorry when [he/she] shows you [he/she] has done something bad | SC21_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1441 | | | C64 | Is upset, ashamed or sorry when you find [him/her] doing something [he/she] should not | SC22_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1442 | | | C65 | Calls your attention to things [he/she] did that [he/she] was not supposed to do | SC23_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1443 | | | C66 | Stops [himself/herself] from doing something [he/she] wanted to do because you were watching | SC24_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1444 | | | C67 | Stops [himself/herself] from doing things you have said may hurt | SC25_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1445 | | | C68 | Tries to hide something [he/she] was not supposed to do | SC26_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1446 | | | C69 | Waits for things [he/she] has been told to wait for | SC27_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1447 | | | C70 | Communicates likes and dislikes verbally or nonverbally | SC28_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1448 | | | C71 | Recognises [himself/herself] in pictures | SC29_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1449 | | | C72 | Recognises [his/her] reflection when [he/she] walks by a window | SC30_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1450 | | | C73 | Recognises [himself/herself] in the mirror | SC31_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1451 | | | C74 | Calls attention to things about [himself/herself], like hair or clothing | SC32_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1452 | | | C75 | Says 'I can't' | SC33_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1453 | | | C76 | Gets upset when [he/she] doesn't do something you expected | SC34_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1454 | | | C77 | Is embarrassed when unable to complete something | SC35_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|---------------------|----------------------|---|---------------|-----------------------|----------------------------------|---------------|-------|-----------|-------------|
| 1455 | | | C78 | Uses general judging terms about [HIMSELF/HERSELF] e.g. 'I'm a good boy'; 'I'm pretty | SC36_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1456 | | | C79 | Calls attention to something [he/she] did (e.g. 'look what I did') | SC37_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1457 | | | C80 | Appears proud when winning a game | SC38_Y2CP | 1 | 1 Not At All Typical Of My Child | Raw | | 2798 | 42.08% |
| | | | | | | 2 | 2 | | | . | |
| | | | | | | 3 | 3 | | | . | |
| | | | | | | 4 | 4 Very Typical Of My Child | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1458 | Family & Whanau | Parenting practices | C82 | How often do you try to protect child from life's difficulties? | OP1_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1459 | | | C83 | How often do you put child's needs and wants before your own? | OP2_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely/Never | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|------------------|---------------|--|-----------|-------------|
| 1460 | | | C84 | How often does leaving child with other people upset you no matter how well you know them? | OP3_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1461 | | | C85 | How often do you let child take a risk if there is no major threat to [his/her] safety? | OP4_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1462 | | | C87 | How often do you do the following when Child is naughty: ignore [him/her]? | DSC1_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1463 | | | C88 | How often do you do the following when Child is naughty: smack [him/her]? | DSC2_Y2CP | 1 | Never | Categorised | Four 'Very Often' cases grouped with 'Often' | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often/Very Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 6 | Not Applicable | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1464 | | | C89 | How often do you do the following when Child is naughty: shout at [him/her]? | DSC3_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|-------------------------|-----------------------|--------------|---------------|---|-----------|-------------|
| | | | | | | 99 | DK | | | . | |
| 1465 | | | C90 | How often do you do the following when Child is naughty: send [him/her] to time out etc.? | DSC4_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1466 | | | C91 | How often do you do the following when Child is naughty: take away treats? | DSC5_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1467 | | | C92 | How often do you do the following when Child is naughty: tell [him/her] off? | DSC6_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1468 | | | C93 | How often do you do the following when Child is naughty: bribe [him/her] (e.g. with sweets/treats)? | DSC7_Y2CP | 1 | Never | Raw | | 2797 | 42.06% |
| | | | | | | 2 | Rarely | | | . | |
| | | | | | | 3 | Occasionally | | | . | |
| | | | | | | 4 | Often | | | . | |
| | | | | | | 5 | Very Often | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1469 | | | | Age of child at 24 month child observations interview in months | CHILD_AGE_Y2CO | | | Raw | | 339 | 5.1% |
| 1470 | | | | Country of residence | RESIDENTIALCOUNTRY_Y2CO | 1 | New Zealand | Categorised | Countries other than New Zealand grouped as 'Other' | 339 | 5.1% |
| | | | | | | 2 | Other | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|------------------|----------------------|--|---------------|-----------------------|--|---------------|--|-----------|-------------|
| 1471 | Psychological & Cognitive development | Stack and topple | O2 | Did {NAME} engage in the Stack and Topple exercise at all? | ST16_Y2CO | 1 | Yes | Raw | Code frames updated, different to original questionnaire. Includes codes from 'Other Specify' category | 339 | 5.1% |
| | | | | | | 2 | No-Child was asleep | | | . | |
| | | | | | | 3 | No-Child Was unwell | | | . | |
| | | | | | | 4 | No-Child was not in house | | | . | |
| | | | | | | 5 | No-Child was not co-operative/would not engage (did not give any attention) | | | . | |
| | | | | | | 6 | No-Mother refused | | | . | |
| | | | | | | 7 | No-due to physical injury | | | . | |
| | | | | | | 8 | No-due to physical disability | | | . | |
| | | | | | | 9 | No-due to developmental delay | | | . | |
| | | | | | | 11 | No-as the interview was interpreted | | | . | |
| | | | | | | 12 | Mother did not speak English to child | | | . | |
| | | | | | | 13 | Child did not understand English | | | . | |
| | | | | | | 14 | Phone interview | | | . | |
| | | | | | | 15 | Skype interview | | | . | |
| | | | | | | 16 | Child/family overseas | | | . | |
| | | | | | | 97 | No-Other | | | . | |
| 1472 | | | O2A | To the best of your knowledge, does the child understand English? | ST16A_Y2CO | 1 | Yes | Raw | | 1014 | 15.25% |
| | | | | | | 2 | No-exercise was undertaken in non-English language spoken by the interviewer | | | . | |
| | | | | | | 3 | No-exercise was undertaken in English with child who didn't understand English | | | . | |
| 1473 | | | O3 | Which tasks did {NAME} attempt: the demonstration (Child must observe/watch some of the demonstration - doesn't have to sit) | NST32_1_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1474 | | | | Which tasks did {NAME} attempt: the individual task (child must at least attempt to stack one block on top of another). | NST32_2_Y2CO | 0 | No | Raw | | 950 | 14.29% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|---------------|----------------------|---|---------------------|-----------------------|---|---------------|-------------------------------|-----------|-------------|
| | | | | | | 1 | Yes | | | . | |
| 1475 | | | | Which tasks did {NAME} attempt: the co-operative task - interviewer first (Child must place at least one block) | NST32_3_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1476 | | | | Which tasks did {NAME} attempt: the co-operative task - child first (Child must place at least one block) | NST32_4_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1477 | | Demonstration | O4 | At the start of the task, did the child pay attention before you started demonstrating the stacking? | ST17_Y2CO | 1 | Yes, Immediately (only reading script, before starting to demonstrate stacking) | Raw | | 953 | 14.33% |
| | | | | | | 2 | Yes, With One Prompt (in addition to script, before starting to demonstrate stacking) | | | . | |
| | | | | | | 3 | Yes, After Two Prompts (in addition to script, before starting to demonstrate stacking) | | | . | |
| | | | | | | 4 | No | | | . | |
| 1478 | | | | At the start of the task, did the child pay attention before you started demonstrating the stacking? | AO_DERIVED_Y2CO | 0 | 2 prompts or no | Derived | Values derived from ST17_Y2CO | 954 | 14.35% |
| | | | | | | 1 | 1 prompt | | | . | |
| | | | | | | 2 | Yes, immediately | | | . | |
| 1479 | | | | Reliability variable for Attention Orienting | AO_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST17_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |
| 1480 | | | O5 | Did the child maintain joint attention (look at the interviewer and the blocks) during both demonstrations? | ST18_Y2CO | 1 | Child looked mostly at blocks (no or one look at the interviewer across the two demonstrations) | Raw | | 953 | 14.33% |
| | | | | | | 2 | Child looked mostly at interviewer | | | . | |
| | | | | | | 3 | Child looked actively at both blocks and interviewer (two or more looks at the interviewer across the two demonstrations) | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|------------------|----------------------|---|---------------------|-----------------------|---|---------------|--|-----------|-------------|
| | | | | | | 4 | Child generally ignored both the blocks and interviewer | | | . | |
| 1481 | | | | Joint attention during demonstration task | JADEMO_DERIVED_Y2CO | 0 | Block or interviewer | Derived | Values derived from ST18_Y2CO | 1013 | 15.23% |
| | | | | | | 1 | Joint attention | | | . | |
| 1482 | Psychological & Cognitive development | Cooperative task | O10 | Did the child maintain joint attention (look at the interviewer and the blocks) during both cooperative tasks ? | ST24_Y2CO | 1 | Child looked mostly at blocks (no or one look at interviewer across the tasks) | Raw | | 1490 | 22.41% |
| | | | | | | 2 | Child looked mostly at interviewer | | | . | |
| | | | | | | 3 | Child looked at both blocks and interviewer (two or more looks at interviewer across the tasks) | | | . | |
| | | | | | | 4 | Child generally ignored both the blocks and interviewer | | | . | |
| 1483 | | | | Joint attention during co-operative task | JACOOB_DERIVED_Y2CO | 0 | Block or interviewer | Derived | Values derived from ST24_Y2CO | 1534 | 23.07% |
| | | | | | | 1 | Joint attention | | | . | |
| 1484 | | | | Reliability variable for Joint Attention | JA_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST24_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |
| 1485 | Psychological & Cognitive development | Individual task | O8 | During the individual task, what was the highest number of blocks stacked? | ST23_Y2CO | | | Raw | | 1281 | 19.26% |
| 1486 | | | | Reliability variable for Motor Skills | MS_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST23_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |
| 1487 | | | O6 | During the second demonstration, did the child wait for their turn? | ST20_Y2CO | 1 | Hardly ever (three or more attempts to grab blocks) | Raw | Code frames updated, different to original questionnaire | 953 | 14.33% |
| | | | | | | 2 | A little (one or two attempts to grab blocks) | | | . | |
| | | | | | | 3 | All of the time (no attempt to grab blocks – child waits their turn) | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------------|-----------------------|-----------------------------------|---------------|---|-----------|-------------|
| 1488 | | | | During the second demonstration, did the child wait for their turn? derived 2 categories | ICDEMO_DERIVED_Y2CO | 0 | Controlled | Derived | Values derived from ST20_Y2CO | 953 | 14.33% |
| | | | | | | 1 | Under controlled, or inconsistent | | | . | |
| 1489 | | | O11 | During the second cooperative task (where the child goes first), did the child wait [HIS/HER] turn? | | | | | Information contained in derived variable ICCoop_Derived_Y2CO | . | |
| 1490 | | | | During the second cooperative task (where the child goes first), did the child wait [HIS/HER] turn? derived 2 categories | ICCOOP_DERIVED_Y2CO | 0 | Controlled | Derived | Values derived from ST20_Y2CO | 1570 | 23.61% |
| | | | | | | 1 | Under controlled, or inconsistent | | | . | |
| 1491 | | | | Reliability variable for Inhibitory control | IC_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST20_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |
| 1492 | | | O14 | During the cooperative tasks, did the child stay focused on the task? | ST26_Y2CO | 1 | Hardly Ever | Raw | | 1490 | 22.41% |
| | | | | | | 2 | A Little | | | . | |
| | | | | | | 3 | Most Of The Time | | | . | |
| 1493 | | | | During the cooperative tasks, did the child stay focused on the task? | SA_DERIVED_Y2CO | 0 | Hardly ever or a little | Derived | Values derived from ST26_Y2CO | 1491 | 22.42% |
| | | | | | | 1 | All of the time | | | . | |
| 1494 | | | | Reliability variable for Sustained attention | SA_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST26_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |
| 1495 | | | O15 | During the cooperative tasks, was the child socially engaged (e.g. smiling, talking, enjoying the task)? | | | | | Information contained in derived variable SE_Derived_Y2CO | . | |
| 1496 | | | | During the cooperative tasks, was the child socially engaged (e.g. smiling, talking, enjoying the task)? | SE_DERIVED_Y2CO | 0 | Hardly ever or a little | Derived | Values derived from ST26_Y2CO | 1491 | 22.42% |
| | | | | | | 1 | All of the time | | | . | |
| 1497 | | | | Reliability variable for Social engagement | SE_RELIABILITY_Y2CO | 0 | Not reliable | Derived | Values derived from ST26_Y2CO | 339 | 5.1% |
| | | | | | | 1 | Reliable | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------------------------|--------------------------------|----------------------|--|---------------|-----------------------|--|---------------|--|-----------|-------------|
| 1498 | Psychological & Cognitive development | Generic questions across tasks | O17 | Across all tasks, were there any significant distractions or events that altered the child's performance and meant you coded something differently (e.g. sudden noise, people telling the child to wait or focus): No | NST31_1_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1499 | | | | Across all tasks, were there any significant distractions or events that altered the child's performance and meant you coded something differently (e.g. sudden noise, people telling the child to wait or focus): Yes, On The Demonstrations | NST31_2_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1500 | | | | Across all tasks, were there any significant distractions or events that altered the child's performance and meant you coded something differently (e.g. sudden noise, people telling the child to wait or focus): Yes, On The Individual Tasks | NST31_3_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1501 | | | | Across all tasks, were there any significant distractions or events that altered the child's performance and meant you coded something differently (e.g. sudden noise, people telling the child to wait or focus): Yes, On The Cooperative Tasks | NST31_4_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1502 | | | | Across all tasks, were there any significant distractions or events that altered the child's performance and meant you coded something differently (e.g. sudden noise, people telling the child to wait or focus): Yes, On All Tasks | NST31_5_Y2CO | 0 | No | Raw | | 950 | 14.29% |
| | | | | | | 1 | Yes | | | . | |
| 1503 | Psychological & Cognitive development | Parent/child interaction | O19 | Did {NAME} engage in the Parent-Child Interaction (Photo) exercise at all? | PCI1_Y2CO | 1 | Yes | Raw | Code frames updated, different to original questionnaire. Includes codes from 'Other Specify' category | 339 | 5.1% |
| | | | | | | 2 | No-Child was asleep | | | . | |
| | | | | | | 3 | No-Child Was unwell | | | . | |
| | | | | | | 4 | No-Child was not in house | | | . | |
| | | | | | | 5 | No-Child was not co-operative/would not engage | | | . | |
| | | | | | | 6 | No-Mother refused | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|--|---------------|-------|-----------|-------------|
| | | | | | | 7 | No-due to physical injury | | | . | |
| | | | | | | 8 | No-due to physical disability | | | . | |
| | | | | | | 9 | No-due to developmental delay | | | . | |
| | | | | | | 11 | No-as the interview was interpreted | | | . | |
| | | | | | | 12 | Mother did not speak English to child | | | . | |
| | | | | | | 13 | Child did not understand English | | | . | |
| | | | | | | 14 | Phone interview | | | . | |
| | | | | | | 15 | Skype interview | | | . | |
| | | | | | | 16 | Child/family overseas | | | . | |
| | | | | | | 97 | No-Other | | | . | |
| | | | | | | 98 | Not applicable | | | . | |
| 1504 | | | O19A | Was the Parent-Child Interaction completed in English or another language? | PCI1A_Y2CO | 1 | English | Raw | | 1177 | 17.7% |
| | | | | | | 2 | Non-English language understood by the interviewer | | | . | |
| | | | | | | 3 | Non-English language not understood by the interviewer | | | . | |
| 1505 | | | O20 | Photo 1: Mother and daughter in forest. | PCI2_Y2CO | 1 | No emotional expression | Raw | | 1315 | 19.77% |
| | | | | | | 2 | Smile | | | . | |
| | | | | | | 3 | Laugh or Kiss or Cuddle/Embrace | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |
| 1506 | | | O21 | Photo 2: Children washing car. | PCI3_Y2CO | 1 | No Questions | Raw | | 1315 | 19.77% |
| | | | | | | 2 | 1 Question | | | . | |
| | | | | | | 3 | 2 Or More Questions | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |
| 1507 | | | O22 | Photo 3: Child reaching up for father. | PCI4_Y2CO | 1 | No Desire Or Emotion Words (Want, Like) | Raw | | 1315 | 19.77% |
| | | | | | | 2 | One Desire Or Emotion Word | | | . | |
| | | | | | | 3 | Two Or More Desire Or Emotion Words | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|---------------------|-------------------|----------------------|--|---------------|-----------------------|---|---------------|---|-----------|-------------|
| 1508 | | | O23 | Photo 4: Boy crying. | PCI5_Y2CO | 1 | Absence of concern or empathy | Raw | Code frames updated, different to original questionnaire | 1315 | 19.77% |
| | | | | | | 2 | Presence of concern or empathy (e.g. furrowed brow, with or without downturned mouth) | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |
| 1509 | | | O24 | Photo 5: Boy stacking blocks. | PCI6_Y2CO | 1 | Description of picture, but no linking to own child's block play or any other previous experience or the child's world | Raw | Variable name changed and code frames updated, different to original questionnaire | 1315 | 19.77% |
| | | | | | | 2 | Link to child's block playing (either stack & topple or other block play) or link to any other aspect of own child's previous experience or their world | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |
| 1510 | | | O25 | when the parent and child sit down until the end of the task - across whole interaction. | PCI7_Y2CO | 1 | No Discipline/Behavioural Correction | Raw | Variable name changed and code frames updated, different to original questionnaire | 1315 | 19.77% |
| | | | | | | 2 | One Instance Of Mild Behavioural Correction | | | . | |
| | | | | | | 3 | Harsh Discipline (Yelling, Smacking, Cursing, Evil Eye) Or More Than One Behavioural Correction | | | . | |
| | | | | | | 4 | Did Not engage | | | . | |
| 1511 | Health & Well-being | Height and weight | O27 | I'd like to measure {NAME}'s height and weight. | HW1_Y2CO | 1 | Permission To Measure Height And Weight | Raw | For O27-O45, please refer to External Data Release 2017 Reference and Process User Guide. | 339 | 5.1% |
| | | | | | | 2 | Permission To Measure Height Only | | | . | |
| | | | | | | 3 | Permission To Weigh Only | | | . | |
| | | | | | | 98 | Permission Refused For Both Height And Weight | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|----------------------------|---------------|---|-----------|-------------|
| 1512 | | | O28 | Was the child weighed? | HWINFO2_Y2CO | 1 | Child Weighed With Adult | Raw | | 603 | 9.07% |
| | | | | | | 2 | Child weighed alone | | | . | |
| | | | | | | 3 | Child Refused | | | . | |
| | | | | | | 4 | Child Unable To Be Weighed | | | . | |
| 1513 | | | O29 | Measurement outcome 1: Parent and child - Weight (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1514 | | | O30 | Measurement outcome 2: Parent and child - Weight (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1515 | | | | Average weight of Parent and Child (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1516 | | | O31 | Measurement outcome 1: Parent alone - Weight (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1517 | | | O32 | Measurement outcome 2: Parent alone - Weight (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1518 | | | | Average weight reading of Parent alone (kg) | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1519 | | | O33 | Which of these circumstances apply to the parent and child weight process: Weight Accurately Recorded | NHW6_1_Y2CO | 0 | No | Raw | | 2777 | 41.76% |
| | | | | | | 1 | Yes | | | . | |
| 1520 | | | | Which of these circumstances apply to the parent and child weight process: Child Was Wearing Shoes And / Or More Than Light Clothing | NHW6_2_Y2CO | 0 | No | Raw | | 2777 | 41.76% |
| | | | | | | 1 | Yes | | | . | |
| 1521 | | | | Which of these circumstances apply to the parent and child weight process: Child Was Wearing A Plaster Cast | NHW6_3_Y2CO | 0 | No | Raw | | 2777 | 41.76% |
| | | | | | | 1 | Yes | | | . | |
| 1522 | | | | Which of these circumstances apply to the parent and child weight process: Other | NHW6_97_Y2CO | 0 | No | Raw | | 2777 | 41.76% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------|-----------------------|---|---------------|--|-----------|-------------|
| 1523 | | | O34 | Measurement Outcome 1: Child – Weight (kg) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1524 | | | O35 | Measurement Outcome 2: Child – Weight (kg) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1525 | | | | Weight of Child in kg (average) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1526 | | | O36 | Which of these circumstances apply to the child weight (i.e. O34-O35) measurement? | HW3_Y2CO | 1 | Weight Accurately Recorded | Raw | | 5113 | 76.89% |
| | | | | | | 2 | Child Was Wearing Shoes And/Or More Than Light Clothing | | | . | |
| | | | | | | 3 | Child Was Wearing A Plaster Cast | | | . | |
| | | | | | | 4 | Child Was Unable To Stand Still–Weight Estimated | | | . | |
| | | | | | | 5 | Other | | | . | |
| 1527 | | | O37 | Do you have a record of {NAME}'s weight from the last time [HE/SHE] was weighed | HW7_Y2CO | 1 | Well Child Book | Raw | Code frames updated, different to original questionnaire | 5794 | 87.13% |
| | | | | | | 2 | Other Written Record | | | . | |
| | | | | | | 3 | Parent's Memory | | | . | |
| | | | | | | 4 | No Record Available | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1528 | | | O38 | Record weight of child at the last time they were weighed. | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1529 | | | | Record weight of child at the last time they were weighed: Pounds | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1530 | | | | Record weight of child at the last time they were weighed: Ounces | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1531 | | | | Record weight of child at the last time they were weighed: Kilograms | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|----------------------------|-----------------------|-----------------------------|---------------|---|-----------|-------------|
| 1532 | | | | Record weight of child at the last time they were weighed: Grams | | | | | Information contained in derived variable CHILD_WT_FINAL_Y2CO | . | |
| 1533 | | | O39 | Record date last weight recorded | CHILD_WT_AGE_TY PE_Y2CO | 1 | Actual Date | Derived | Derived variable to indicate whether the age of the child at time of measurement or record is actual or estimated | 813 | 12.23% |
| | | | | | | 2 | Estimated Date | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1534 | | | | Record date last weight recorded: Actual Date | | | | | Information contained in derived variable CHILD_WT_AGE_Y2CO | . | |
| 1535 | | | | Record date last weight recorded: Estimated Date | | | | | Information contained in derived variable CHILD_WT_AGE_Y2CO | . | |
| 1536 | | | O40 | Was the child measured height? | HWINFO5_Y2CO | 1 | Child Measured | Raw | Code frames updated, different to original questionnaire | 600 | 9.02% |
| | | | | | | 3 | Child Refused | | | . | |
| | | | | | | 4 | Child unable to be measured | | | . | |
| 1537 | | | O41 | Height(m) - First Measurement | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1538 | | | | Height(m) - Second Measurement | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1539 | | | | Average height of child (m) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1540 | | | O42 | Which of these circumstances apply to the height measurement: Height Accurately Recorded | NHW13_1_Y2CO | 0 | No | Raw | | 1826 | 27.46% |
| | | | | | | 1 | Yes | | | . | |
| 1541 | | | | Which of these circumstances apply to the height measurement: Child Was Wearing Shoes And/Or Something On Head That May Affect Measurement | NHW13_2_Y2CO | 0 | No | Raw | | 1826 | 27.46% |
| | | | | | | 1 | Yes | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|---|-------------------------|-----------------------|----------------------|---------------|---|-----------|-------------|
| 1542 | | | | Which of these circumstances apply to the height measurement: Height Estimated: Difficult To Get Child To Stand Correctly Under The Stadiometer | NHW13_3_Y2CO | 0 | No | Raw | | 1826 | 27.46% |
| | | | | | | 1 | Yes | | | . | |
| 1543 | | | | Which of these circumstances apply to the height measurement: Other | NHW13_97_Y2CO | 0 | No | Raw | | 1826 | 27.46% |
| | | | | | | 1 | Yes | | | . | |
| 1544 | | | O43 | Do you have a record of {NAME}'s height from the last time [HE/SHE] was measured? | HW14_Y2CO | 1 | Well Child Book | Raw | Code frames updated, different to original questionnaire | 5172 | 77.77% |
| | | | | | | 2 | Other Written Record | | | . | |
| | | | | | | 3 | Parent's Memory | | | . | |
| | | | | | | 4 | No Record Available | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1545 | | | O44 | Record height of child at the last time they were measured. | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1546 | | | | Height (cm) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1547 | | | | Height (m) | | | | | Information contained in derived variable CHILD_HT_FINAL_Y2CO | . | |
| 1548 | | | O45 | Record date last measurement recorded | CHILD_HT_AGE_TY PE_Y2CO | 1 | Actual Date | Derived | Derived variable to indicate whether the age of the child at time of measurement or record is actual or estimated | 1344 | 20.21% |
| | | | | | | 2 | Estimated Date | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1549 | | | | Record date last measurement recorded: Actual Date | | | | | Information contained in derived variable CHILD_HT_AGE_Y2CO | . | |
| 1550 | | | | Record date last measurement recorded: Estimated Date | | | | | Information contained in derived variable CHILD_HT_AGE_Y2CO | . | |
| 1551 | | | | Child weight (Kg) - measured or last recorded | CHILD_WT_FINAL_Y2CO | | | Derived | Final weight in kilograms derived from indicated variables in anthropometry section above | 813 | 12.23% |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|------|-----------------|-----------|----------------------|--|---------------------|-----------------------|---|---------------|--|-----------|-------------|
| 1552 | | | | Age of child when child's weight was taken | CHILD_WT_AGE_Y2CO | | | Derived | Age of child in months at time of CHILD_WT_FINAL_Y2CO measurement or record. Derived from indicated variables in anthropometry section above | 813 | 12.23% |
| 1553 | | | | Weight measurement and quality | QUALITY_WT_Y2CO | 1 | Weight measured according to protocol | Raw | | 384 | 5.77% |
| | | | | | | 2 | Weight not measured according to protocol - three measurements required | | | . | |
| | | | | | | 3 | Weight not measured according to protocol - other issue | | | . | |
| | | | | | | 4 | Well child book | | | . | |
| | | | | | | 5 | Other written record | | | . | |
| | | | | | | 6 | Parent's memory | | | . | |
| | | | | | | 7 | No record available | | | . | |
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |
| 1554 | | | | Child height (m) - measured or last recorded | CHILD_HT_FINAL_Y2CO | | | Derived | Final height in metres derived from indicated variables in anthropometry section above | 1344 | 20.21% |
| 1555 | | | | Age of child when child's height was taken | CHILD_HT_AGE_Y2CO | | | Derived | Age of child in months at time of CHILD_HT_FINAL_Y2CO measurement or record. Derived from indicated variables in anthropometry section above | 1344 | 20.21% |
| 1556 | | | | Height measurement and quality | QUALITY_HT_Y2CO | 1 | Weight measured according to protocol | Raw | | 348 | 5.23% |
| | | | | | | 2 | Weight not measured according to protocol - three measurements required | | | . | |
| | | | | | | 3 | Weight not measured according to protocol - other issue | | | . | |
| | | | | | | 4 | Well child book | | | . | |
| | | | | | | 5 | Other written record | | | . | |
| | | | | | | 6 | Parent's memory | | | . | |
| | | | | | | 7 | No record available | | | . | |

| No. | Research domain | Subdomain | Questionnaire number | Question | Variable name | Formatted data values | Value labels | Variable type | Notes | Missing n | Missing % * |
|-----|-----------------|-----------|----------------------|----------|---------------|-----------------------|--------------|---------------|-------|-----------|-------------|
| | | | | | | 98 | Ref | | | . | |
| | | | | | | 99 | DK | | | . | |

* The percentage missing is calculated as follows: (number of missing responses to a particular item)/ (number of participants who answered at least one item within the questionnaire).