
DECKING

Exterior Collection





ABOUT VISION WOOD

Sourced and manufactured within North America, Vision Wood offers a premiere selection of thermally modified wood products for all of your outdoor and indoor projects. Thermally treated wood thoroughly alters the cellular structure of the lumber, creating a high-quality, vibrant material built to perform in the harshest of climates.

Sustainability, durability, innovative technology – several of our core tenets in bringing to market a product that delivers exotic appeal with only the natural elements of heat, steam, and time. With performance and quality in mind, we aim to provide generational wood for all design concepts.


SUMMARY

Products

Profiles

Technical Specifications

Our Planet Matters



PRODUCTS

STANDARD

HT Ash Decking 1x6 (HTA16DS)



HT Ash Decking 5/4x6 (HTA56DS)



HT Pine Decking 5/4x6 (HTP56DS)



HT Pine Decking %x6 (HTP66DS)



GROOVED

HT Ash Decking 1x6 Grooved (HTA16DG)



HT Ash Decking 5/4x6 Grooved (HTA56DG)



HT Ash Decking 5/4x5 Grooved (HTA55DG)




Decking Collection **7**


PROFILES

STANDARD

HT Ash Decking 1x6 (HTA16DS)


HT Ash Decking 5/4x6 (HTA56DS)






HT Pine Decking 5/4x6 (HTP56DS)

HT Pine Decking %x6 (HTP66DS)







GROOVED


HT Ash Decking 1x6 Grooved (HTA16DG)

HT Ash Decking 5/4x6 Grooved (HTA56DG)





HT Ash Decking 5/4x5 Grooved (HTA55DG)



HT™ Ash Decking 1x6

Manufactured 100% American Made and Finished

Species Thermally Modified North American White Ash

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 3/4"

Width 5"

Length 6'-10' Random Lengths

Construction Solid North American White Ash Modified Thermally


Profile Eased 4 Edge

Color Natural/Warm Brown—Naturally Ages to Silver-Gray with Time and Exposure


Finish Unfinished

Janka Hardness 1400

Installation Pre-drill and SS Trim Fasteners







HTTM Ash Decking 5/4x6

Manufactured 100% American Made and Finished

Thermally Modified North American White Ash **Species**

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 1"

5" Width

6'-10' Random Lengths Length

Construction Solid North American White Ash Modified Thermally

Eased 4 Edge **Profile**

Natural/Warm Brown—Naturally Ages to Silver-Gray with Time and Exposure Color

Finish Unfinished

Janka Hardness 1400

Installation Pre-drill and SS Trim Fasteners

HT™ Pine Decking 5/4×6

Manufactured 100% American Made and Finished

Species Thermally Modified Southern Yellow Pine

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 1'

Width 5"

Length 8'-16' Random Lengths

Construction Solid Southern Yellow Pine Modified Thermally


Profile Eased 4 Edge

Color Natural/Golden Brown—Will Age to Silver-Gray with Time and Exposure


Finish Unfinished

Janka Hardness 588

Installation Pre-drill and SS Trim Fasteners







HTTM Pine Decking 6/4x6

Manufactured 100% American Made and Finished

Thermally Modified Southern Yellow Pine **Species**

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 1 3/16"

5" Width

8'-16' Random Lengths Length

Construction Solid Southern Yellow Pine Modified Thermally

Eased 4 Edge **Profile**

Natural/Golden Brown—Naturally Ages to Silver-Gray with Time and Exposure Color

Finish Unfinished

Janka Hardness 588

Installation Pre-drill and SS Trim Fasteners

HT™ Ash Decking 1x6 Grooved

Manufactured 100% American Made and Finished

Species Thermally Modified North American White Ash

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 3/4"

Width 5"

Length 6'-10' Random Lengths

Construction Solid North American White Ash Modified Thermally


Profile Grooved for Mantis Hidden Clip Installation, Eased 4 Edge


Color Natural/Warm Brown—Naturally Ages to Silver-Gray with Time and Exposure


Finish Unfinished


Janka Hardness 1400

Installation Mantis 320 Hidden Deck Fasteners









HTTM Ash Decking 5/4x6 Grooved

Manufactured 100% American Made and Finished

Thermally Modified North American White Ash **Species**

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 1"

5" Width

6'-10' Random Lengths Length

Construction Solid North American White Ash Modified Thermally

Grooved for Mantis Hidden Clip Installation, Eased 4 Edge **Profile**

Natural/Warm Brown—Naturally Ages to Silver-Gray with Time and Exposure Color

Finish Unfinished

Janka Hardness 1400

Installation Mantis 396 Hidden Deck Fasteners

HT™ Ash Decking 5/4x5 Grooved

Manufactured 100% American Made and Finished

Thermally Modified North American White Ash Species

Grade Select and Better

Cut Plain Sawn Mixed Grain

Thickness 1"

4 1/4" Width

6'-10' Random Lengths Length

Solid North American White Ash Modified Thermally Construction


Grooved for Mantis Hidden Clip Installation, Eased 4 Edge **Profile**

Natural/Warm Brown—Naturally Ages to Silver-Gray with Time and Exposure Color


Finish Unfinished

Janka Hardness 1400

Installation Mantis 396 Hidden Deck Fasteners







OUR PLANET MATTERS

Vision Wood was built on 30 years of traveling the world to find the finest materials on the cutting edge of performance. Our clientsthe developers, architects, designers and homeowners-consistently rely on our team to provide the highest quality components to achieve a project worthy of the admiration it deserves.

All of our partners are leaders in their respective industries for environmental responsibility and carbon compliance. With sustainability being another core belief, Vision Wood only engages in partnerships with companies that manage forests responsibly by promoting their growth and protection for future generations. The products we offer have no added urea formaldehyde and low volatile organic compounds. All of Vision Wood materials are sustainably forested.

DECKING

(504) 265-8983

6010 Magazine Street New Orleans. LA 70118

visionwood.com

