

Home Plumbing Safety & Water-Efficiency Checklist (Maryville Edition)

From David Casto, owner of The Platinum Plumber—licensed, neat, and local.

Safety first (keep this on your fridge)

- Main water shutoff: Note its location and test quarterly (turn off/on gently).
- Gas shutoff & water heater breaker: Know where they are.
- Call a pro immediately if you smell gas, see the water-heater T&P valve dripping/ spraying, have a sewer backup, ceiling sagging from a leak, or rapidly rising water bill.

Monthly / Quarterly Quick Checks

- **Silent-leak test (15 min):** Make sure no fixtures are running; check the water meter. Movement = leak to find.
- **Toilet dye test:** 5 drops food coloring in the tank; if bowl colors within 10 minutes, replace flapper/seat.

- **Supply lines & stops:** Inspect under sinks/ toilets for bulges, rust, or drips; hand-snug as needed.
- Exercise shutoff valves: Quarter-turn ball valves: off → on. (Skip if a valve is stuck—don't force it.)
- Water pressure check: Hose-bib gauge target 50–70 psi (never >80). High/low pressure? Have us inspect the PRV.
- Clean aerators & showerheads: Unscrew and rinse debris; soak in white vinegar if needed.
- Sump pump test (if present): Pour a bucket of water until it cycles; verify dedicated outlet/ GFCI.

Seasonal Checks

Spring

- Inspect hose bibs for freeze damage, interior leaks, or weeping.
- Clear yard drains/ window wells; keep the meter box accessible.
- Water heater mini-flush: Drain 1–2 gallons of water (let cool; follow manufacturer steps).
- Crawlspace scan: look for damp soil, dripping traps, or green/white mineral crust.

Summer

- **Irrigation audit:** Fix broken heads, watch for mushy spots; set efficient watering schedule.
- Confirm water-heater setpoint 120°F (safe + energy-smart).
- Check outdoor spigots/ laundry connections for leaks while hoses are pressurized.

Fall

- Disconnect hoses; install frost covers on hose bibs.
- Insulate exposed pipes in garages/ crawlspaces.
- Test smoke/CO alarms near gas appliances; replace batteries.

Winter (hard freezes)

- Open vanity doors on exterior walls; let warm air in.
- Drip a cold faucet line when temps drop <20°F.
- Know the safest drain-down for vacant days (call us if unsure).

Annual / As-Needed

- Replace rubber supply lines with braided stainless (toilets, faucets). Age out at 5–7 years.
- **Anode-rod check** (2–3 yrs typical): extends tank life—usually a pro job.
- Repairs on running toilets & dripping faucets: small parts, big savings.
- PRV inspection/ adjustment if house-wide pressure changes.
- Backflow test for irrigation where required.
- **Septic** (if applicable): pump every **3–5 years** based on usage; watch for slow drains/ odors.
- Consider whole-home filtration/ softening if you see scale build-up or cloudy hot water.

Water-Saver Quick Wins

- Fix running toilets (often a \$10 flapper).
- Use 1.0–1.5 gpm bath aerators; ≤2.0 gpm showerheads.
- Wash full loads; repair irrigation leaks; water lawns early morning.
- Upgrade old 3.5 gpf toilets to **1.28 gpf** high-efficiency models.

Red-Flag Symptoms (time to call a licensed pro)

- Brown/ rusty water, or milky hot water that doesn't clear in a glass.
- House-wide low pressure or pressure that surges (PRV/ main issue).
- Frequent clogs, gurgling drains, or sewer smell.
- Ceiling stains, warm floor spots, or a sudden spike in the water bill.
- Water-heater **T&P valve** discharge, scorching/ soot, or rumbling noises.

Local help

Need a hand or want us to run this checklist with you? **Call (865) 773-9493** or request an estimate at **theplatinumplumber.com**.

Licensed only. Neat work. Straight talk.