




GENERAL INFORMATION


The Orbita Trace Circle pendant combines minimalist form with functional performance. Designed with a slim aluminum profile and high-efficiency LED technology, this fixture delivers uniform omnidirectional illumination ideal for contemporary commercial and residential interiors. Available in multiple diameters and finishes, it offers flexible design integration while maintaining clean architectural lines. The Orbita Trace Circle is a refined lighting solution for spaces that demand both elegance and performance.



SPECIFICATIONS

Material	Aluminum
Lens	Polycarbonate
Diameter	23.6" / 35.4" / 47.2" / 59.1"
Profile Height	1.3"
Profile Width	1.4"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	32W / 40W / 70W / 80W
LED Output	70 lm/W
CCT	3000K / 4000K / 5000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V
Light Distribution	Beam In / Beam Out
IP Rating	IP 20
Warranty	5 years
Finishes	Sattin White / Sattin Black / RAL finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Wattage / Lumens	CCT	Light Distribution
☒ OTR Circle / Pendant	☐ 23 23" / 32 W / 2240 lm ☐ 35 35" / 40 W / 2800 lm ☐ 47 47" / 70 W / 4900 lm ☐ 59 59" / 80 W / 5600 lm	☐ 30 3000K ☐ 40 4000K ☐ 50 5000K	☐ BN Beam In ☐ BO Beam Out
Dimming	CRI	Profile Finish Options	Canopy Finish Options
☐ NN Non-Dimmable ☐ DM 0-10V	☐ CR8 80 ☐ CR9 90	☐ SW Satin White ☐ SB Satin Black ☐ RAL RAL Finishes	☐ WH White ☐ BL Black
Cord Finish Options	Mounting	Cord Length	
☐ WH White ☐ BL Black	☐ CT Central Canopy Suspension ☐ MO Multi-Point Suspension ☐ SM Surface-mounted	☐ L11 118" (adjustable) ☐ Cus Custom on request	

Finishes

Standard finishes



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



RAL finishes



Photometric Data

