




GENERAL INFORMATION


The Orbita Cirque Circle brings expressive color and contemporary geometry together in a high-performance RGB pendant. Featuring inward and downward light distribution, it creates a striking ambient effect ideal for mood lighting, branding, or immersive environments. With multiple size options and precision dimming, Cirque enhances both visual interest and functional performance in architectural interiors.



SPECIFICATIONS

Material	Aluminum
Lens	Polycarbonate
Diameter	23" / 35" / 47" / 59" / 79" / 118" / 197"
Profile Height	1.5"
Profile Width	1.3"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	40W / 50W / 80W / 100W / 120W / 200W / 400W
CCT	RGB
CRI	80 / 90
Dimming & Driver	Integral, 0-10V
Light Distribution	Beam Down
IP Rating	IP 20
Warranty	5 years
Finishes	Sattin White / Sattin Black / RAL finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Wattage /		Light Distribution
☒ OTQ Circle / Pendant	☐ 23 23" / 40 W	☐ 78 79" / 120 W	☒ BD Beam Down
	☐ 35 35" / 50 W	☐ 118 118" / 200 W	
	☐ 47 47" / 80 W	☐ 197 197" / 400 W	
	☐ 59 59" / 100 W		
Dimming	CRI	Profile Finish Options	Canopy Finish Options
☐ NN Non-Dimmable	☐ CR8 80	☐ SW Satin White	☐ WH White
☐ DM 0-10V	☐ CR9 90	☐ SB Satin Black	☐ BL Black
		☐ RAL RAL Finishes	
Cord Finish Options	Mounting	Cord Length	
☐ WH White	☐ CT Central Canopy Suspension	☐ L11 118" (adjustable)	
☐ BL Black	☐ MO Multi-Point Suspension	☐ Cus Custom on request	
	☐ SM Surface-mounted		
*Multi-Point Suspension Mounting is only available for diameters of 23" / 35" / 47" / 59"			

Finishes

Standard finishes




RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



RAL finishes



Photometric Data

