

### **ORBITA ZENITH CIRCLE**

RGB Circle / Pendant / OTZ




### **SPECIFICATIONS**


Material	Aluminum				
····arcinal	,				
Lens	Polycarbonate				
Diameter	35" / 47" / 59" / 79" / 118" / 197"				
Profile Height	2.7"				
Profile Width	1.7"				
Input Voltage	110-277V, 50-60 Hz				
Light Source Type	LED				
Power	80W / 120W / 135W / 150W / 300W / 480W				
ССТ	RGB				
CRI	80 / 90				
Dimming & Driver	Integral, 0-10V				
Light Distribution	Beam Down / Beam Up & Down				
IP Rating	IP 20				
Warranty	5 years				
Finishes	Sattin White / Sattin Black / RAL finishes				

#### **GENERAL INFORMATION**

The Orbita Zenith Circle is a bold architectural statement that unites performance and color versatility. Designed with RGB technology and bi-directional (up & down) illumination, Zenith enables layered atmospheres and vivid lighting effects in commercial, hospitality, and creative environments. Its high-output performance and refined form make it ideal for large-scale applications seeking both impact and adaptability.



### **OTHER VERSIONS AVAILABLE**



### **CERTIFICATION**





Project	
Notes	
	J

# **Ordering Information**

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

	Code	Diameter Ø / Wattage			Light Distribution		
~	<b>OTZ</b> Circle / Pendant		<b>35</b> 35" / 80 W		<b>79</b> 79" / 150 W		<b>BD</b> Beam Down
			<b>47</b> 47" / 120 W		<b>118</b> 118" / 300 W		<b>BUD</b> Beam Up & Down
			<b>59</b> 59" / 135 W		<b>197</b> 197" / 480 W		
	Dimming		CRI	Pre	ofile Finish Options	Ca	nopy Finish Options
	<b>NN</b> Non-Dimmable		<b>CR8</b> 80		<b>SW</b> Satin White		<b>WH</b> White
	<b>DM</b> 0-10V		<b>CR9</b> 90		<b>SB</b> Satin Black		<b>BL</b> Black
					RAL RAL Finishes		
	Cord Finish Options		Mounting		Cord Length		
	<b>WH</b> White		<b>CT</b> Central Canopy Suspension		<b>L11</b> 118" (adjustable)		
	<b>BL</b> Black	*Multi-F	MO Multi-Point Suspension Point Suspension Mounting is aliable for 35" / 47" / 59"		Cus Custom on request		
		Offity ava	alidule (01-35   47   58				

## **Finishes**

#### Standard finishes





RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL \_ \_ \_ \_

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



### **RAL** finishes





Updated: 01/01/2025

Project	
Notes	

# **Photometric Data**

