





GENERAL INFORMATION

The Orbita Eclipse Circle is a sleek, color-tunable pendant designed to elevate modern interiors with its minimal form and immersive RGB illumination. Offering both upward and downward beam distribution, Eclipse delivers dynamic ambient lighting while maintaining a clean, architectural profile. Ideal for hospitality, commercial, and creative environments seeking both performance and visual impact.



SPECIFICATIONS

Material	Aluminum
Lens	Polycarbonate
Diameter	16" / 23" / 31" / 39" / 47" / 59"
Profile Height	0.8"
Profile Width	0.4"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	20W / 30W / 40W / 50W / 60W / 80W
CCT	RGB
CRI	80 / 90
Dimming & Driver	Integral, 0-10V
Light Distribution	Beam In / Beam Out
IP Rating	IP 20
Warranty	5 years
Finishes	Sattin White / Sattin Black / RAL finishes

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Wattage		Light Distribution
☒ OTI Circle / Pendant	☐ 16 16" / 20 W	☐ 39 39" / 50 W	☐ BN Beam In
	☐ 23 23" / 30 W	☐ 47 47" / 60 W	☐ BO Beam Out
	☐ 31 31" / 40 W	☐ 59 59" / 80 W	
Dimming	CRI	Profile Finish Options	Canopy Finish Options
☐ NN Non-Dimmable	☐ CR8 80	☐ SW Satin White	☐ WH White
☐ DM 0-10V	☐ CR9 90	☐ SB Satin Black	☐ BL Black
		☐ RAL RAL Finishes	
Cord Finish Options	Mounting	Cord Length	
☐ WH White	☐ CT Central Canopy Suspension	☐ L11 118" (adjustable)	
☐ BL Black	☐ MO Multi-Point Suspension	☐ Cus Custom on request	

Finishes

Standard finishes




RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



RAL finishes



Project

Notes

Photometric Data

