





GENERAL INFORMATION

The SERO ceiling fixture combines a sleek, contemporary design with functional performance, making it an ideal choice for both residential and commercial interiors. Crafted from durable aluminum with a glass diffuser, it provides uniform, glare-free illumination with a balanced Beam Down / Symmetrical light distribution. Available in a variety of finishes—including RAL colors, wood-effect, and metallic options—the SERO integrates seamlessly into diverse architectural styles. Its energy-efficient LED system, high CRI, and dimming compatibility ensure both visual comfort and design flexibility.



SPECIFICATIONS

Material	Aluminum
Lens	Polycarbonate
Diameter	12" / 22"
Height	5" / 6"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	15W / 20W
LED Output	120 lm/W
CCT	2700K / 3000K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Beam Down / Symmetrical
IP Rating	IP 20
Warranty	5 years
Finishes	27 RAL finishes 8 wood-effect finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Height	Wattage / Lumens	CCT
☒ SRE-C Ceiling	☐ 12 12" / 5"	☐ 15 15 W / 1800 lm	☐ 27 2700K
	☐ 22 22" / 6"	☐ 20 20 W / 2400 lm	☐ 30 3000K
	☐ Cus Custom on request	☐ Cus Custom on request	☐ 40 4000K
			☐ Cus Custom on request
Dimming	Canopy Finish Options	Disc Finish Options	
☐ NN Non-Dimmable	☐ ST Standard	☐ ST Standard	
☐ DM 0-10V	☐ WE Wood effect	☐ WE Wood effect	
	☐ MC Metallic	☐ MC Metallic	
	☐ Cus Custom on request	☐ Cus Custom on request	

Finishes

Standard finishes

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Wood-effect finishes

--	--	--	--	--	--	--	--

Metallic finishes

--	--	--	--	--	--	--	--	--	--	--	--