




SPECIFICATIONS

Material	Stainless Steel + PMMA			
Lens	Frosted, Acrylic			
Diameter	6" / 8" / 10" / 12.5"			
Height	43" / 46.5" / 48.5"			
Light Source Type	LED			
Power	8W			
Input Voltage	110-277V, 50-60 Hz			
LED Output	640 lm			
ССТ	2200K / 3000K / 4000K			
CRI	90			
Dimming & Driver	ng & Driver Integral, 0-10V			
Light Distribution	Distribution Type V — 360° Symmetrical			
IP Rating	IP 65			
Warranty	5 years			
Finishes	19 standard finishes 8 wood-effect finishes 12 metallic finishes Custom on request*			

GENERAL INFORMATION

The RIDGEGUARD SB is a robust security bollard engineered to provide effective perimeter protection while delivering architectural-grade illumination. Its streamlined cylindrical design, paired with a frosted acrylic lens, ensures even Type V symmetrical light distribution for 360° coverage, enhancing visibility and safety in outdoor environments. Built from stainless steel with premium finishes, RIDGEGUARD SB is ideal for securing building entrances, pathways, and urban landscapes, combining durability with a refined aesthetic.



OTHER VERSIONS AVAILABLE



CERTIFICATION





Project	
Notes	

Ordering Information

Code ASTM Rating / Diameter Ø / Height		Wattage / Lumens		Material			
~	RGD-SB Security Bollard		S10 ASTM Rating S10 / 6" / 43"		6 8 W / 640 lm	~	SS Stainless Steel
			C40 ASTM Rating C40 / 8" / 43"		Cus Custom on request		
			M30 ASTM Rating M30 / 10" / 46.5"				
			M50 ASTM Rating M50 / 12.5" / 48.5"				
	ССТ		Light Distribution		Dimming	Lum	inaire Head Finish Options
	22 2200K	✓	LD5 Type V — 360° / Symmetrical		NN Non-Dimmable		ST Standard
	30 3000K				DM 0-10V		WE Wood effect
	40 4000K						MC Metallic
	Cus Custom on request						Cus Custom on request
Bol	llard Body Finish Options						
	ST Standard						
	WE Wood effect						
	MC Metallic						
	Cus Custom on request						

Finishes

Standard finishes



Wood-effect finishes



















RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

RAL 8017

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Metallic finishes



















RAL 8015





RAL 8028






Project

Notes

Crash-Tested S10 Bollard Mounting Details



Crash Rating ASTM F3016 S10 Crash Rated

Rating Details Certified to meet ASTM F3016.

Tested and proven to stop a 5,000 lb vehicle up to 10 mph.

Minimum qty Bollards must be installed in a

minimum array of three (3) units to achieve the specified crash rating. A single bollard alone does not meet the tested standard.

MINIMUM GROUND CONDITIONS REQUIRED PER ASTM F3016

1a: The concrete is 3000 psi minimum unconfined compressive strength, with one layer of #3 (Ø3/8") rebar spaced at 12" each way, with 1-1/4" cover at bottom. Rebar not shown here.

1b: The base is Type A Grade 1 crushed limestone road base, compacted to 90% of standard proctor density.

1c: The washed sand shall be classified as SP - poorly graded sand & be compacted to a density of not less than 90% maximum dry density

KITTED SYSTEM

We provide everything but the concrete – core, cover, rebar cage and hardware are all included.

EASY TO INSTALL


CrashCore Bollards have a simple core drilled installation — so simple you can install one in less than an hour.



Project

Notes

Crash-Tested C40 Bollard Mounting Details



Crash Rating ASTM F2656 C40, P1 Crash Rated

Rating Details Certified to meet F2656-07 standards. Capable of halting a

2,342 lb. vehicle traveling at 40 mph.

Minimum qty Bollards must be installed in a

minimum array of three (3) units to achieve the specified crash rating. A single bollard alone does not meet

the tested standard.

MINIMUM GROUND CONDITIONS REQUIRED PER ASTM F2656-07

1a: The concrete shall be 4000 psi minimum unconfined compressive strength, poured to a 30" depth. Each bollard is factory-filled with concrete and includes two pre-cut vertical rebars (installer-supplied) placed inside the bollard tube

1b: Masonry blocks or rebar chairs shall be used to elevate the bollard steel off of the subgrade, ensuring proper concrete coverage below the tube. The base is prefabricated and delivered as a single unit, requiring no field welding, bolting, or assembly.

1c: The system supports unrestricted spacing between bollards and is suitable for sloped or curved installations without modification. Symmetrical bollard design ensures uniform impact resistance from any direction

BOLLARD SPACING

We provide everything but the concrete – core, cover, rebar cage and hardware are all included.

EASY TO INSTALL


Easy and quick installation; excavate set bollard and pour concrete



Project

Notes

Crash-Tested M30 Bollard Mounting Details



Crash Rating ASTM F2656-07 - M30/P1 Crash Rated

Rating Details Certified to meet F2656-07 standards. Stops 15,000 lb. vehicle traveling at

30 mph

Minimum qty Bollards must be installed in a minimum

array of three (3) units to achieve the specified crash rating. A single bollard alone does not meet the tested standard.

MINIMUM GROUND CONDITIONS REQUIRED PER ASTM F2656-07

1a: 1a: The concrete shall be 4000 psi minimum unconfined compressive strength, poured to a depth of 36". Each bollard tube is filled to the top with concrete and contains six (6) vertical #6 rebars (68" long), inserted inside the steel pipe.

1b: A 12" x 12" x ½" steel base plate is welded to the bottom of the bollard tube. The bollard must be elevated 3" off subgrade using masonry blocks or rebar chairs, ensuring proper embedment of the foundation and alignment with the concrete surface.

1c: The system is prefabricated and designed for "set and pour" installation with no rebar required in the foundation itself. Standard spacing between bollards is 60" on center, with a 51-3/8" clear span, although modifications are allowed for site-specific conditions

BOLLARD SPACING

Recommended 60 inches (1524 mm) maximum oncenter (o/c) spacing.

EASY TO INSTALL


The set & pour method simplifies the entire installation process. With no rebar being required, install time and cost is reduced by nearly 50%.



Project

Notes

Crash-Tested M30 Shallow Mount Bollard Mounting Details



Crash Rating ASTM F2656 M50-P2 Crash Rated

Rating Details Certified to meet F2656 standards. Stops 15,000 lb. vehicle traveling at

50 mph

Minimum qty Bollards must be installed in a

minimum array of three (3) units to achieve the specified crash rating. A single bollard alone does not meet the tested standard.

MINIMUM GROUND CONDITIONS REQUIRED PER ASTM F2656

1a: The foundation shall be poured using 4000 psi minimum compressive strength concrete, to a depth of 36" (914 mm). Each bollard is filled to the top with concrete and reinforced with four (4) #8 rebars (60 ksi), each 68" long, pre-inserted into the steel

1b: A 10-3/4" diameter Schedule 40 steel pipe is welded to a base and includes no field-assembly components. The bollard is factory-preassembled, requiring no bolting, tying, or installation beyond placement and concrete pour. It is supported on 3" masonry blocks or chairs to elevate it above subgrade for full encapsulation.

1c: Standard embedment depth is 33" (838 mm) below grade, with 39-1/2" (1003 mm) above grade. Typical center-to-center spacing is 60", with the system capable of achieving M50-P1 rating in a three-bollard array. A single bollard provides M50-P2 rating, stopping a 15,000 lb vehicle at 50 mph

BOLLARD SPACING

Recommended 60 inches (1524 mm) maximum on-center (o/c) spacing.

EASY TO INSTALL


No bolting, tying, or assembly is required for the bases prefabricated units drop into standard excavations without specialty subgrade.



Project

Notes

Crash-Tested M 50 Bollard Mounting Details



Crash Rating Rating Details ASTM F2656 M50-P2 Crash Rated Certified to meet F2656 standards. Stops 15,000 lb. vehicle traveling at

50 mph

MINIMUM GROUND CONDITIONS REQUIRED PER ASTM F2656

1a: The foundation shall be poured using 4000 psi minimum compressive strength concrete, to a depth of 36" (914 mm). Each bollard is filled to the top with concrete and reinforced with four (4) #8 rebars (60 ksi), each 68" long, pre-inserted into the steel

1b: A 10-3/4" diameter Schedule 40 steel pipe is welded to a base and includes no field-assembly components. The bollard is factory-preassembled, requiring no bolting, tying, or installation beyond placement and concrete pour. It is supported on 3" masonry blocks or chairs to elevate it above subgrade for full encapsulation.

1c: Standard embedment depth is 33" (838 mm) below grade, with 39-1/2" (1003 mm) above grade. Typical center-to-center spacing is 60", with the system capable of achieving M50-P1 rating in a three-bollard array. A single bollard provides M50-P2 rating, stopping a 15,000 lb vehicle at 50 mph

BOLLARD SPACING

Recommended 60 inches (1524 mm) maximum on-center (o/c) spacing.

EASY TO INSTALL

No bolting, tying, or assembly is required for the bases prefabricated units drop into standard excavations without specialty subgrade.