





GENERAL INFORMATION

The MODARI HALOIRE Magnetic Track System is a versatile architectural lighting solution designed for modern interiors. Its geometric halo form combines clean aesthetics with advanced functionality, allowing seamless integration of magnetic track heads, pendants, and linear modules. Engineered in aluminum, the system supports a wide range of beam angles and dimming options, making it adaptable for both ambient and accent lighting. Available in multiple finishes, MODARI HALOIRE is ideal for retail, hospitality, and workspace environments where flexibility and design impact are equally important.




SPECIFICATIONS

Material	Aluminum
Width	84.5"
Length	84.5"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	156W
LED Output	12,068 lm
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V
Beam Angle	12° / 18° / 24° / 34° / 36° / 48°
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 2 metallic finishes Custom on request*



OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Width / Length	Wattage / Lumens	CCT
☒ HLR-MT Magnetic Track System	☐ 84 84.5" / 84.5"	☐ 120 156W / 12,068 lm	☐ 27 2700K
	☐ Cus Custom on request	☐ Cus Custom on request	☐ 30 3000K
			☐ 40 4000K
			☐ Cus Custom on request
Dimming	CRI	Profile Finish Options	Heads Finish Options
☐ NN Non-Dimmable	☐ CR8 80	☐ ST Standard	☐ ST Standard
☐ DM 0-10V	☐ CR9 90	☐ MC Metallic	☐ MC Metallic
☐ DL DALI		☐ AWE A We Lighting Palette*	☐ AWE A We Lighting Palette*
		☐ Cus Custom on request	☐ Cus Custom on request
Canopy Finish Options	Cord Finish Options	Mounting	Cord Length
☐ ST Standard	☐ WH White	☐ PN Pendant	☐ L11 118" (adjustable)
☐ MC Metallic	☐ BL Black	☐ MM Surface-mounted	☐ Cus Custom on request
☐ AWE A We Lighting Palette*	☐ Cus Custom on request	☐ RD Recessed	
☐ Cus Custom on request			
DOT12 Head Beam Angle Options	SPOT50 Head Beam Angle Options	Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.	
☐ DT12 12°	☐ SP18 18°		
☐ DT34 34°	☐ SP24 24°		
☐ DT48 48°	☐ SP36 36°		

Heads Designed for This Track System


DOT12



SPOT50



LINEAR32



Project

Notes

Finishes

Standard finishes

RAL 4012

RAL 4005

RAL 4010

RAL 1012

RAL 1021

RAL 2000

RAL 2008

RAL 2002

RAL 3003

RAL 3011

RAL 3015

RAL 3014

RAL 3017

RAL 3018

RAL 5007

RAL 5019

RAL 5024

RAL 6011

RAL 6001

RAL 6017

RAL 6035

RAL 3012

RAL 1001

RAL 1015

RAL 9010

RAL 9016

RAL 9003

RAL 9022

RAL 7004

RAL 9005

RAL K7 CLASSIC COLORS
(80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Metallic finishes

SB
SHINY
BRONZE

GL
GOLD

DBI
MILK