




GENERAL INFORMATION


The MODARI CRESCEND is a magnetic track lighting system designed to provide flexible, high-performance illumination within a refined architectural form. Its curved linear design allows seamless integration into modern interiors, combining functional versatility with sculptural aesthetics. The system supports multiple compatible lighting heads, offering customizable configurations for accent, ambient, or task lighting. Engineered with precision in aluminum, MODARI CRESCEND delivers efficient LED performance, smooth 0-10V dimming, and a range of color temperature options to suit diverse applications.



SPECIFICATIONS

Material	Aluminum
Width	36"
Length	40"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	63W
LED Output	3438 lm
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V / DALI
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION




Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Width / Length	Wattage / Lumens	CCT
☒ CRD-MT Magnetic Track System	☐ 40 36" / 40" ☐ Cus Custom on request	☐ 34 63 W / 3438 lm ☐ Cus Custom on request	☐ 27 2700K ☐ 30 3000K ☐ 40 4000K ☐ Cus Custom on request
Dimming	CRI	Profile Finish Options	Heads Finish Options
☐ NN Non-Dimmable ☐ DM 0-10V ☐ DL DALI	☐ CR8 80 ☐ CR9 90	☐ ST Standard ☐ MC Metallic ☐ AWE A We Lighting Palette* ☐ Cus Custom on request	☐ ST Standard ☐ MC Metallic ☐ AWE A We Lighting Palette* ☐ Cus Custom on request
Canopy Finish Options	Cord Finish Options	Mounting	Cord Length
☐ ST Standard ☐ MC Metallic ☐ AWE A We Lighting Palette* ☐ Cus Custom on request	☐ WH White ☐ BL Black ☐ Cus Custom on request <i>Available only for the Pendant version*</i>	☐ PN Pendant ☐ MM Surface-mounted ☐ RD Recessed	☐ L11 118" (adjustable) ☐ Cus Custom on request <i>Available only for the Pendant version*</i>
SPOT65-R Head Beam Angle Options			
☐ SR10 10° ☐ SR20 20° ☐ SR30 30°	Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.		

Compatible Heads for This Track System

LINEAR32



SPOT65-R



Project

Notes

Finishes

Standard finishes

RAL 4012

RAL 4005

RAL 4010

RAL 1012

RAL 1021

RAL 2000

RAL 2008

RAL 2002

RAL 3003

RAL 3011

RAL 3015

RAL 3014

RAL 3017

RAL 3018

RAL 5007

RAL 5019

RAL 5024

RAL 6011

RAL 6001

RAL 6017

RAL 6035

RAL 3012

RAL 1001

RAL 1015

RAL 9010

RAL 9016

RAL 9003

RAL 9022

RAL 7004

RAL 9005

RAL K7 CLASSIC COLORS
(80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Metallic finishes

SB
SHINY
BRONZE

GL
GOLD