




GENERAL INFORMATION


The LINE-X is a modular lighting element engineered for the Modari A-Track Core magnetic track system, offering clean linear illumination and versatile placement. Constructed from precision-formed aluminum with a frosted acrylic diffuser, it delivers consistent, glare-free light suitable for both ambient and task applications. Available in multiple lengths, dimming options, and finish selections, the LINE-X provides a refined balance of performance, flexibility, and architectural appeal within contemporary lighting compositions.



MODULE SPECIFICATIONS

Material	Aluminum
Lens	Acrylic, Frosted
Length	3.31" / 6.46" / 12.6" / 25.2" / 37.8"
Width	1.34"
Height	2.2"
Input Voltage	DC 24V
Light Source Type	LED
Power	4W / 7W / 13W / 26W / 39W
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming	Non-Dim / 0-10V / 1-10V / DALI / TRIAC
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 8 wood-effect finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION











Line-X Module Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Voltage	Module Length / Wattage / Lumens	CCT
☒ LNK Line-X Module	☐ D24 DC 24V ☐ Cus Custom on request	☐ 3 3.31" / 4 W / 223 lm ☐ 6 6.46" / 7 W / 488 lm ☐ 12 12.6" / 13 W / 895 lm ☐ 25 25.2" / 26 W / 1720 lm ☐ 37 37.8" / 39 W / 2550 lm	☐ 27 2700K ☐ 30 3000K ☐ 40 4000K ☐ Cus Custom on request
Light Distribution	CRI	Dimming	Finish Option
☒ DF Diffused	☐ CR8 80 ☐ CR9 90	☐ NN Non-Dimmable ☐ DM0 0-10V ☐ DM1 1-10V ☐ DL DALI ☐ TR TRIAC	☐ ST Standard ☐ WE Wood effect ☐ MC Metallic ☐ Cus Custom on request




Line-X Module Finishes

Standard finishes


 RAL 4012	 RAL 4005	 RAL 4010	 RAL 1012	 RAL 1021	 RAL 2000	 RAL 2008	 RAL 2002	 RAL 3003	 RAL 3011	 RAL 3015	 RAL 3014
 RAL 3017	 RAL 3018	 RAL 5007	 RAL 5019	 RAL 5024	 RAL 6011	 RAL 6001	 RAL 6017	 RAL 6035	 RAL 3012	 RAL 1001	 RAL 1015
 RAL 9010	 RAL 9016	 RAL 9003	 RAL 9022	 RAL 7004	 RAL 9005	RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _ All RAL Classic colors are available with no setup fee. On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).					



Wood-effect finishes


 WO WHITE OAK	 OA OAK	 HO HONEY OAK	 MP MAPLE	 WT WALNUT	 MG MAHOGANY	 DO DARK OAK	 ES ESPRESSO
--	---	---	---	--	--	--	---

Metallic finishes


 SB SHINY BRONZE	 GL GOLD
--	--

Photometric Data


Line-X 3




Line-X 6



Line-X 12



Line-X 25



Line-X 25

