




GENERAL INFORMATION


The MUTE BOX is an acoustic pendant fixture designed to combine high-performance illumination with effective sound absorption. Crafted from 100% P.E.T. felt and structured with a durable aluminum frame, its layered form reduces ambient noise while adding a bold architectural presence to any space. Delivering uniform, direct lighting and available in multiple sizes and acoustic finishes, MUTE BOX is ideal for offices, hospitality interiors, and open environments where visual comfort and acoustic balance are essential.



SPECIFICATIONS

Material	Aluminum, 100% P.E.T. Felt
Lens	Polycarbonate
Length	31" / 47" / 63" / 71" / 87" / 94"
Width	16" / 24" / 35" / 47"
Height	12" / 19" / 24" / 33" / 53" / 100"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	15W / 25W / 35W / 50W / 70W / 85W / 115W / 130W
LED Output	120 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct
IP Rating	IP 20
Finishes	38 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Length	Height	Width
☒ MTX Acoustic / Pendant	☐ 31 31" ☐ 71 71"	☐ 12 12" ☐ 33 33"	☐ 16 16" ☐ 35 35"
	☐ 47 47" ☐ 87 87"	☐ 19 19" ☐ 53 53"	☐ 24 24" ☐ 47 47"
	☐ 63 63" ☐ 94 95"	☐ 24 24" ☐ 100 100"	
	☐ Cus Custom on request*	☐ Cus Custom on request*	☐ Cus Custom on request*
Wattage / Lumens	CCT	Lens Location	Dimming
☐ 15 15 W / 1800 lm	☐ 27K 2700K	☐ SCL Single Center Lens	☐ NN Non-Dimmable
☐ 25 25 W / 3000 lm	☐ 30 3000K	☐ SOL Single Offset Lens	☐ DM 0-10V
☐ 35 35 W / 4200 lm	☐ 35 3500K	☐ DL Dual Lens	☐ Cus Custom on request*
☐ 50 50 W / 6000 lm	☐ 40 4000K	☐ Cus Custom on request*	
☐ 70 70 W / 8400 lm	☐ Cus Custom on request*		
☐ 85 85 W / 10,200 lm			
☐ 115 115 W / 13,800 lm			
☐ 130 130 W / 15,600 lm			
☐ Cus Custom on request*			
Upper Body Finish Option	Lower Body Finish Option	Metal Trim Finish Option	Canopy Finish Options
☐ AF Acoustic fibers	☐ AF Acoustic fibers	☐ ST Standard	☐ ST Standard
☐ AWE A We Lighting Palette*	☐ AWE A We Lighting Palette*	☐ MC Metallic	☐ MC Metallic
		☐ Cus Custom on request*	☐ Cus Custom on request*
Cord Length	Cord Finish Option		
☐ L11 118" (adjustable)	☐ SV Standard Vinyl	Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.	
☐ Cus Custom on request*	☐ DB Decorative Braided		
	☐ Cus Custom on request*		

Finishes

Acoustic fiber finishes




Standard finishes



Wood-effect finishes



Metallic finishes




Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

