



### **SPECIFICATIONS**


Material	Glass		
Sphere diameter	5" / 6" / 7"		
Input Voltage	110-277V, 50-60 Hz		
Light Source Type	LED		
Power	3W		
LED Output	210 lm		
CCT	2700K / 3000K / 4000K		
CRI	90		
Dimming & Driver	Integral, 0-10V		
<b>Light Distribution</b>	360° Diffused Beam		
IP Rating	IP 20		
Warranty	5 years		
Finishes	28 RAL finishes Custom on request*		

### **GENERAL INFORMATION**

The LUNO pendant is a refined expression of simplicity, designed to bring soft, atmospheric illumination to modern interiors. Its gently rounded glass globe creates a warm, diffused glow, suspended from a minimalist stem that emphasizes balance and purity of form. Versatile in scale and finish, LUNO adapts effortlessly to residential, hospitality, and commercial environments—delivering timeless elegance with understated presence.



### OTHER VERSIONS AVAILABLE



### **CERTIFICATION**





Updated: 10/13/2025

Project	
Notes	
110100	

# **Ordering Information**

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter	ССТ	Dimming
LNO Pendant  Glass Type Option  OM Opal milky  CL Clear	Diameter  5 5 5" 6 6" 7 7" Cus Custom on request  Metal Accent Finish Option  ST Standard Cus Custom on request	27 2700K 30 3000K 40 4000K Cus Custom on request Canopy Finish Option  ST Standard Cus Custom on request	NN Non-Dimmable  DM 0-10V  Canopy Option (Chandelier only)  R20 20" (round)  R31 31.5" (round)
FR Frosted  SMG Smoked grey			R47 47" (round)  R59 59" (round)  SQ20 20" x 20" (square)  SQ31 31" x 31" (square)  SQ47 47" x 47" (square)  SQ59 59" x 59" (square)
Cord Finish Option	Cord Length		
SV Standard Vinyl  DB Decorative Braided  Cus Custom on request	L11 118" (adjustable)  Cus Custom on request		




Project

Notes

## **Finishes**

### Standard finishes





### RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_\_\_\_


All RAL Classic colors are available with no setup fee.


On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



### Cord finishes

Standard Vinyl





Updated: 10/13/2025









































