## GENERAL INFORMATION

The ELIXA is a streamlined ceiling-mounted luminaire designed to deliver uniform, diffused illumination through its seamless polycarbonate lens and minimalist geometric housing. Its slim, contemporary profile integrates effortlessly into modern interiors, offering multiple lengths, outputs, and finish options to suit both residential and commercial applications. Engineered for visual comfort and design flexibility, ELIXA provides clean, consistent light distribution ideal for corridors, living spaces, hospitality environments, and architectural settings.

23.6"/35.4"/47.2

2"

7.9"

SPECIFICATIONS

Material	Metal
Lens	Polycarbonate
Length	23.6'' / 35.4'' / 47.2''
Height	2''
Width	7.9''
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	20W / 30W / 40W / 50W
LED Output	70 lm/W
CCT	2700K / 3000K / 3500K / 4000K / 5000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	120° Diffused Downlight
IP Rating	IP 20
Warranty	5 years
Finishes	28 RAL finishes 8 wood-effect finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE

CERTIFICATION

ETL LISTED US
INTERTEK

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Profile Length	Profile Height	Profile Width
☑ **ELX** Ceiling	☐ **23** 23.6''	☐ **2** 2''	☐ **8** 7.9''
	☐ **35** 35.4''	☐ **Cus** Custom on request	☐ **Cus** Custom on request
	☐ **47** 47.2''		
	☐ **Cus** Custom on request		

Wattage / Lumens	CCT	Dimming	Profile Finish Option
☐ **14** 20W / 1400 lm	☐ **27** 2700K	☐ **NN** Non-Dimmable	☐ **ST** Standard
☐ **21** 30W / 2100 lm	☐ **30** 3000K	☐ **DM** 0-10V	☐ **WE** Wood effect
☐ **28** 40W / 2800 lm	☐ **35** 3500K		☐ **MC** Metallic
☐ **35** 50W / 3500 lm	☐ **40** 4000K		☐ **Cus** Custom on request
☐ **Cus** Custom on request	☐ **50** 5000K		

Mounting Type	Cord Finish Option	Cord Length	
☐ **SFM** Surface-mounted	☐ **ST** Standard Vinyl	☐ **L11** 118'' (adjustable)	
☐ **SM** Suspended-mounted	☐ **DB** Decorative Braided	☐ **Cus** Custom on request	
	☐ **Cus** Custom on request	Available only for the **Suspended-mounted** type*	
	Available only for the **Suspended-mounted** type*		

Updated: 12/05/2025

a-welighting.com │ +1 (307) 761-7154 │ sales@a-welighting.com
A We Lighting™ │ A We Light & Co, LLC Specifications are subject to change without notice

Project

Notes

Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3014	RAL 3017
RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016
RAL 9003	RAL 9022	RAL 7004	RAL 9005								

RAL K7 CLASSIC COLORS (80–95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

Wood-effect finishes

WO WHITE OAK	OA OAK	HO HONEY OAK	MP MAPLE	WT WALNUT	MG MAHOGANY	DO DARK OAK	ES ESPRESSO

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CARAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL

Cord finishes

Standard Vinyl

SVB BLACK	SVW WHITE
SVT TRANSPARENT	

Decorative Braided

DBL BLACK	DBW WHITE	DBU BURGUNDY	DBR RED	DBG GRAY	DBS SMOKY GRAY	DBO ORANGE	DBY YELLOW	DBE PASTEL YELLOW	DBI MILK
DBO OCEAN BLUE	DBH GOLDEN HONEY	DBF FOREST GREEN	DBM MUSTARD	DBP GLOSSY PINK	DBL SALMON PINK	RSC RASPBERRY COTTON	DBA MARSALA	DBO GLOSSY RUST	DBW ESPRESSO BROWN

Updated: 12/05/2025