




GENERAL INFORMATION

The MIREL is a refined multi-drop pendant that combines slender brass detailing with softly diffused glass spheres to create a light, rhythmic composition. Suspended at varied heights, each element delivers warm, 360° ambient illumination while adding a sense of vertical movement and architectural balance. Ideal for dining areas, stairwells, and hospitality interiors, MIREL offers a sophisticated lighting solution that blends sculptural form with timeless materiality and customizable finish options.



SPECIFICATIONS

Material	Glass, Brass
Sphere Diameter	8.3"
Total Height	59.1"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	E26
Power	1 x max. 60W
Light Distribution	360° Beam
IP Rating	IP 20
Warranty	1 year
Finishes	Black / Light Brass RAL finishes on request

OTHER VERSIONS AVAILABLE



CERTIFICATION



Designed and produced by Pikart Lights


Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Sphere Diameter Ø	Height	Material
<input checked="" type="checkbox"/> MRL Pendant	<input checked="" type="checkbox"/> 8 8.3"	<input checked="" type="checkbox"/> 59 59.1"	<input checked="" type="checkbox"/> GR Glass, Brass
Wattage	Light Distribution	Glass Type	Body Finish Option
<input checked="" type="checkbox"/> 60 max. 60 W	<input checked="" type="checkbox"/> B36 360° Beam	<input type="checkbox"/> CL Clear	<input type="checkbox"/> BL Black
		<input type="checkbox"/> FR Frosted	<input type="checkbox"/> LB Light Brass
			<input type="checkbox"/> RAL RAL Finishes
Finish Type Option*			
<input type="checkbox"/> GL Glossy			
<input type="checkbox"/> MT Matte			
*Available only for RAL K7 Classic Colors			

Finishes

Standard finishes



RAL finishes



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

