## GENERAL INFORMATION

VECTA B is a compact outdoor bollard luminaire distinguished by its slim rectangular profile and linear light aperture, creating a precise and restrained architectural expression. The clean aluminum body emphasizes sharp edges and minimal surface detail, allowing the form to integrate seamlessly into contemporary exterior environments. Designed to deliver controlled, asymmetric downward illumination with a Type II distribution, VECTA B is ideal for pathways, perimeter lighting, and wall-adjacent applications where directional guidance, glare control, and visual clarity are required.

SPECIFICATIONS

Material	Aluminium
Lens	Acrylic
Height	23.6''
Length	2.36''
Width	3.94''
Light Source Type	LED
Power	12W
Input Voltage	110-277V, 50-60 Hz
LED Output	120 lm/W
CCT	3000K / 4000K / 6000K
CRI	80
Dimming & Driver	Integral, 0-10V
Light Distribution	Type II – asymmetric, downward
IP Rating	IP 65
Warranty	5 years
Finishing	34 RAL finishes

CERTIFICATION

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

| Code	Height / Length / Width	Material	CCT
☑ **VCT-B** Bollard	☑ **23** 23.6'' / 2.36'' / 3.94''	☑ **AL** Aluminium	☐ **30** 3000K
			☐ **40** 4000K
			☐ **60** 6000K

Wattage / Lumens	Light Distribution	Dimming	Body Finish Option
☑ **14** 12 W / 1440 lm	☑ **LD2** Type II – asymmetric, downward	☐ **NN** Non-Dimmable	☐ **ST** Standard
		☐ **DM** 0-10V	☐ **Cus** Custom on request

Finish Type	Mounting		
☐ **GL** Glossy	☑ **SM** Surface-mounted		
☐ **MT** Matte			

Finishes

Standard finishes

RAL 7004	RAL 7005	RAL 9022	RAL 9023	RAL 9005	RAL 8029	RAL 8015	RAL 8017	RAL 8028	RAL 6013	RAL 6011	RAL 6003		
RAL 6006	RAL 9003	RAL 9010	RAL 9016										

Updated: 01/22/2026

a-welighting.com | +1 (307) 761-7154 | sales@a-welighting.com
A We Lighting™ | A We Light & Co, LLC Specifications are subject to change without notice