




GENERAL INFORMATION


ARRAY 6 is a linear pendant lighting system designed for architectural and decorative applications. The minimalist aluminum profile supports multiple suspended glass diffusers, creating a balanced composition of light and form. Adjustable suspension points allow for precise positioning and visual rhythm, making the fixture suitable for dining areas, workspaces, hospitality interiors, and residential environments.



SPECIFICATIONS

Material	Aluminum + Glass
Diffuser	Clear / Frosted / Milky White
Profile Diameter	1.18"
Profile Length	72"
Height	Adjustable
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	9W / 18W / 36W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Wattage / Lumens	Sphere Type	Glass Type
<input checked="" type="checkbox"/> ARY-6 Pendant	<input type="checkbox"/> 8 9W / 810 lm	<input type="checkbox"/> LRA Lorea	<input type="checkbox"/> FR Frosted
	<input type="checkbox"/> 16 18W / 1620 lm	<input type="checkbox"/> LRA-OV Lorea Oval	<input type="checkbox"/> CL Clear
	<input type="checkbox"/> 32 36W / 3240 lm	<input type="checkbox"/> LNO Luno	<input type="checkbox"/> MW Milky White
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> LNO-OV Luno Oval	
		<input type="checkbox"/> WMI We Mini	
CCT	Dimming	Body Finish Option	Metal Cap Finish Option
<input type="checkbox"/> 27 2700K	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard	<input type="checkbox"/> ST Standard
<input type="checkbox"/> 30 3000K	<input type="checkbox"/> DM 0-10V	<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MC Metallic
<input type="checkbox"/> 35 3500K		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> 40 4000K			
<input type="checkbox"/> Cus Custom on request			
Canopy Finish Option	Finish Type	Cord Finish Option	Cord Length
<input type="checkbox"/> ST Standard	<input type="checkbox"/> GL Glossy	<input type="checkbox"/> SV Standard Vinyl	<input type="checkbox"/> L11 118" (adjustable)
<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MT Matte	<input type="checkbox"/> DB Decorative Braided	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> Cus Custom on request		<input type="checkbox"/> Cus Custom on request	

Sphere Type

LOREA



LOREA OVAL




LUNO



LUNO OVAL



WE MINI



Project

Notes

Finishes

Standard finishes



Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

