




GENERAL INFORMATION


LUNO OVAL is a minimalist pendant luminaire defined by its soft oval glass form and refined simplicity. Crafted entirely from glass, it delivers uniform 360° diffused illumination that creates a calm, ambient glow while maintaining a light and understated visual presence. Designed for versatility, LUNO OVAL can be used as a single pendant or arranged in linear and clustered compositions. Its balanced proportions and wide range of finish options make it well suited for residential, hospitality, and contemporary commercial interiors where subtle elegance and visual comfort are essential.



SPECIFICATIONS

Material	Glass
Glass Diameter	5.91"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 9W / 12W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Wattage / Lumens	CCT	Dimming
<input checked="" type="checkbox"/> LNO-V Pendant	<input type="checkbox"/> 5 6W / 540 lm <input type="checkbox"/> 8 9W / 810 lm <input type="checkbox"/> 10 12W / 1080 lm <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 35 3500K <input type="checkbox"/> 40 4000K <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> NN Non-Dimmable <input type="checkbox"/> DM 0-10V
Glass Type Option	Metal Accent Finish Option	Canopy Finish Option	Canopy Option (Chandelier only)
<input type="checkbox"/> OM Opal milky <input type="checkbox"/> CL Clear <input type="checkbox"/> FR Frosted <input type="checkbox"/> SMG Smoked grey	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> R20 20" (round) <input type="checkbox"/> R31 31.5" (round) <input type="checkbox"/> R47 47" (round) <input type="checkbox"/> R59 59" (round) <input type="checkbox"/> SQ20 20" x 20" (square) <input type="checkbox"/> SQ31 31" x 31" (square) <input type="checkbox"/> SQ47 47" x 47" (square) <input type="checkbox"/> SQ59 59" x 59" (square)
Cord Finish Option	Cord Length		
<input type="checkbox"/> SV Standard Vinyl <input type="checkbox"/> DB Decorative Braided <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> L11 118" (adjustable) <input type="checkbox"/> Cus Custom on request		

Project

Notes

Finishes

Standard finishes



Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

