




GENERAL INFORMATION

APEXIA is a refined aluminum pendant defined by its pure conical silhouette and soft architectural presence. Its minimal geometry delivers focused, downward illumination, making it ideal for dining areas, kitchen islands, hospitality spaces, and contemporary interiors. Crafted from precision-formed aluminum with a frosted acrylic diffuser, APEXIA balances visual lightness with functional performance. Available in multiple sizes and finishes, it integrates seamlessly into both residential and commercial environments while maintaining a bold yet understated identity.



SPECIFICATIONS

Material	Aluminum + Acrylic
Diffuser	Acrylic, Frosted
Diameter	10" / 12" / 16"
Height	6.65" / 8.07" / 10.6"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	9W / 15W / 22W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct
IP Rating	IP 20
Warranty	5 years
Finishes	28 RAL finishes 8 wood-effect finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Height	Material	Wattage / Lumens
<input checked="" type="checkbox"/> APX Pendant	<input type="checkbox"/> 10 10" / 6.65"	<input type="checkbox"/> AL Aluminum	<input type="checkbox"/> 4 5W / 400 lm
	<input type="checkbox"/> 12 12" / 8.07"	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 7 9W / 720 lm
	<input type="checkbox"/> 16 16" / 10.6"		<input type="checkbox"/> 12 15W / 1200 lm
	<input type="checkbox"/> Cus Custom on request		<input type="checkbox"/> 19 22W / 1760 lm
			<input type="checkbox"/> Cus Custom on request
CCT	Dimming	Body Finish Option	Canopy Finish Option
<input type="checkbox"/> 27 2700K	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard	<input type="checkbox"/> ST Standard
<input type="checkbox"/> 30 3000K	<input type="checkbox"/> DM 0-10V	<input type="checkbox"/> WE Wood effect	<input type="checkbox"/> WE Wood effect
<input type="checkbox"/> 35 3500K		<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MC Metallic
<input type="checkbox"/> 40 4000K		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> Cus Custom on request			
Cord Finish Option	Cord Length		
<input type="checkbox"/> SV Standard Vinyl	<input type="checkbox"/> L11 118" (adjustable)		
<input type="checkbox"/> DB Decorative Braided	<input type="checkbox"/> Cus Custom on request		
<input type="checkbox"/> Cus Custom on request			

Project

Notes

Finishes

Standard finishes



Wood-effect finishes



Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

