




## GENERAL INFORMATION

AXORA is a contemporary acoustic pendant that merges sculptural design with functional performance. Constructed from aluminum and wrapped in 100% P.E.T. acoustic felt, it helps reduce ambient noise while providing smooth, direct illumination. Its distinctive geometric form creates a strong architectural statement, making it ideal for offices, hospitality spaces, meeting rooms, and modern residential interiors. With integrated LED technology, multiple wattage and CCT options, and 0-10V dimming, AXORA delivers flexibility, comfort, and refined visual impact.



## SPECIFICATIONS

|                             |                               |
|-----------------------------|-------------------------------|
| <b>Material</b>             | Aluminum, 100% P.E.T. Felt    |
| <b>Diffuser</b>             | Polycarbonate                 |
| <b>Length</b>               | 36" / 40" / 48" / 60"         |
| <b>Width</b>                | 36" / 40" / 48" / 60"         |
| <b>Height</b>               | 12" / 16" / 20"               |
| <b>Input Voltage</b>        | 110-277V, 50-60 Hz            |
| <b>Light Source Type</b>    | LED                           |
| <b>Power</b>                | 20W / 30W / 40W / 50W         |
| <b>LED Output</b>           | 80 lm/W                       |
| <b>CCT</b>                  | 2700K / 3000K / 3500K / 4000K |
| <b>CRI</b>                  | 90                            |
| <b>Dimming &amp; Driver</b> | Integral, 0-10V               |
| <b>Light Distribution</b>   | Direct                        |
| <b>IP Rating</b>            | IP 20                         |
| <b>Finishes</b>             | 38 acoustic fiber finishes    |
| <b>Warranty</b>             | 5 years                       |

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

| Code   | Length / Width   | Height  | Wattage / Lumens   |
|--|--|---|--|
| <input checked="" type="checkbox"/> <b>AXR</b><br>Acoustic / Pendant   | <input type="checkbox"/> <b>36</b><br>36" / 36"<br><input type="checkbox"/> <b>40</b><br>40" / 40"<br><input type="checkbox"/> <b>48</b><br>48" / 48"<br><input type="checkbox"/> <b>60</b><br>60" / 60"<br><input type="checkbox"/> <b>Cus</b><br>Custom on request | <input type="checkbox"/> <b>12</b><br>12"<br><input type="checkbox"/> <b>16</b><br>16"<br><input type="checkbox"/> <b>20</b><br>20"<br><input type="checkbox"/> <b>Cus</b><br>Custom on request | <input type="checkbox"/> <b>20</b><br>20 W / 1600 lm<br><input type="checkbox"/> <b>30</b><br>30 W / 2400 lm<br><input type="checkbox"/> <b>40</b><br>40 W / 3200 lm<br><input type="checkbox"/> <b>50</b><br>50 W / 4000 lm<br><input type="checkbox"/> <b>Cus</b><br>Custom on request |
| CCT  | Dimming  | Acoustic Fiber Finish Option  | Canopy Finish Option   |
| <input type="checkbox"/> <b>27</b><br>2700K<br><input type="checkbox"/> <b>30</b><br>3000K<br><input type="checkbox"/> <b>35</b><br>3500K<br><input type="checkbox"/> <b>40</b><br>4000K<br><input type="checkbox"/> <b>Cus</b><br>Custom on request | <input type="checkbox"/> <b>NN</b><br>Non-Dimmable<br><input type="checkbox"/> <b>DM</b><br>0-10V  | <input type="checkbox"/> <b>AF</b><br>Acoustic fibers   | <input type="checkbox"/> <b>ST</b><br>Standard<br><input type="checkbox"/> <b>MC</b><br>Metallic<br><input type="checkbox"/> <b>Cus</b><br>Custom on request   |
| Cord Length  | Cord Finish Option   |   |  |
| <input type="checkbox"/> <b>L5</b><br>59" (adjustable)<br><input type="checkbox"/> <b>L11</b><br>118" (adjustable)<br><input type="checkbox"/> <b>Cus</b><br>Custom on request   | <input type="checkbox"/> <b>SV</b><br>Standard Vinyl<br><input type="checkbox"/> <b>DB</b><br>Decorative Braided<br><input type="checkbox"/> <b>Cus</b><br>Custom on request   |   |  |

Project


Notes

# Finishes


## Acoustic fiber finishes



## Standard finishes




## Metallic finishes




## Cord finishes

### Standard Vinyl



### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

