




## GENERAL INFORMATION


FLARON is a sculptural aluminum pendant defined by its smooth, fluid silhouette and refined metallic finish. The soft teardrop form creates a sense of movement and elegance, making it a striking focal point within contemporary interiors. Designed to provide clean, direct illumination, FLARON is ideal for residential dining areas, hospitality spaces, and boutique environments. Its compact proportions allow it to perform beautifully as a single statement piece or in grouped compositions. With integrated LED technology, multiple wattage and CCT options, and 0-10V dimming capability, FLARON delivers performance, versatility, and timeless architectural appeal.



## SPECIFICATIONS

Material	Aluminum
Diameter	12"
Height	14.4"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	12W / 15W / 22W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 12 metallic finishes Custom on request*

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.


Code	Diameter Ø / Height	Material	Wattage / Lumens
<input checked="" type="checkbox"/> <b>FLRN</b> Pendant	<input type="checkbox"/> <b>12</b> 12" / 14.4"  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>AL</b> Aluminum  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>12</b> 12W / 960 lm  <input type="checkbox"/> <b>15</b> 15W / 1200 lm  <input type="checkbox"/> <b>22</b> 22W / 1760 lm  <input type="checkbox"/> <b>Cus</b> Custom on request
CCT	Dimming	Light Distribution	Finish Type
<input type="checkbox"/> <b>27</b> 2700K  <input type="checkbox"/> <b>30</b> 3000K  <input type="checkbox"/> <b>35</b> 3500K  <input type="checkbox"/> <b>40</b> 4000K  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>NN</b> Non-Dimmable  <input type="checkbox"/> <b>DM</b> 0-10V	<input checked="" type="checkbox"/> <b>BD</b> Beam Down	<input type="checkbox"/> <b>GL</b> Glossy  <input type="checkbox"/> <b>MT</b> Matte
Body Finish Option	Canopy Finish Option	Cord Length	Cord Finish Option
<input type="checkbox"/> <b>ST</b> Standard  <input type="checkbox"/> <b>MC</b> Metallic  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>ST</b> Standard  <input type="checkbox"/> <b>MC</b> Metallic  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>L11</b> 118" (adjustable)  <input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>SV</b> Standard Vinyl  <input type="checkbox"/> <b>DB</b> Decorative Braided  <input type="checkbox"/> <b>Cus</b> Custom on request

Project


Notes

# Finishes

## Standard finishes



## Metallic finishes




## Cord finishes

### Standard Vinyl



### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

