




## GENERAL INFORMATION



TORIX is a refined linear wall luminaire defined by its slim cylindrical form and balanced architectural presence. Crafted from precision aluminum, it delivers a clean, vertical light expression that enhances contemporary interiors with subtle elegance. Designed for both accent and ambient applications. TORIX offers direct, indirect, or combined light distribution, creating soft wall grazing effects or balanced up/down illumination. Its minimalist profile makes it ideal for corridors, hospitality spaces, residential interiors, and feature walls. With integrated LED technology, multiple size options, and 0-10V dimming capability, TORIX provides flexibility, performance, and timeless modern appeal.



## SPECIFICATIONS

Material	Aluminum
Diffuser	N/A
Diameter	2"
Height	24" / 28" / 32" / 36"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 9W / 12W / 16W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct + Indirect
IP Rating	IP 20
Warranty	5 years
Finishes	34 RAL finishes 8 wood-effect finishes 12 metallic finishes Custom on request*

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø	Height	Wattage / Lumens
<input checked="" type="checkbox"/> <b>TRX</b> Wall	<input type="checkbox"/> <b>2</b> 2"	<input type="checkbox"/> <b>24</b> 24"	<input type="checkbox"/> <b>6</b> 6W / 480 lm
	<input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>28</b> 28"	<input type="checkbox"/> <b>9</b> 9W / 720 lm
		<input type="checkbox"/> <b>32</b> 32"	<input type="checkbox"/> <b>12</b> 12W / 960 lm
		<input type="checkbox"/> <b>36</b> 36"	<input type="checkbox"/> <b>16</b> 16W / 1280 lm
		<input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>Cus</b> Custom on request
CCT	Dimming	Light Distribution	Body Finish Option
<input type="checkbox"/> <b>27</b> 2700K	<input type="checkbox"/> <b>NN</b> Non-Dimmable	<input checked="" type="checkbox"/> <b>DI</b> Direct + Indirect	<input type="checkbox"/> <b>ST</b> Standard
<input type="checkbox"/> <b>30</b> 3000K	<input type="checkbox"/> <b>DM</b> 0-10V		<input type="checkbox"/> <b>WE</b> Wood effect
<input type="checkbox"/> <b>35</b> 3500K			<input type="checkbox"/> <b>MC</b> Metallic
<input type="checkbox"/> <b>40</b> 4000K			<input type="checkbox"/> <b>Cus</b> Custom on request
<input type="checkbox"/> <b>Cus</b> Custom on request			
Finish Type			
<input type="checkbox"/> <b>GL</b> Glossy			
<input type="checkbox"/> <b>MT</b> Matte			

Project

Notes

# Finishes

## Standard finishes

RAL 4012	RAL 4003	RAL 4005	RAL 4010	RAL 1012	RAL 1018	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011
RAL 3014	RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6021	RAL 6027	RAL 6033
RAL 6039	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005		

## Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
-----------------------	-------------------------	-------------------------	-----------------------	-------------------------	------------------------	-----------------------	------------------------	-----------------------	-----------------------	-----------------------	--------------------------

## Wood-effect finishes

WO WHITE OAK	OA OAK	HO HONEY OAK	MP MAPLE	WT WALNUT	MG MAHOGANY	DO DARK OAK	ES ESPRESSO
-----------------	-----------	-----------------	-------------	--------------	----------------	----------------	----------------

**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

