


GENERAL INFORMATION

ORLANERA is a flexible architectural lighting system designed to create fluid, sculptural lines of light within interior spaces. Formed from a continuous silicone light tube, the fixture allows designers to shape dynamic curves and custom layouts that transform ceilings into expressive lighting compositions. The fully diffused 360° illumination provides soft, uniform light while maintaining a minimal visual presence. Engineered for versatility and customization, ORLANERA can be tailored in length and configuration to suit a wide range of architectural environments, from contemporary interiors to statement hospitality spaces.



SPECIFICATIONS

Material	Silicone
Tube Diameter	1.57"
Length	Length customizable on request
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	4.3 W/ft
LED Output	120 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360° Diffused Beam
IP Rating	IP 20
Warranty	5 years
Finishes	Opal White

CERTIFICATION



Custom lengths and patterns are tailored to suit any modern space.

Project

Notes

Ordering Information


Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Tube Diameter Ø	Length	CCT
<input checked="" type="checkbox"/> ORLN Architectural System / Pendant	<input checked="" type="checkbox"/> D1 1.57"	SPECIFY TOTAL SYSTEM LENGTH <div style="border: 1px solid black; height: 60px; width: 100%;"></div>	<input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 35 3500K <input type="checkbox"/> 40 4000K <input type="checkbox"/> Cus Custom on request
Canopy Finish Option	Intersection Connectors Finish	Power Cord Finish	Aircraft Cable Length
<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> ST Standard Vinyl <input type="checkbox"/> DB Decorative Braided <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> L5 59" <input type="checkbox"/> L11 118" <input type="checkbox"/> Cus Custom on request
Support Ring Quantity	Support Ring Finish	End Caps	
SPECIFY TOTAL QUANTITY <div style="border: 1px solid black; height: 60px; width: 100%;"></div>	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> OE Open End <input type="checkbox"/> MC Mini End Cap <input type="checkbox"/> SC Standard End Cap <input type="checkbox"/> XC Maxi End Cap	


Accessories

End Cap Type


Mini End Cap Standard End Cap Maxi End Cap



Support Ring



Intersection Connectors



*Intersection Connectors are placed every 16 feet along the flexible LED run to support electrical continuity and even light distribution.

Project

Notes

Finishes

Standard finishes

RAL 4012	RAL 4003	RAL 4005	RAL 4010	RAL 1012	RAL 1018	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011
RAL 3014	RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6021	RAL 6027	RAL 6033
RAL 6039	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005		

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CARAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
-----------------	-------------------	-------------------	-----------------	-------------------	------------------	-----------------	------------------	-------------------	-----------------	-----------------	--------------------

Cord finishes

Standard Vinyl

SVB BLACK	SVW WHITE
-----------	-----------

Decorative Braided

DBL BLACK	DBW WHITE	DBU BURGUNDY	DBR RED	DBG GRAY	DBS SMOKY GRAY	DBO ORANGE	DBY YELLOW	DBE PASTEL YELLOW	DBI MILK
SVT TRANSPARENT	DBO OCEAN BLUE	DBH GOLDEN HONEY	DBF FOREST GREEN	DBM MUSTARD	DBP GLOSSY PINK	DBL SALMON PINK	DBA MARSALA	DBO GLOSSY RUST	DBW ESPRESSO BROWN

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

