




GENERAL INFORMATION

The ARVEN outdoor pendant blends contemporary structure with the warm character of woven texture. Crafted from stainless steel and finished with durable faux rattan, it delivers both visual softness and outdoor-grade performance. The layered cylindrical form creates depth and dimension while allowing light to pass through the woven pattern, producing a gentle, atmospheric glow. Engineered with integrated LED technology and IP65 protection, ARVEN is designed for exterior hospitality, residential terraces, and covered outdoor environments. Available in multiple finishes and lumen packages, it offers a refined balance of durability, warmth, and architectural presence.



SPECIFICATIONS

Material	Stainless steel + Faux Rattan
Diffuser	N/A
Diameter	20.5"
Height	17.75"
Light Source Type	LED
Power	12W / 15W / 20W
Input Voltage	110-277V, 50-60 Hz
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K / 5000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Direct
IP Rating	IP 65
Warranty	5 years
Finishes	5 faux rattan finishes

CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Height	Material	CCT
<input checked="" type="checkbox"/> ARV-O Outdoor Pendant	<input type="checkbox"/> 20 20.5" / 17.75" <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> SFR Stainless Steel + Faux Rattan <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 35 3500K <input type="checkbox"/> 40 4000K <input type="checkbox"/> 50 5000K <input type="checkbox"/> Cus Custom on request
Wattage / Lumens	Light Distribution	Dimming	Faux Rattan Finish Option
<input type="checkbox"/> 9 12 W / 960 lm <input type="checkbox"/> 12 15 W / 1200 lm <input type="checkbox"/> 16 20 W / 1600 lm <input type="checkbox"/> Cus Custom on request	<input checked="" type="checkbox"/> DR Direct	<input type="checkbox"/> NN Non-Dimmable <input type="checkbox"/> DM 0-10V	<input type="checkbox"/> BL Black <input type="checkbox"/> WH White <input type="checkbox"/> BG Beige <input type="checkbox"/> BR Brown <input type="checkbox"/> LB Light Brown <input type="checkbox"/> Cus Custom on request
Metal Body Finish Option	Canopy Finish Option	Suspension Option	Stem/Chain Finish Option
<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> RGS Rigid Stem <input type="checkbox"/> MCH Metal Chain	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request
Stem/Chain Length			
<input type="checkbox"/> L8 8" <input type="checkbox"/> L16 16" <input type="checkbox"/> L24 24" <input type="checkbox"/> L32 32" <input type="checkbox"/> Cus Custom on request			

Project


Notes

Finishes


Faux Rattan finishes



Standard finishes



Metallic finishes



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

