





GENERAL INFORMATION

The Modari Spirra Magnetic Track System features a dynamic modular structure that allows full flexibility in lighting design. Engineered for architectural environments, it supports multiple head types and configurations to achieve customized illumination schemes. With its large-scale geometric form and dual-axis magnetic track connection, Spirra combines visual sophistication with functional precision. Ideal for commercial, hospitality, and modern residential interiors, it provides seamless integration of ambient and accent lighting within a single system.




SPECIFICATIONS

Material	Aluminum
Width	90"
Length	90"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	136W
LED Output	10,610 lm
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V / DALI
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 2 metallic finishes Custom on request*



OTHER VERSIONS AVAILABLE



CERTIFICATION



Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Width / Length	Wattage / Lumens	CCT
<input checked="" type="checkbox"/> SPR-MT Magnetic Track System	<input type="checkbox"/> 90 90" / 90" <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 56 136 W / 10,610 lm <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 40 4000K <input type="checkbox"/> Cus Custom on request
Dimming	CRI	Profile Finish Options	Heads Finish Options
<input type="checkbox"/> NN Non-Dimmable <input type="checkbox"/> DM 0-10V <input type="checkbox"/> DL DALI	<input type="checkbox"/> CR8 80 <input type="checkbox"/> CR9 90	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> AWE A We Lighting Palette* <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> AWE A We Lighting Palette* <input type="checkbox"/> Cus Custom on request
Canopy Finish Options	Cord Finish Options	Mounting	Cord Length
<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> AWE A We Lighting Palette* <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> WH White <input type="checkbox"/> BL Black <input type="checkbox"/> Cus Custom on request <i>Available only for the Pendant version*</i>	<input type="checkbox"/> PN Pendant <input type="checkbox"/> MM Surface-mounted <input type="checkbox"/> RD Recessed	<input type="checkbox"/> L11 118" (adjustable) <input type="checkbox"/> Cus Custom on request <i>Available only for the Pendant version*</i>
DOT12 Head Beam Angle Options	SPOT35 Head Beam Angle Options	FOLD03 Head Beam Angle Options	<p>Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.</p>
<input type="checkbox"/> DT12 12° <input type="checkbox"/> DT34 34° <input type="checkbox"/> DT48 48°	<input type="checkbox"/> SR20 20° <input type="checkbox"/> SR30 30° <input type="checkbox"/> SR40 40°	<input type="checkbox"/> FL12 12° <input type="checkbox"/> FL34 34° <input type="checkbox"/> FL48 48°	

Compatible Heads for This Track System

DOT12




SPOT35




FOLD03




HALO-L-12



GLOBAL




LINEAR32



Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3015	RAL 3014
RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6035	RAL 3012	RAL 1001	RAL 1015
RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005	<p>RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _</p> <p>All RAL Classic colors are available with no setup fee.</p> <p>On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).</p> 					

Metallic finishes

SB SHINY BRONZE	GL GOLD
-----------------------	------------