A WE LIGHTING
Designed by we, Customized for you

MODARI DRIFTLINE

Magnetic Track System / DRF-MT



GENERAL INFORMATION

The MODARI DRIFTLINE Magnetic Track System offers a bold architectural presence with its geometric linear form and precision detailing. Designed for flexibility and performance, this suspended magnetic track system allows seamless integration of modular lighting heads, providing both functionality and visual balance. Ideal for modern interiors, it combines clean design lines with advanced lighting control to deliver efficient illumination and customizable configurations. Compatible with a range of A·We Lighting magnetic heads designed specifically for this system.





SPECIFICATIONS

Material	Aluminum
Width	47''
Length	47''
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	82W
LED Output	6900 lm
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming & Driver	Integral, 0-10V / DALI
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION

Intertek

A WE LIGHTING
Designed by we, Customized for you

Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Width / Length	Wattage / Lumens	CCT
☑ **DRF-MT** Magnetic Track System	☐ **47** 47" / 47" ☐ **Cus** Custom on request _____	☐ **69** 82 W / 6900 lm ☐ **Cus** Custom on request _____	☐ **27** 2700K ☐ **30** 3000K ☐ **40** 4000K ☐ **Cus** Custom on request _____
Dimming	**CRI**	**Profile Finish Options**	**Heads Finish Options**
☐ **NN** Non-Dimmable ☐ **DM** 0-10V ☐ **DL** DALI	☐ **CR8** 80 ☐ **CR9** 90	☐ **ST** Standard _____ ☐ **MC** Metallic _____ ☐ **AWE** A We Lighting Palette* ☐ **Cus** Custom on request _____	☐ **ST** Standard _____ ☐ **MC** Metallic _____ ☐ **AWE** A We Lighting Palette* ☐ **Cus** Custom on request _____
Canopy Finish Options	**Cord Finish Options**	**Mounting**	**Cord Length**
☐ **ST** Standard _____ ☐ **MC** Metallic _____ ☐ **AWE** A We Lighting Palette* ☐ **Cus** Custom on request _____	☐ **WH** White ☐ **BL** Black ☐ **Cus** Custom on request _____ Available only for the Pendant version*	☐ **PN** Pendant ☐ **MM** Surface-mounted ☐ **RD** Recessed	☐ **L11** 118" (adjustable) ☐ **Cus** Custom on request _____ Available only for the Pendant version*
DOT12 Head Beam Angle Options	**FOLD03 Head Beam Angle Options**	**FOLD06 Head Beam Angle Options**	
☐ **DT12** 12° ☐ **DT34** 34° ☐ **DT48** 48°	☐ **FL12** 12° ☐ **FL34** 34° ☐ **FL48** 48°	☐ **FL12** 12° ☐ **FL34** 34° ☐ **FL48** 48°	Note: The color combination shown in the photo on the first page of this spec sheet is part of the exclusive A We Lighting Design Palette. This custom palette reflects our brand's identity and is available as a special finish option — A We Lighting Palette*.

Compatible Heads for This Track System

LINEAR32



DOT12



FOLD03

FOLD06

A WE LIGHTING
Designed by we, Customized for you

Project

Notes

Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3015	RAL 3014
RAL 3017	RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 6035	RAL 3012	RAL 1001	RAL 1015
RAL 9010	RAL 9016	RAL 9003	RAL 9022	RAL 7004	RAL 9005						

RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

Metallic finishes

BB BLACK BRONZE	GL GOLD