




GENERAL INFORMATION


The A-DROP is a vertical lighting module for the MODARI A-Track Core magnetic system, designed to deliver clean, directional illumination from a slim cylindrical form. Its elongated aluminum body creates a distinctive downward gesture within the track composition, adding depth and rhythm to linear or multi-layered layouts. With multiple beam angles, dimming options, and finish choices, A-DROP integrates effortlessly into both functional and decorative lighting schemes.

MODULE SPECIFICATIONS

Material	Aluminum
Diameter	1.38" / 1.97"
Height	9.84"
Input Voltage	DC 24V
Light Source Type	LED
Power	5W / 10W
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Beam Angle	18° / 20° / 24° / 30° / 36° / 40°
Dimming	Non-Dim / 0-10V / 1-10V / DALI / TRIAC
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 8 wood-effect finishes 2 metallic finishes Custom on request*



OTHER VERSIONS AVAILABLE



CERTIFICATION




A-Drop Module Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Voltage	Diameter / Height / Wattage / Lumens	CCT
<input checked="" type="checkbox"/> DRP A-Drop Point Module	<input type="checkbox"/> D24 DC 24V	<input type="checkbox"/> 1 1.38" / 9.84" / 5 W / 526 lm	<input type="checkbox"/> 27 2700K
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 2 1.97' / 9.84" / 10 W / 682 lm	<input type="checkbox"/> 30 3000K
			<input type="checkbox"/> 40 4000K
			<input type="checkbox"/> Cus Custom on request
Beam Angle	CRI	Dimming	Finish Option
<input type="checkbox"/> B20 20°	<input type="checkbox"/> CR8 80	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard
<input type="checkbox"/> B30 Available only for module 1 30°	<input type="checkbox"/> CR9 90	<input type="checkbox"/> DM0 0-10V	<input type="checkbox"/> WE Wood effect
<input type="checkbox"/> B40 40°		<input type="checkbox"/> DM1 1-10V	<input type="checkbox"/> MC Metallic
<input type="checkbox"/> B18 18°		<input type="checkbox"/> DL DALI	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> B24 Available only for module 2 24°		<input type="checkbox"/> TR TRIAC	
<input type="checkbox"/> B36 36°			

A-Drop Module Finishes

Standard finishes

						<p>RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _</p> <p>All RAL Classic colors are available with no setup fee.</p> <p>On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).</p> 					

Wood-effect finishes


--	--	--	--	--	--	--	--

Metallic finishes


--	--

Photometric Data


A-Drop 1 / 20°




A-Drop 1 / 30°




A-Drop 1 / 40°



A-Drop 2 / 18°



A-Drop 2 / 24°



A-Drop 2 / 36°

