





GENERAL INFORMATION


The A-GRAZE module is engineered for precise wall grazing and accent illumination within the Modari A-Track Core magnetic track system. Its slim aluminum housing and frosted acrylic lens deliver uniform linear light that enhances textures and architectural surfaces. Designed with versatility in mind, A-GRAZE offers multiple CCT options, dimming controls, and custom finishes—making it ideal for both decorative and performance-driven lighting compositions.



MODULE SPECIFICATIONS

Material	Aluminum
Lens	Acrylic, Frosted
Length	5.43" / 10.7"
Width	1.33"
Height	2.2"
Input Voltage	DC 24V
Light Source Type	LED
Power	8W / 16W
CCT	2700K / 3000K / 4000K
CRI	80 / 90
Dimming	Non-Dim / 0-10V / 1-10V / DALI / TRIAC
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 8 wood-effect finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION




A-Graze Module Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Voltage	Length / Wattage / Lumens	CCT
<input checked="" type="checkbox"/> GRZ A-Graze Module	<input type="checkbox"/> D24 DC 24V	<input type="checkbox"/> 5 5.43" / 8 W / 480 lm	<input type="checkbox"/> 27 2700K
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 10 10.7" / 16 W / 1055 lm	<input type="checkbox"/> 30 3000K
			<input type="checkbox"/> 40 4000K
			<input type="checkbox"/> Cus Custom on request
Light Distribution	CRI	Dimming	Finish Option
<input checked="" type="checkbox"/> DF Diffused	<input type="checkbox"/> CR8 80	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard
	<input type="checkbox"/> CR9 90	<input type="checkbox"/> DM0 0-10V	<input type="checkbox"/> WE Wood effect
		<input type="checkbox"/> DM1 1-10V	<input type="checkbox"/> MC Metallic
		<input type="checkbox"/> DL DALI	<input type="checkbox"/> Cus Custom on request
		<input type="checkbox"/> TR TRIAC	

A-Graze Module Finishes


Standard finishes



Wood-effect finishes



Metallic finishes




Project

Notes


Photometric Data

A-Graze 5



h(m)	E(lx)	Φ(m)
1	324	Φ0.84
2	81	Φ1.68
3	36	Φ2.52
4	20	Φ3.36
5	12	Φ4.20

A-Graze 10



h(m)	E(lx)	Φ(m)
1	704	Φ0.85
2	176	Φ1.70
3	78	Φ2.55
4	44	Φ3.40
5	28	Φ4.25