





GENERAL INFORMATION


The A-FOCUS SQ is a precision linear module for the MODARI A-Track Core magnetic track system, engineered to deliver crisp, controlled illumination with multiple beam angle options. Its slim aluminum profile integrates seamlessly into architectural environments, offering flexible dimming compatibility and a wide range of finishes to support both functional lighting and refined visual compositions.



MODULE SPECIFICATIONS

Material	Aluminum
Length	3.23" / 5.51"
Width	1.38" / 2.09"
Height	1.38" / 2.09"
Input Voltage	DC 24V
Light Source Type	LED
Power	8W / 10W
CCT	2700K / 3000K / 4000K
Beam Angle	15° / 18° / 24° / 36°
CRI	80 / 90
Dimming	Non-Dim / 0-10V / 1-10V / DALI / TRIAC
IP Rating	IP 20
Warranty	5 years
Finishes	30 RAL finishes 8 wood-effect finishes 2 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION




A-Focus SQ Module Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Voltage	Length / Height / Width / Wattage / Lumens	CCT
<input checked="" type="checkbox"/> FCS-SQ A-Focus SQ Module	<input type="checkbox"/> D24 DC 24V	<input type="checkbox"/> 3 3.23" / 1.38" / 1.38" / 8 W / 365 lm	<input type="checkbox"/> 27 2700K
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 5 5.51" / 2.09" / 2.09" / 10 W / 688 lm	<input type="checkbox"/> 30 3000K
			<input type="checkbox"/> 40 4000K
			<input type="checkbox"/> Cus Custom on request
Beam Angle	CRI	Dimming	Finish Option
<input type="checkbox"/> B15 15° Available only for module 3	<input type="checkbox"/> CR8 80	<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> ST Standard
<input type="checkbox"/> B18 18°	<input type="checkbox"/> CR9 90	<input type="checkbox"/> DM0 0-10V	<input type="checkbox"/> WE Wood effect
<input type="checkbox"/> B24 24° Available only for module 5		<input type="checkbox"/> DM1 1-10V	<input type="checkbox"/> MC Metallic
<input type="checkbox"/> B36 36°		<input type="checkbox"/> DL DALI	<input type="checkbox"/> Cus Custom on request
		<input type="checkbox"/> TR TRIAC	

A-Focus SQ Module Finishes


Standard finishes



Wood-effect finishes




Metallic finishes




Photometric Data


A-Focus SQ 3 / 15°



A-Focus 5 / 18°



A-Focus 5 / 24°



A-Focus 5 / 36°

