




GENERAL INFORMATION

RESORA is a sculptural acoustic pendant that combines soft ambient illumination with sound-absorbing performance. Its layered P.E.T. felt structure surrounds a central light source, creating a balanced 360° diffused glow while helping reduce ambient noise in open environments. Designed to enhance both comfort and aesthetics, RESORA adds a refined architectural presence to workplaces, hospitality settings, and residential interiors. Available in multiple sizes and acoustic finishes, the fixture offers flexibility while maintaining a clean, modern design.



SPECIFICATIONS

Material	Stainless Steel, 100% P.E.T. Felt
Lens	Acrylic
Diameter	14" / 16" / 20" / 32"
Height	13" / 15" / 18.5" / 29.5"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 10W / 15W / 20W
LED Output	80 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360° Diffused
IP Rating	IP 20
Finishes	38 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Diameter Ø / Height	Wattage / Lumens	CCT
<input checked="" type="checkbox"/> RSA Acoustic / Pendant	<input type="checkbox"/> 14 14" / 13"	<input type="checkbox"/> 6 6W / 480 lm	<input type="checkbox"/> 27 2700K
	<input type="checkbox"/> 16 16" / 15"	<input type="checkbox"/> 10 10W / 800 lm	<input type="checkbox"/> 30 3000K
	<input type="checkbox"/> 20 20" / 18.5"	<input type="checkbox"/> 15 15W / 1200 lm	<input type="checkbox"/> 35 3500K
	<input type="checkbox"/> 32 32" / 29.5"	<input type="checkbox"/> 20 20W / 1600 lm	<input type="checkbox"/> 40 4000K
	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
Dimming	Acoustic Fiber Finish Option	Canopy Finish Option	Cord Finish Option
<input type="checkbox"/> NN Non-Dimmable	<input type="checkbox"/> AF Acoustic fibers	<input type="checkbox"/> ST Standard	<input type="checkbox"/> SV Standard Vinyl
<input type="checkbox"/> DM 0-10V		<input type="checkbox"/> MC Metallic	<input type="checkbox"/> DB Decorative Braided
		<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request
Cord Length			
<input type="checkbox"/> L5 59" (adjustable)			
<input type="checkbox"/> Cus Custom on request			

Project


Notes

Finishes


Acoustic fiber finishes



Standard finishes



Metallic finishes



Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

