




## GENERAL INFORMATION

CALESSA is an acoustic pendant that combines soft materiality with a clean, sculptural form. The felt shade gently surrounds a central frosted glass globe, creating a balanced composition that delivers both visual warmth and functional illumination. Designed to enhance acoustic comfort while providing a soft 360° diffused light, CALESSA is ideal for dining areas, offices, and hospitality environments. The P.E.T. felt surface helps reduce ambient noise, while the integrated light source produces a calm and evenly distributed glow. With a wide range of finishes, the fixture adapts seamlessly to different interiors, functioning as both a lighting solution and an acoustic element within the space.



## SPECIFICATIONS

Material	Stainless Steel, 100% P.E.T. Felt
Diffuser	Glass, Frosted
Glass Diameter	9.84"
Body Diameter	18.1"
Height	12.8"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	6W / 10W / 15W / 18W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360°, Diffused
IP Rating	IP 20
Finishes	38 acoustic fiber finishes
Warranty	5 years

## OTHER VERSIONS AVAILABLE



## CERTIFICATION



Project

Notes

## Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Body Diameter Ø / Height	Wattage / Lumens	CCT
<input checked="" type="checkbox"/> <b>CLS</b> Acoustic / Pendant	<input checked="" type="checkbox"/> <b>18</b> 18.1" / 12.8"	<input type="checkbox"/> <b>6</b> 6W / 540 lm	<input type="checkbox"/> <b>27</b> 2700K
		<input type="checkbox"/> <b>10</b> 10W / 900 lm	<input type="checkbox"/> <b>30</b> 3000K
		<input type="checkbox"/> <b>15</b> 15W / 1350 lm	<input type="checkbox"/> <b>35</b> 3500K
		<input type="checkbox"/> <b>18</b> 18W / 1620 lm	<input type="checkbox"/> <b>40</b> 4000K
		<input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>Cus</b> Custom on request
Dimming	Acoustic Fiber Finish Option	Canopy Finish Option	Cord Finish Option
<input type="checkbox"/> <b>NN</b> Non-Dimmable	<input type="checkbox"/> <b>AF</b> Acoustic fibers	<input type="checkbox"/> <b>ST</b> Standard	<input type="checkbox"/> <b>SV</b> Standard Vinyl
<input type="checkbox"/> <b>DM</b> 0-10V		<input type="checkbox"/> <b>MC</b> Metallic	<input type="checkbox"/> <b>DB</b> Decorative Braided
		<input type="checkbox"/> <b>Cus</b> Custom on request	<input type="checkbox"/> <b>Cus</b> Custom on request
Cord Length			
<input type="checkbox"/> <b>L5</b> 59" (adjustable)			
<input type="checkbox"/> <b>Cus</b> Custom on request			

Project


Notes

# Finishes


## Acoustic fiber finishes



## Standard finishes



## Metallic finishes




## Cord finishes

### Standard Vinyl



### Decorative Braided



**RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL\_ \_ \_ \_**

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

