




GENERAL INFORMATION

MELUNA is an acoustic pendant defined by its soft vertical silhouette and integrated diffused illumination. The sculptural P.E.T. felt body gently surrounds the central light source, creating a warm and balanced glow while contributing to improved acoustic comfort within the space. Designed for hospitality environments, offices, and residential interiors, MELUNA combines functional lighting with sound-absorbing performance. Its clean geometric form and wide range of acoustic felt finishes allow the fixture to function as both a decorative focal point and an architectural acoustic element.



SPECIFICATIONS

Material	Aluminum, 100% P.E.T. Felt
Diffuser	Polycarbonate
Height	24" / 39" / 48"
Width	12" / 18" / 24"
Input Voltage	110-277V, 50-60 Hz
Light Source Type	LED
Power	10W / 14W / 18W
LED Output	90 lm/W
CCT	2700K / 3000K / 3500K / 4000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	360° Diffused
IP Rating	IP 20
Finishes	38 acoustic fiber finishes
Warranty	5 years

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Height / Width / Wattage / Lumens	CCT	Dimming
<input checked="" type="checkbox"/> MLN Acoustic / Pendant	<input type="checkbox"/> 24 24" / 12" / 10W / 900 lm <input type="checkbox"/> 39 39" / 18" / 14W / 1260 lm <input type="checkbox"/> 48 48" / 24" / 18W / 1620 lm <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 27 2700K <input type="checkbox"/> 30 3000K <input type="checkbox"/> 35 3500K <input type="checkbox"/> 40 4000K <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> NN Non-Dimmable <input type="checkbox"/> DM 0-10V
Acoustic Fiber Finish Option	Canopy Finish Option	Cord Finish Option	Cord Length
<input type="checkbox"/> AF Acoustic fibers	<input type="checkbox"/> ST Standard <input type="checkbox"/> MC Metallic <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> SV Standard Vinyl <input type="checkbox"/> DB Decorative Braided <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> L6 59" (adjustable) <input type="checkbox"/> Cus Custom on request

Project


Notes

Finishes


Acoustic fiber finishes



Standard finishes



Metallic finishes




Cord finishes

Standard Vinyl



Decorative Braided



RAL K7 CLASSIC COLORS (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).

