




GENERAL INFORMATION

The Sylva Frosted P pendant brings architectural clarity to exterior spaces through a balance of form, light, and material. Its extruded aluminum structure paired with a frosted acrylic diffuser produces soft, uniform illumination with 360° symmetrical distribution. Engineered for outdoor performance with an IP65 rating, Sylva Frosted P enhances terraces, patios, and covered walkways with refined simplicity. Available in a broad palette of standard, metallic, and wood-effect finishes to complement diverse design concepts.



SPECIFICATIONS

Material	Extruded Aluminum
Lens	Frosted, Acrylic
Length / Width	3.5" x 3.5"
Height	10" / 16"
Light Source Type	LED
Power	10W / 18W / 23W
Input Voltage	110-277V, 50-60 Hz
LED Output	48 lm/W
CCT	2200K / 2700K / 3000K / 4000K / 5000K
CRI	90
Dimming & Driver	Integral, 0-10V
Light Distribution	Type V 360° symmetrical light distribution
IP Rating	IP 65
Warranty	5 years
Finishes	28 standard finishes 8 wood-effect finishes 12 metallic finishes Custom on request*

OTHER VERSIONS AVAILABLE



CERTIFICATION



Project

Notes

Ordering Information

Select one item from each category below. If your desired option is unavailable, please contact our team for support or custom solutions.

Code	Length / Width	Height	Material
<input checked="" type="checkbox"/> SLVF-P Outdoor Pendant	<input type="checkbox"/> 3 3.5" <input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> 10 10" <input type="checkbox"/> 16 16" <input type="checkbox"/> Cus Custom on request	<input checked="" type="checkbox"/> AL Extruded Aluminum
CCT	Wattage / Lumens	Light Distribution	Dimming
<input type="checkbox"/> 22 2200K	<input type="checkbox"/> 4 10 W / 480 lm	<input checked="" type="checkbox"/> LD5 Type V	<input type="checkbox"/> NN Non-Dimmable
<input type="checkbox"/> 30 3000K	<input type="checkbox"/> 8 18 W / 864 lm	360° symmetrical light distribution	<input type="checkbox"/> DM 0-10V
<input type="checkbox"/> 40 4000K	<input type="checkbox"/> 11 23 W / 1104 lm		
<input type="checkbox"/> 50 5000K	<input type="checkbox"/> Cus Custom on request		
Top Housing Finish Option	Main Body Finish Option	Canopy Finish Option	Cord Length
<input type="checkbox"/> ST Standard	<input type="checkbox"/> ST Standard	<input type="checkbox"/> ST Standard	<input type="checkbox"/> L11 118" (adjustable)
<input type="checkbox"/> WE Wood effect	<input type="checkbox"/> WE Wood effect	<input type="checkbox"/> WE Wood effect	<input type="checkbox"/> Cus Custom on request
<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MC Metallic	<input type="checkbox"/> MC Metallic	
<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request	<input type="checkbox"/> Cus Custom on request	
Cord Finish Option			
<input type="checkbox"/> WH White			
<input type="checkbox"/> BL Black			
<input type="checkbox"/> Cus Custom on request			

Project

Notes

Finishes

Standard finishes

RAL 4012	RAL 4005	RAL 4010	RAL 1012	RAL 1021	RAL 2000	RAL 2008	RAL 2002	RAL 3003	RAL 3011	RAL 3014	RAL 3017
RAL 3018	RAL 5007	RAL 5019	RAL 5024	RAL 6011	RAL 6001	RAL 6017	RAL 3012	RAL 1001	RAL 1015	RAL 9010	RAL 9016
RAL 9003	RAL 9022	RAL 7004	RAL 9005								

RAL K7 CLASSIC COLORS
 (80-95% GLOSS): RAL_ _ _ _

All RAL Classic colors are available with no setup fee.

On your specification submittal, choose your RAL color by entering the 4-digit RAL code (e.g., RAL 3003).



Wood-effect finishes

WO WHITE OAK	OA OAK	HO HONEY OAK	MP MAPLE	WT WALNUT	MG MAHOGANY	DO DARK OAK	ES ESPRESSO
-----------------	-----------	-----------------	-------------	--------------	----------------	----------------	----------------

Metallic finishes

001 SUNLIT GOLD	003 IMPERIAL GOLD	005 DESERT BRONZE	007 AMBER ALLOY	009 SIENNA BRONZE	014 REDWOOD GLOW	017 AGED CITRON	018 ARCTIC STEEL	019 CAMEL BRASS	020 CEDAR FLAME	021 CHARRED OAK	023 OBSIDIAN STEEL
--------------------	----------------------	----------------------	--------------------	----------------------	---------------------	--------------------	---------------------	--------------------	--------------------	--------------------	-----------------------

Cord finishes

SVB BLACK	SVW WHITE
--------------	--------------